Museums 2 7991 . 287

404

THE ZOOLOGICAL RECORD

VOLUME 97 SECTION 4 1960

MAR 26 1965
MUSEUMS
LIBRARY

COELENTERATA

COMPILED BY

H. DIGHTON THOMAS, M.A., Ph.D.

LONDON
PUBLISHED BY
THE ZOOLOGICAL SOCIETY OF LONDON

PRICE FIVE SHILLINGS
1963

It will greatly help in the production of The Zoological Record and assist the Recorders of the individual sections, if authors will forward a copy of their paper or memoir to the Editor of the Zoological Record, The Zoological Society of London, Regent's Park, London, N.W.I. In the case of separately printed copies of articles so forwarded, the original pagination should be given.

THE STATE OF THE SECOND SECOND

All business correspondence concerning the Record should be addressed to the Scientific Director, The Zoological Society of London, Regent's Park, London, N.W.1.

THE MUSEUMS JOURNAL

PUBLISHED BY THE MUSEUMS ASSOCIATION 22 Fitzroy Street, Fitzroy Square, London, W.1.

This journal, which is published monthly, contains articles, reviews and technical notes on every Museum aspect of zoology and other sciences. It is the only English journal which deals with the installation and preservation of exhibits, and which reviews Museum work in all parts of the world.

It is published monthly, price 4s., by the Association and can be obtained from the above address. It is distributed free to all members of the Museums Association (Subscription £3 3s. 0d. per annum), of which full particulars are obtainable from the Secretary at the above address.

COELENTERATA

COMPILED BY

H. DIGHTON THOMAS, M.A., Ph.D.

Vol. 97

per lon,

tific

ich in

ove 0d. ess.

© Zoological Society of London, 1963

ATM REMIX PUBLISHED

-- 10-11 Net7

MERCHANT ATTION

4. COELENTERATA

Commencing with this Volume the Graptolithina are recorded in Section 14, Protochordata

	CONTENTS							1	PAGE
I.	TITLES								3
II.	Subject Index								15
III.	Systematic Index Hydrozoa, p. 20;	 Diplem		o. 25 ;	Scyphozo	a, p. 25;	Antl		20
	Ctenophora, p. 33;				ocypnozo	a, p. 20 ,		юдон, р.	20,

I.—TITLES

Abeloos, M. Régénération et morphogénèse chez Actinia equina L. Actes Congr. Ass. franç. Adv. Sci. 74 [1955]: 361-363 text-figs. 1-4.

Allison, E. C. see Durham, J. W.

Alloiteau, J. Nouveaux polypiers du cretacique d'Espagne. Anal. Escul. Técn. Perit. Agric. Espec. Agropec. Serv. Técn. Agric. Barcelona 14 1960: 77-108 pls. 1, 2 text-figs. 1-4.

Alloiteau, J. (1). Introduction à la séance spécialisée sur les milieux récifaux. Bull. Soc. géol. Fr. 7 1 4 (for 1959) 1960 : 335-336.

Alloiteau, J. (2). Sur le genre Clausastrea. Ann. Paléont. 46 1960 : 1-46 pls. 1-5 text-figs. 1-16.

André, S. see Roche, J.

Anichini, C. Risultati delle ricerche planctonologiche effettuate nella stazione fissa di Cagliari. Boll. Pesca Piscic. Idrobiol. Ann. 35 N.S. 14 (for 1959) 1960: 59-94 text-figs. 1-11. [Italian with French and English summaries.]

Anichini, C. (1). Variazioni qualitative e quantitative dello zooplancton nelle parte orientale del Golfo di Cagliari dal luglio 1956 al dicembre 1957. Rapp. Comm. int. Mer Medit. 15 2 1960: 317–325 4 figs.

Atoda, K. The development of the sea anemone, Diadumena luciae IV. The correlation between the forms of laceration pieces and those of their regenerates. Bull. mar. biol. Sta. Asamushi 10 2 1960: 87-94 text-figs. 1-5.

Avias, J. Les récifs coralliens de la Nouvelle-Calédonie et quelques-un de leurs problèmes. Bull. Soc. géol. Fr. 7 1 4 (for 1959) 1960 : 424-430 pls. 26, 27 text-fig. 1.

Bainbridge, V. The Plankton of Inshore Waters off Freetown, Sierra Leone. Fish. Publ., Lond., No. 13 1960: 1-48 text-figs. 1-22. Banks, M. R. Recent Additions to the Knowledge of the Permian System in Tasmania. Congr. Geol. Internat. Mexico 20 Comm. Gondwana (1956) 1958: 151-177 figs. 1-4 table.

Barnard, J. L. see Hartman, O.

Bartholomew, R. W. Geology of Savusavu Bay West Vanna Levu. Bull. Geol. Surv. Dept. Suva Fiji 5 no date [? 1960]: [iv] + 1-28 pls. 1-12 map. [Coral by J. W. Wells, p. 9.]

Bartholomew, R. W. (1). Geology of the Nandi Area Western Viti Levu. Bull. Geol. Surv. Dept. Suva Fiji 7 [1960]: [iv] + 1-27 pls. 1-14 map. [Corals by J. W. Wells, p. 12.]

Basse, E. Madréporaires rauraciens et rivière quaternaire de Pintheville (Meuse). Bull. Soc. géol. Fr. 7 1 4 (for 1959) 1960 : 390-392 text-figs. 1-3.

Bataller, J. R. Lucas Mallada. Estud. geol. Inst. Mallada 8 15 1952: 85—108 pls. 35—41. [Spanish with French, English and German summaries.]

Bataller, J. R. (1). Paleontología del Garumniense. Estud. geol. Inst. Mallada **15** 41–44 1959 : 39–55. [Coral list pp. 41–43.]

Batham, E. J. The Fine Structure of Epithelium and Mesogloea in a Sea Anemone. Quart. J. micr. Sci. 101 4 1960: 481-485 figs. 1, 2.

Batham, E. J., Pantin, C. F. A. & Robson, E. A. The Nerve-net of the Sea-Anemone Metridium senile: the Mesenteries and the Column. Quart. J. micr. Sci. 101 4 1960: 487-510 figs. 1-12.

Battistini, R. Observations sur les récifs coralliens du Sud-Ouest de Madagascar. Bull. Soc. géol. Fr. 7 14 (for 1959) 1960 : 341-346 text-figs. 1, 2.

Bayer, F. M. & Delchmann, E. The Ellisellidae (Octocorallia) and their Bearing on the Zoogeography of the Eastern Pacific. Proc. biol. Soc. Wash. 73 1960: 175–182 text-figs. 1, 2.

Ne

COL

19

TA

11

pl

fo

de

de

di

B

(8

roli

B

Beadle, L. C., Thomas, I. F. & Poole, D. F. G. Early development of *Limnocnida victoriae* Gunther (Limnomedusae). Proc. zool. Soc. Lond. **134** 2 1960: 217–219 pl. 1.

Beauvais, L. La formation oolithique à Polypiers de la Mouille (Haute-Saône). Bull. Soc. géol. Fr. 7 1 4 (for 1959) 1960: 375–377 pl. 25 text-figs. 1, 2.

Beauvais, L. (1). Quelques observations sur la morphogénèse de *Thecosmilia langi* Koby. Bull. Soc. géol. Fr. 7 17 (for 1959) 1960 : 687-690 pl. 30 text-fig. 1.

Beerbower, J. R. & McDowell, F. W. The Centerfield Biostrome: An Approach to a Paleoecologic Problem. Proc. Pa. Acad. Sci. 34 1960: 84-91 text-figs. 1, 2.

Bellomy, M. D. Dyeing Your Anemones. Aquarium J. **31** 12 1960: 592–594, 596–599, 633–634 4 figs.

Beloussov, L. V. Cell migrations during the morphogenesis of the hydroid polyp Campanularia integra. Zh. Obshch. Biol. 21 4 1960: 279–288 text-figs. 1-5. [Russian with English summary.]

Belousov, L. V. & Geleg, T. Chemical regulation of the morphogenesis of hydroid polyps. Dokl. Akad. Nauk S.S.S.R. 130 5 1960: 1165-1168 text-fig. 1. See also Dokl. Akad. Nauk S.S.S.R. (Transl.) Biol. Sci. 130 1960: 82-84 text-fig. 1.

Bénard, F. La faunule associée au Lithophyllum incrustans Phil., des cuvettes de la région de Roscoff. Cah. Biol. mar. 1 1 1960 : 89–102 2 text-figs. [Actinians p. 90.]

[Bendukidze, N. S. Verkhneyurskie korallui zapadnoi chasti Abkhazii i Ushchel'ya R. Mzuimta.] Trud. Geol. Inst. Akad. Nauk Gruz. S.S.R. 11 1960: 5-36 pls. 1-3. [Russian only.]

Berner, L. Note sur *Heliactis bellis* (Ellis et Solander, 1786) (Hexacoralliaire—Actinaire). Bull. Soc. linn. Provence 20 1955: 9-16.

Blunt, J. S. Oceanography, Hydrology. Introductory Studies: Hydrology and Plankton, Mawson, June 1956–February, 1957. ANARE Rep. **3B** 1960: 1–135 text-figs. 1–45. [Coelenterates p. 43.]

Bolton, T. E. Catalogue of type invertebrate fossils of the Geological Survey of Canada I 1960: 1–215. Geol. Surv. Canada, Ottawa. [Coelenterata pp. 20–67.]

Bonet, F. see Kornicker, L. S.

Bonnenfant, J. Recherches sur l'évolution larvaire et la variation physiologique du cnidome chez Actinia equina. Bull. Soc. zool. Fr. 85 2-3 1960: 157-165 text-figs. 1-3.

Boschma, H. Opmerkingen over een Zuidafrikaanse Stylasteride. Versl. gewone Vergad. Akad. Amst. **69** 4 1960: 54–55.

Boschma, H. (1). Notes on the stylasterine coral Allopora profinda Moseley. Proc. ned. Akad. Wet. Amst. 63C 3 1960: 400-407 pl. 1 text-fig. 1.

Boschma, H. (2). Gyropora africana, a new stylasterine coral. Proc. ned. Akad. Wet. Amst. 63C 4 1960: 423-434 pls. 1, 2 text-fig. 1.

Boschma, H. (3). The stylasterine coral Allopora bithalamus (Broch). Proc. ned. Akad. Wet. Amst. 63C 4 1960: 435-446 pls. 2, 3 text-figs. 1-4.

Boschma, H. (4). The Stylasterine Coral Allopora stellulata (Stewart). Zool. Meded. 37 4 1960: 49-60 pls. 3-6 text-figs. 1-4.

Bose, A. see Mookerjee, S.

Bostock, H. S. & Lees, E. J. Laberge Map-Area, Yukon. Mem. Geol. Surv. Canada 217 1960: 1-32 pls. 1-3 map.

Bousfield, E. L. & Leim, A. H. The fauna of Minas Basin and Minas Channel. Bull. nat. Mus. Can. No. 166 (for 1959) 1960: 1–30 text-figs. 1–3. [Hydrozoa listed pp. 13, 14.]

Bovaird, J. see Lenhoff, H. M.

Boyce, M. W. The macropaleontology of the Osgood Formation (Niagaran) in Ripley County, Indiana, in Perry, T.. G. & Hattin, D. E., Osgood (Niagaran) bryozoans from the type area. J. Paleont. 34 4 1960: 697-698. [Coral list.]

Braverman, M. H. Differentiation and Commensalism in Podocoryne carnea [sic]. Amer. midl. Nat. **63** 1 1960: 223–225 text-figs. 1, 2.

Brien, P. The fresh-water Hydra [sir]. Amer. Scient. **48** 4 1960: 461-475 text-figs. 1-8.

Brinckmann, A. Über das Vorkommen von Niobia dendrotentacula Mayer im Mittelmeer. Pubbl. Staz. Zool. Napoli 31 2 1959: 334–336 text-figs. 1, 2. [German with Italian summary.]

Brinckmann, A. & Petersen, K. W. On Some Distinguishing Characters of Dipurena reesi Vannucci 1956 and Cladonema radiatum Dujardin 1843. Pubbl. Staz. Zool. Napoli 31 3 1960: 386-392 text-figs. 1-6. [English with Italian summary.]

Buchert, A. Der Fangarmpolyp der Microhydra germanica Roch und dessen zyklische Entwicklung. Allat. Közlem. 47 3-4 1960: 51-57 pls. 1, 2 text-figs. 1, 2. [Hungarian with German summary.]

Buchert, A. (1). Craspedacusta sowerbyi Lank., eine Süsswasser Meduse und ihre beiden Polyp-Typen in der Ungarischen Fauna. Acta zool. Budapest 6 (1-2) 1960: 29-55 pls. 1, 2 text-figs. 1-7.

Buge, E. Les Bryozoaires du Néogène de l'Ouest de la France et leur Signification stratigraphique et paléobiologique. Mém. Mus. nat. Hist. nat. N.S. C6 1957: 328 pl. 12 figs. 7, 8 [for coral.]

Bullis, H. R., Jnr. see Moore, D. R.

Burkholder, P. R. see Odum, H. T.

Burnett, A. L. The Nematocyst of Hydra [sie] (Part II). The maturation of Nematocysts in Hydra [sie]. Ann. Soc. roy. zool. Belg. 90 2 (for 1959-60) 1960: 269-280 text-figs. 1-6.

Burnett, A. L. (1). The Nematocyst of Hydra [sic] (Part IV). The inhibition of the Nematocyst formation process in Hydra [sic]. Ann. Soc. roy. zool. Belg. **90** 2 (for 1959–60) 1960: 295–305 text-figs. 1–3.

Burnett, A. L. (2). The Nematocyst of Hydra [sie] (Part V). The exchange of cnidoblast cells between two different species of Hydra [sie]. Ann. Soc. roy. zool. Belg. 90 2 (for 1959–60) 1960: 307–315 text-figs. 1–3.

Burnett, A. L. & Garofalo, M. Growth Pattern in the Green Hydra, Chlorohydra viridissima [sic]. Science 131 3394 1960: 160–161.

Burnett, A. L. & Lentz, T. The Nematocyst of Hydra [sic] (Part III). The migration pathways of Nematocysts in Hydra [sic]. Ann. Soc. roy. zool. Belg. 90 2 (for 1959-60) 1960: 281-293.

Burnett, A. L., Lentz, T. & Warren, M. The Nematocyst of Hydra [sic] (Part I). The question of control of the Nematocyst discharge reaction by fully fed Hydra [sic]. Ann. Soc. roy. zool. Belg. 90 2 (for 1959-60) 1960: 247-267 text-figs. 1-5.

Campbell, C. J. see McKerrow, W. S.

Cann, R. see Kornicker, L. S.

Catala-Stucki, R. Nouveaux organismes marins présentant des effets de fluorescence par l'action des rayons ultraviolets. C. R. Acad. Sci. Paris 250 6 1960 1128.

Cavet, P. Le Paléozoique de la zone axiale des Pyrénées orientales françaises entre le Roussillon et L'Andorre (étude stratigraphique et paléontologique). Bull. Carte géol. Fr. 55 254 (for 1957) 1959 : 1–216 pls. 1–12 text-figs. 1–36.

Cervigón, F. Contribución al estudio de los sifonóforos de las costas de Castellón (Mediterráneo Occidental). Invest. Pesq. 12 1958: 21-47 text-figs. 1-38. [Spanish with English summary.]

Cervigón, F. (1). Sifonóforos recogidos en las costas de Africa occidental desde Cabo Blanco a Cabo Verde durante el año 1958. Bol. Soc. españ. Hist. nat. Secc. Biol. 85 2 1960 : 253-258 map.

[Chekhovich, V. D. Novuii rod Pseudoroemeria (sic) iz semeistva Syringolitidae (Tabulata).] [Pseudoroemeria (sic), a new genus of the family Syringolitidae (Tabulata).] Paleont. Zhurn. 1960 4 1960: 43-47 pl. 3. [Russian only.]

Chevalier, J.-P. Quelques considérations sur la vie récifale au Miocène dans le bassin méditerranéen. Bull. Soc. géol. Fr. 7 1 4 (for 1959) 1960 : 369–374 text-figs. 1, 2. [Includes nomm. nud.]

Chevalier, J.-P. (1). Contribution à l'étude du développement du plan de Pourtales chez les Eupsammidae (Madréporaires); cas de Balanophyllia italica Mich. sp [sic]. Bull. Soc. géol. Fr. 7 1 7 (for 1959) 1960: 691-695 text-figs. 1-5.

Chlupáč, I. The new Lower Carboniferous fauna from the vicinity of Hranice in Moravia. Sborn. geol. Ust. Csl. 24 1958 : 279–312. pls. 1–4 text-figs. 1–4. [Corals pp. 297–298. Czech with English summary.]

Chopra, S. A Note on the Sudden Outburst of Ctenophores and Medusae in the Waters off Bombay. Curr. Sci. 29 10 1960: 392–393 text-figs. 1, 2.

Chudinova, I. I. see Ivanova, E. A.

Ciereszko, L. S., Odense, P. H. & Schimdt, R. W. Chemistry of coelenterates. II. Occurrence of taurobetaine and creatine in gorgonians. Ann. N.Y. Acad. Sci. 90 3 1960: 920-922.

Ciereszko, L. S., Sifford, D. H. & Weinheimer, A. J. Chemistry of coelenterates. I. Occurrence of terpenoid compounds in gorgonians. Ann. N.Y. Acad. Sci. 90 3 1960: 917-919.

Cocke, J. M. see Sutherland, P. K.

Cognetti, G. & Santarelli, M. Ricerche sulle zoocenosi bentoniche del Golfo di Napoli. II. La cosiddetta secca di San Giovanni a Teduccio. Boll. Pesca Piscic. Idrobiol. Ann. 35 N.S. 14 1 (for 1959) 1960: 10–20 text-figs. 1, 2.

Collignon, M. Calcaires à Polypiers, récifs et atolls du Sud de Madagascar. Bull. Soc. géol. Fr. 7 1 4 (for 1959) 1960 : 403-408 text-figs. 1, 2.

Comaschi Caria, I. Macrofauna e stratigrafia de Miocene della zona di Cagliari. Boll. Soc. geol. ital. 78 (for 1959) 1 1960: 3-36 pls. 1-8 map. [Corals pl. 1. Italian with French résumé.]

Condon, M. A. Developments in the stratigraphy and structure of Western Australia. 20th Congr. geol. internat. Mexico, Com. Gondwana 1956: 139-149 map.

Conover, J. T. see Kornicker, L. S.

Costa, S. Recherches sur les fonds a *Halarachnion* spatulatum de la baie de Marseille. Vie et Milieu 11 1 1960: 1-68 text-figs. 1-21. [Lists.]

Cotton, B. C. & Godfrey, F. K. Idiellana, a New Name for the Preoccupied Genus Idiella Stechow (Coelenterata—Family Sertulariidae). [Rec. S. Austral. Mus. 7 2 1942 : 234.

Cowden, R. R. A Note on the Regenerative Capacity of the Sea Anemone Bunodeopsis Globulifera. Naturwissenschaften 46 11 1959: 386.

Cowden, R. R. & Glocker, J. B. A Topological Histochemical Study of *Pelmatohydra oligactis*. Trans. Amer. micr. Soc. **79** 2 1960: 180–190 text-figs. 1–10.

Crespin, I. Catalogue of type and figured specimens in the Commonwealth Palaeontological Collection, Canberra. Rep. Aust. Bur. Min. Res. Geol. Geophys. 54 1960: 1-92. [Coelenterata pp. 44-51.]

Crickmay, C. H. The older Devonian faunas of the Northwest Territories: 1-21 pls. 1-11. Calgary, 1960.

Cutress, C. E. & Pequegnat, W. E. Three New Species of Zoantharia from California. Pacif. Sci. 14 2 1960: 89–100 text-figs. 1–11.

Daily, B. see Glaessner, M. F.

Datta, S. see Mookerjee, S.

De Angelis, C. M. & Della Valle, R. Il ciclo stagionale del plancton in rapporto alle condizioni fisico-chimiche del Mar Piccolo e del Mar Grande di Taranto. I—Nota preliminare. Boll. Pesca Piscic. Idrobiol. Ann. 35 N.S. 14 1 (for 1959) 1960: 21–43 1 pl. text-figs. 1–7.

Deevey, G. B. The Zooplankton of the Surface Waters of the Delaware Bay Region. Bull. Bingham oceanogr. Coll. 17 2 1960: 1-53 text-figs. 1-19. [Hydrozoa, p. 37. With Russian summary.]

Deichmann, E. see Bayer, F. M.

Della Valle, R. see De Angelis, C. M.

Deunff, J. Formations récifales et Hystrichosphères. Bull. Soc. géol. Fr. 7 1 4 (for 1959) 1960 : 409-410.

Dieni, I. & Omenetto, P. Studio di una macrofauna del Pliocene inferiore di Orosei (Sardegna). Riv. ital. Paleont. 66 4 1960: 605-618 pl. 17 text-figs. 1, 2. [Corals pp. 611-612.]

Dieuzeide, R. Le fond chalutable à 600 mètres par le travers de Castiglione. Le facies à *Isidella elongata* Esper. Bull. Sta. Aquic. Pêch. Castiglione N.S. 10 1958-59 (1960): 61-106 2 charts figs. 1-19. [Alcyonarian, p. 66.]

Dingle, A. D. Inhibitory action of a tissue extract on regeneration of Tubularia [sic]. [Abstract.] Biol. Bull. Woods Hole 119 2 1960: 312-313.

W

22

350

Da

13

Ste

sk

a

Bu

of

er

Bi

OL

fr

T

m

N

19

H

[Dobrolyubova, T. A. Istoricheskoe razvitie nekotoryx chetyrekhluchevukh korallov v nizhnem karbone Podmoskovnogho basseina.] Sborn. Trud. Geol. Paleont. Akad. Nauk S.S.S.R. Komi Filial, Syktyvkar, 1960: 330–351 pls. 1–5 text-fig. 1. [Russian only.]

Dodson, R. G. see Thompson, A. O.

Drushchits, V. V. see Kuz'mitcheva, E. I.

Dubatolov, V. N. see Yanet, F. E.

Dufaure, J.-P. Nouvelle observation sur le dimorphisme Tentaculaire chez les Actinies. Vie et Milieu **10** 2 1959 : 185-188 text-figs. 1-3.

Dupéré, H. Récolte de Méduses Craspedacusta Sowerbyi (Lankester) dans les Landes. Proc. Verb. Soc. Linn. Bordeaux 97 (for 1957-8) [1959]: 152.

Durham, J. W. & Allison, E. C. Symposium: The Biogeography of Baja California and Adjacent Seas. Part I. Geologic History. The Geologic History of Baja California and Its Marine Faunas. Syst. Zool. 9 2 1960: 47-91 text-figs. 1-7.

Easton, W. H. Permian Corals from Nevada and California. J. Paleont. 34 3 1960: 570-583 text-figs. 1-18.

Easton, W. H. (1). Invertebrate Paleontology: 1-701 figs. Harper Bros., New York, 1960. [Coelenterates, pp. 123-213.]

Edmondson, W. T. see Ward, H. B. & Whipple, G. C.

Ehlers, G. M. see Galloway, J. J.

Ehrenberg, K. Paläozoologie, pp. 1–408 text-figs. 1–175. Springer-Verlag, Wien, 1960. [Coelenterata, pp. 38–50.]

Eibl-Eibesfeldt, I. Beobachtungen und Versuche an Anemonenfischen (Amphiprion) der Malediven und der Nicobaren. Z. Tierpsychol. 17 1 1960: 1-10 text-figs. 1-12. [With English summary.]

[Ermakova, K. A. Novuie vidui devonskikh korallov rugosa iz tsentral'nykh oblastei Russkoi Platformui. In Voprosui stratigrafti, fatsii i faunui Paleozoya Russkoi Platformui i Kainozoya Severnogo Kavkaza.] Trud. Vses. Nauch.-Issl. Gheol. raz. Neft. Inst. (VNIGNI) 8 1957: 160–191 pls. 1–5. [Russian only.]

[Ermakova, K. A. (1). Nekotorye vidui kishechnopolostnykh devona tsentral'nykh i vostochnuikh oblastei Russkoi Platformui. *In* Paleontologicheskii Sbornik 3.] Trud. Vses. Nauch.-Issl. Gheol.-raz. Neft. Inst. (VNIGNI) 16 1960: 69-106 pls. 1-7. [Russian only.]

Ewer, D. W. Inhibition and rhythmic activity of the circular muscles of *Calliactis parasitica* (Couch). J. exp. Biol. **37** 4 1960: 812-831 text-figs. 1-9.

Faure, C. Étude des phénomènes de reproduction chez Aglaophenia pluma (L.). Cah. Biol. mar. 1 2 1960: 185-204 l pl. text-figs. 1-13. [French with English summary.]

Feldman, M. & Lenhoff, H. M. Phototaxis in Hydra littoralis: Rate studies and localization of the "photoreceptor". [Abstract.] Anat. Rec. 137 3 1960: 354-355.

Feray, G. Étude du Jurassique supérieur de la région de l'axe du Merlerault (Orne) et comparaison avec d'autres régions. Bull. Soc. Linn. Norm. (9) 10 1960: 76-102 pls. 1-3.

Flügel, E. Riffbildende Tiere und Pflanzen aus der Obertrias der Nordalpen. Veröff. naturhist. Mus. Wien N.F. 3 1960: 16-20 text-figs. 1-8.

Flügel, E. (1). Solenoporaceen (Algae) aus den Zlambach-Schichten (Rhät) der Fischerwiese bei Alt-Aussee, Steiermark. N. Jb. Geol. Paläont. Monats. 1960 8 1960: 339-354 text-figs. 1-3.

Flügel, E. (2). Heterastridium conglobatum conglobatum Reuss, an Upper Triassic hydrozoan from the Petratou-Roumiou limestone of Pendakomo, Cyprus. J. Paleont. 34 1 1960: 127-132 pl. 26.

Flügel, E. (3). Actinostromaria cantabrica Schnorf-Steiner (Hydrozoa) aus der Unter-Kreide (Aptium) von Südbulgarien. Geologie Jahrg. 9 1 1960: 80-83 text-figs. 1, 2.

Flügel, E. (4). Der gegenwärtige Stand der Untersuchungen fossiler Hydrozoen. Paläont. Z. 34 1 1960:

Flügel, E. (5). Cassianostroma n. gen., die erste Hydrozoe aus den Cassianer-Schichten (Ober-Ladin) der Südalpen. N. Jb. Geol. Paläont. Monats. 1960 2 1960: 49-59 text-figs. 1-5.

Flügel, H. & Schimunek, K. Revision der aus dem Mitteldevon von Graz beschriebenen Arten der Gattung Hexagonaria Gürich (Rugosa). Neues Jb. Geol. Paläont. Abb. 111 1 1960: 1-29 pl. 1 text-figs. 1-6.

Fosberg, F. R. Description and Occurrence of Atoll Phosphate Rock in Micronesia. Amer. J. Sci. 255 1957: 584-592.

Frajová, H. Die Korallenfauna des Stramberger Kalkes von Jasenice bei Valašské Meziříčí (Tithon). Sborn. geol. Ust. Čal. Ser. Paleont. 25 (for 1958) 1960: 61-72 pls. 1-5. [German with Czech and Russian summaries.]

Fraser, J. H. Scottish Observations on Zooplankton. Ann. biol. Copenhagen 15 (for 1958) 1960: 55-56,

Fulton, C. Culture of a Colonial Hydroid under Controlled Conditions. Science 132 3425 1960: 473-474 text-figs. 1, 2.

Furnestin, M.-L. Zooplancton du golfe du Lion et de la côte orientale de Corse. Rev. Trav. Ist. Pêches marit. 24 2 1960: 153-252 text-figs. 1-66.

Galloway, J. J. Structure and classification of the Stromatoporoidea. Bull. Amer. Paleont. 37 164 1957: 341–480 pls. 31–37. [A gen. n. and spp. n. are attributed to Galloway, J. J. & St. Jean, J.]

Galloway, J. J. (1). Devonian Stromatoporoids from the lower Mackenzie Valley of Canada. J. Paleont. 34 4 1960: 620-636 pls. 71-77.

Galloway, J. J. & Ehlers, G. M. Some Middle Devonian Stromatoporoids from Michigan and Southwestern Ontario, including the Types described by Alexander Winchell and A. W. Grabau. Contr. Mus. Paleont. Univ. Mich. Ann Arbor 15 4 1960: 39–120 pls. 1–13. [Three spp. n. are ascribed only to J. J. Galloway.]

Galloway, J. J. & St. Jean, J., Jnr. see Galloway,

Ganapati, P. N. & Subba Rao, D. V. Notes on the feeding habits of *Ianthina Janthina* Linnaeus. J. mar. biol. Ass. India 1 2 1960: 251-252 1 text-fig.

Garofalo, M. see Burnett, A. L.

Geleg, T. see Belousov, L. V.

George, T. N. Lower Carboniferous rocks in County Wexford. Q. J. geol. Soc. 116 1960: 349-364 pls. 20-22 text-figs. 1-3.

Gerlach, S. Über das tropische Korallenriff als Lebensraum. Verh. dtsch. zool. Ges. (for 1959) 1960: 356-363 text-figs. 1-4.

Gillet, H. see Miré, B. de.

Glaessner, M. F. Fauna in Glaessner, M. F. & Daily, B., The Geology and Late Precambrian Fauna of the Ediacaran Fossil Reserve. Rec. S. Aust. Mus. 13 3 1959: 369-401 pls. 42-47 text-figs. 1, 2.

Glaessner, M. F. (1). Precambrian fossils from South Australia. Rept. 21st internat. geol. Congr. Abstrs. 1960: 234; and 22 1960: 59-64.

Glaessner, M. F. & Daily, B. see Glaessner, M. F.

Glocker, J. B. see Cowden, R. R.

Godfrey, F. K. see Cotton, B. C.

Gogolczyk, W. Rodzaj Stachyodes (Stromatoporoidea) w dewonie Polski. [On the stromatoporoid Genus Stachyodes in the Devonian of Poland.] Acta palaeont. polon. 4 4 1960: 353–388 pls. 1-7. [Polish with English and Russian summaries.]

Goreau, N. I. see Goreau, T. F.

Goreau, T. F. & Goreau, N. I. The physiology of skeleton formation in corals. III. Calcification rate as a function of colony weight and total nitrogen content in the reef coral *Manicina areolata* (Linnaeus). Biol. Bull. Woods Hole 118 3 1960: 419–429 text-figs. 1-3.

Goreau, T. F. & Goreau, N. I. (1). The physiology of skeletal formation in corals. IV. On isotopic equilibrium exchanges of calcium between corallum and environment in living and dead reef-building corals. Biol. Bull. Woods Hole 119 3 1960: 416-427 text-figs. 1. 2.

Goreau, T. F. & Goreau, N. I. (2). Distribution of Labeled Carbon in Reef-Building Corals with and without Zooxanthellae. Science 131 3401 1960: 668-669.

Grant, U. S., IV, see Hertlein, L. G.

Green, J. Zooplankton of the River Sokoto: the freshwater medusa *Limnocnida*. Proc. zool. Soc. Lond. **135** 4 1960: 613-618 text-figs. 1-3.

Greenberg, M. J. Ancestors, Embryos, and Symmetry. Syst. Zool. 8 4 1959 [1960]: 212-221.

Grobe, J. Korallenriff auf dem Schreibtisch. Aquar. Terrar. Zeit. 13 3 1960: 76-79 4 text-figs.

Grozdilova, L. P. see Teodorovich, G. I.

Guilcher, A. Les récifs coralliens à petits lagons multiples de la baie Ramanetaka (côte nord-ouest de Madagascar). Bull. Soc. géol. Fr. 7 1 4 (for 1959) 1960: 337-340 text-figs. 1-4.

Guitart Manday, G. Gorgonias del litoral de la Costa Norte de Cuba. Acuario Nacional Sibarimar Habana No. 1 1959: 1-24 text-figs.

Gwilliam, G. F. Neuromuscular physiology of a sessile scyphozoan. Biol. Bull. Woods Hole 119 3 1960: 454-473 text-figs. 1-10.

Hadži, J. Vier kridariologische Studien. Razpr. Slov. Akad. Znan. Umetn. 5 1959: 45–103 1 text-fig. [Serbian with German summary.]

Hale, L. J. Contractility and Hydroplasmic Movements in the Hydroid Clytia johnstoni. Quart. J. micr. Sci. 101 3 1960: 339-350 figs. 1-5.

Hallam, A. Kulindrichnus langi a new trace-fossil from the Lias. Palaeontology 3 1 1960: 64-68 pl. 15 text-fig. 1.

Ham, R. G. see Spangenberg, D. B.

Hamada, T. The Middle Palaeozoic Formations in China and Korea, I. Korea and Northeast China, pp. 165-183 text-fig. 1; II. Northwest and South China, pp. 219-239 text-figs. 1-4. Jap. J. Geol. Geog. 31 2-4 1960.

Hand, C. On the Origin and Phylogeny of the Coelenterates. Syst. Zool. 8 4 1959 (1960): 191-202.

Harker, P. Corals, Brachiopods, and Molluscs of Grinnell Peninsula. Mem. geol. Surv. Canada 309 1960: 39–89 pls. 11–25.

Harker, P. & Thorsteinsson, R. Permian Rocks and Fossils of Grinnell Peninsula. Mem. geol. Surv. Canada 309 1960: pls. 1-19 text-figs. 1-4.

Hartman, O. Systematic Account of Some Marine Invertebrate Animals from the Deep Basins off Southern California. Allan Hancock Pacif. Exped. 22 2 1960: 69-215 pls. 1-19. [Coelenterates, pp. 76-77.]

Hartman, O. & Barnard, J. L. The Benthic Fauna of Deep Basins off Southern California: Continued Studies in the Seaward and Deeper Basins. Allan Hancock Pacific Exped. 22 2 1960: 217–297 map. [Coelenterate list p. 283.]

Hashimoto, W. *Tezoactinia*, a New Hydrozoan Fossil from Shotombetsu, Nakatombetsu-machi, Esashigun, Hokkaido (Yezo), Japan. Sci. Rep. Tokyo Kyoiku Daig. **7** 59-62 1960: 95-97 pls. 1-4.

Hashimoto, W. (1). Stromatoporoids from the Ainonai Limestone, Kitami Province, Hokkaidô. Sci. Rep. Tokyo Kyoiku Daig. 7 65-67 1960: 195-203 pls. 1-3 text-fig.

Haskell, D. C. The United States Exploring Expedition, 1838–1842, and its publications, 1844–1874: i-xii, 1–188 frontis. 4 pls. N.Y. State Lib., N.Y., 1942. [Dates of Dana's "Zoophytes", pp. 49–54.]

Hatae, N. The Geology and the Geological Structure of Amakusa-shima-shima, Kumamoto Prefecture. Sci. Rep. Kagoshima Univ. No. 9 1960: 61-107 textfigs. 1-5, 7-45 map. [Japanese with English résumé.]

Hattin, D. E. see Boyce, M. W.

Hernández-Sampelayo, P. Fósiles de la zona carbonífera de Viñón y Torazo (Asturias). Estud. geol. Inst. Mallada 10 21 1954: 7–48 pls. 1–12 textfig. 1.

Hertlein, L. G. & Grant, U. S., IV. The geology and paleontology of the marine Pliocene of San Diego, California. Mem. San Diego Soc. nat. Hist. 2 2a 1960: 71–133 pls. 19–26. [Corals, pp. 77–84.]

Hill, D. Possible intermediates between Alcyonaria Tabulata, Tabulata and Rugosa, and Rugosa and Hexacoralla. Rept. 21st internat. geol. Congr. Abstrs. 1960: 234; and 22 1960: 51-58.

Hillenius, D. Ciliary reversal in *Metridium* under nervous control. Arch. néerl. Zool. 13 4 1960 : 624-626.

Hirai, E. Some observations on differentiation of colony of a hydrozoan, *Proboscidactyla* sp. Bull. mar. biol. Sta. Asamushi 10 1 1960: 27–30 text-figs. 1–3.

Hirai, E. (1). On the structures of species of Corynidae [sic]. Bull. mar. biol. Sta. Asamushi 10 2 1960: 141-144 text-fig. 1.

faLC

M

M

Hirai, E. & Kakinuma, Y. Structure of hydranth of a hydrozoan, Coryne uchidai Stechow. Bull. mar. biol. Sta. Asamushi 10 1 1960: 41-48 text-figs. 1, 2.

Hoskin, C. M. see Kornicker, L. S.

Howe, H. J. Turbinolia rosetta, a new coral species from the Paleocene of Alabama. J. Paleont. 34 5 1960: 1020-1022 text-figs. 1, 2.

Hoyle, G. Neuromuscular activity in the swimming sea anemone, Stomphia coccinea (Müller). J. exp. Biol. 37 4 1960: 671-688 text-figs. 1-13.

Hudson, R. G. S. Sequanian Stromatoporoids from South-West Arabia. Notes Moyen. Orient Paris 6 1955: 225-241 pls. 22-25 text-figs. 1-5.

Hudson, R. G. S. (1). Tethyan Jurassic hydroids of the family Milleporidiidae. J. Paleont. **30** 3 1956: 714–730 pls. 75–77 text-figs. 1–6.

Hudson, R. G. S. (2). The Tethyan Jurassic stromatoporoids Stromatoporina, Dehornella, and Astroporina. Paleont. 2 2 1960: 180-199 pls. 24-28 tex+-fig 1-6.

Hyman, L. Coelenterata in Ward, H. B. & Whipple, G. C., Fresh-water Biology, 2nd Ed. (ed. W. T. Edmondson), 1959 ch. 12: 313-322 text-figs. 12.1-12.11.

[Ivanova, E. A. & Chudinova, I. I. Recent data on Devonian fauna in the Kuznetsk Basin.] Dokl. Akad. Nauk. S.S.S.R. 125 3 1959: 611-614. [See also English Translation, Earth Sci. Sect., 125 1-6 1960: 244-245.]

[Ivanovskii, A. B. The question of the systematic position of the Ordovician and Silurian Zaphrentoid Corals.] Dokl. Akad. Nauk S.S.S.R. 125 4 1959: 895-897 l pl. [Russian only. See also English Translation, Earth Sci. Sect., 125 1-6 1960: 364-366 figs.]

[Ivanovsky, A. B. (1). O nekotorykh kolonial' nykh korallakh Rugosa S r. Sukhaya Tunguska. In Materialy po paleontology i stratigrafy zapadnoi Sibiri.] Trud. Sivirsk. Nauk.-Issl. Inst. Geol. Geoph. Min. Syr. (SNIIGGMS) Min. Geol. Okhran. Nedr S.S.S.R. 2 1959: 135–138 pls. 1, 2. [Russian only.]

[Ivanovskii, A. B. (2). Novuie dannuie o sistematike zafrentid Ordovika i Silura.] [New data on the systematics of the Ordovician and Silurian zaphrentids.] Paleont. Zhurn. 1960 2 1960: 35–39 pl. 3 text-figs. 1, 2. [Russian only.]

Jones, S. Note on animal associations. I. A porcellanid crab on the sea pen, *Pteroeides esperi* Herklots. J. mar. biol. Ass. India 1 2 (for 1959) 1960: 178–179 pl. 1.

Josephson, R. K. Sensitivity of the hydroid Syncoryne mirabilis to water-borne mechanical disturbances. [Abstract.] Anat. Rec. 137 3 1960: 368.

Kakinuma, Y. Differentiation of an isolated piece of a hydrozoan, Coryne uchidai Stechow. Bull. mar. biol. Sta. Asamushi 10 1 1960: 31-36 text-figs. a, b.

Kakinuma, Y. (1). Development of hydranth from planula of a hydrozoan, Coryne uchidai Stechow. Bull. mar. biol. Sta. Asamushi 10 1 1960: 37-40 pl. 1 textfig. 1.

Kakinuma, Y. (2). Life cycle of Coryne uchidai Stechow. Bull. mar. biol. Sta. Asamushi 10 2 1960: 137-140 text-figs. 1, 2.

Kakinuma, Y. see Hirai, E.

Kaljo, D. L. On some problems of the development of Ordovician Tetracorals. Geol. Inst. Uurimused 5 1960: 245-258 pl. 1. [Russian with Estonian and English summaries.]

Kalk, M. A general ecological survey of some shores in northern Moçambique. Rev. Biol. Lisboa 2 1 1959: 1–24 pls. 1–4. [Coelenterate list p. 17.]

Kamshilov, M. M. Feeding of Ctenophore Beroe cucumis Fabr. Dokl. Akad. Nauk S.S.S.R. 130 5 1960: 1138-1140. See also Dokl. Akad. Nauk S.S.S.R. (Transl.) Biol. Sci. 130 1960: 128-129.

Kamshilov, M. M. (1). Size of ctenophore Beroe cucumis Fabr. in relation to its feeding. Dokl. Akad. Nauk S.S.S.R. 131 4 1960: 957-960 text-figs. 1-3. See also Dokl. Akad. Nauk S.S.S.R. (Transl.) Biol. Sci. 131 1960: 277-279 text-figs. 1-3.

Kapler, O. Ostravské nalezište medusky sladkovodní (Craspedacusta sowerbyi [sic] Lank.). Přírod. Čas. Slezský 21 1 1960 : 121–122. [Czech only.]

Keller, N. B. Novuie Nizhnekamennoughol'nuie Chetuirekhluchevuie korallui Dzhezkazghanskogho raiona (Kazakhstan). [New Lower Carboniferous tetracorals from Dzezkasgan region (Kazakhstan).] Paleont. Zhurn. 1959 4 1960 : 90–99 pl. 4 text-figs. 1–5.

Kerneïs, A. Contribution a l'étude faunistique et écologique des herbiers de Posidonies de la région de Banyuls. Vie et Milieu 11 2 1960 : 145-187 text-figs. 1-14.

Khachatryan, R. O. see Teodorovich, G. I.

[Khodalevich, A. N. see Vaganova, T. I.]

[Khodalevich, A. N. see Yanet, F. E.]

[Kim, A. I. On the lower Llandoverian deposits of the Zeravshano-Gissersk mountainous province.] Dokl. Akad. Nauk. Tadzhiksk. S.S.R. 2 2 1959: 27-28. [Russian only. List includes nomm. nud.]

Kingston, C. W. & Southcott, R. V. Skin histopathology in fatal jellyfish stinging. Trans. roy. Soc. trop. Med. Hyg. 54 4 1960: 373–384 text-figs. 1–12.

Kochansky, V. Fauna marinskog miocena juznog pobočja Medvednice (Zagrebačke gore). Vjest. Hrvats. Drzav. Geol. Zavod. Muz. Zagreb 2-3 1944: 171-280 pls. 11-15. [Anthozoa pp. 206-209. Serbian with German Zusammenfassung.]

Kolosváry, G. The phylogenetic classification of the Madreporarian corals. J. Paleont. 34 5 1960: 1051-1053 text-fig. 1.

Konishi, K. Sinopora dendroidea (Yoh), Auroporid [sie] Coral, from Late Permian of Western Honshu. Trans. palaeont. Soc. Japan N.S. 40 1960: 325-328 text-figs, 1, 2.

[Korde, K. B. Problematicheskie ostatki iz kembriiskikh otlozhenii Yugo-Vostoka sibirskoi platformui.] Dokl. Akad. Nauk S.S.S.R. 125 3 1959: 625-627 1 pl. [Russian only.]

Kornicker, L. S., Bonet, F., Cann, R. & Hoskin, C. M. Alacran Reef, Campeche Bank, Mexico. Publ. Inst. mar. Sci. Univ. Texas 6 1959 [1960]: 1-22 text-figs. 1-20. [List, pp. 18-19.]

Kornicker, L. S. & Conover, J. T. Effect of High Storm Tide Levels on Beach Burial of Jellyfish (Scyphozoa) and Other Organisms. Int. Rev. ges. Hydrobiol. 45 2 1960: 203-214 text-figs. 1-24. Kostić-Podgorska, V. Fauna i biostratigrafski odnosi paleozojskih tvorevina u okolini Prače. Geol. Glasnik 4 1958: 1–220 pls. 1–45 text-figs.

Kravtsov, A. G. see Miroshnikov, L. D.

Krishnaswamy, S. see Raymont, J. E. G.

Kudryavtsev, M. P. see Kuz'mitcheva, E. I.

Kuhl, G. Uber die Umbildung einer "Meduse" von Craspedacusta sowerbii Lank. in eine Frustel. Z. Morph. Ökol. Tiere 48 5 1960: 439-446 text-figs. 1-6.

[Kuz'micheva, E. I., Scleractinia in Drushchits, V. V. & Kudryavtsev, M. P., Atlas mizhnemelovoi fauny severnogho Kavkaza i Kryma. (Atlas of the Lower Cretaceous fauna of the Northern Caucasus and Crimea.)] Glav. Uprav. Gasov. Promysh. Pre Sovyet. Minis. S.S.R. [VNIIGaz] Trud. 1960: 125–141 pls. 1–7 text-figs. 11–25. [Russian only.]

[Kuz'micheva, E. I. (1). K morfologhii roda Cyclolites [sic]. [To the morphology of the genus Cyclolites [sic].] Paleont. Zhurn. 1960 3 1960: 52-56 pl. 3 text-figs. 1-4. [Russian only.]

Lafuste, J. Les apports terrigènes dans les récifs du Séquanien du Sud de La Rochelle (Charente-Maritime). Bull. Soc. géol. Fr. 7 1 4 (for 1959) 1960 : 365–368 text-fig. 1.

Lane, C. E. The Toxin of Physalia Nematocysts. Ann. N.Y. Acad. Sci. 90 3 1960: 742-750 text-figs. 1-5.

Lane, C. E. (1). The Portuguese Man-of-War. Scient. Amer. 202 3 1960: 158-168 9 text-figs.

Lane, C. E. see Wangersky, E. D.

Lang, W. D. & Thomas, H. D. Crataniophyllum, a New Name for a Carboniferous Coral Genus. Geol. Mag. 94 4 1957: 341.

Langenheim, R. L. see Stensaas, L. J.

Laughbaum, L. R. A paleoecologic study of the Upper Denton Formation, Tarrant, Denton, and Cooke counties, Texas. J. Paleont. 34 6 1960: 1183-1197 figs.

Lawson, J. D. The succession of shelly faunas in the British Ludlovian. Rep. 21st Inter. geol. Cong. 7 1960: 114-125.

Lebedeva, N. S. see Teodorovich, G. I.

Leentvaar, P. Een zeldame kwal in de Rammekenshoek. Levende Nat. **63** (11) 1960 : 261–262 text-figs. 1, 2.

Lees, E. J. see Bostock, H. S.

Legaré, J. E. H. & Maclellan, D. C. A Qualitative and Quantitative Study of the Plankton of the Quoddy Region in 1957 and 1958 with Special Reference to the Food of the Herring. J. Fish. Res. Bd. Can. 17 3 1960: 409-448 text-figs. 1-14.

Leghissa, S. Per una miglione conoscenza del sistema nervoso dei Celenterati. Le reazioni nervose in "Tubularia" [sic]. Mem. Accad. Sci. Bologna (10) 8 1952: 29-46 text-figs. 1-9.

Leim, A. H. see Bousfield, E. L.

Leloup, E. Hydropolypes du Muséum National d'Histoire Naturelle de Paris. Mém. Mus. nat. Hist. nat. Paris N.S. 17A 4 1960: 217-241 text-figs. 1-10.

Lenhoff, H. M. & Bovaird, J. Enzymatic activation of a hormone-like response in *Hydra* by proteases. Nature Lond. 187 4738 1960: 671-673.

Lenhoff, H. M. & Bovaird, J. (1). The requirement of trace amounts of environmental sodium for the growth and development of Hydra [sic]. Exper. Cell Res. 20 2 1960: 384-394 text-figs. 1, 2.

Lenhoff, H. M. see Feldman, M.

Lenhoff, H. M. see Li, Y.-Y. F.

Lentz, T. see Burnett, A. L.

Lewis, J. B. The fauna of rocky shores of Barbados, West Indies. Canad. J. Zool. 38 2 1960: 391-435 text-figs. 1-20. [Zoantharians pp. 430-432.]

Lewis, J. B. (1). The coral reefs and coral communities of Barbados, W.I. Canad. J. Zool. **38** 6 1960: 1133-1145 pls. 1-7 text-fig. 1.

Lewis, J. B. (2). Scleractinia of Barbados. J. Barbados Mus. 28 1 1960: 11-12. [Lists.]

Li, Y.-Y. F. & Lenhoff, H. M. Nuclei acid patterns of *Hydra* budding in synchrony. [Abstract.] Anat. Rec. 137 3 1960: 376.

Ljachov, S. M. Hydrae in the benthos and plankton of the Volga. Zool. Zh. **39** 4 1960: 618–620. [Russian with English summary.]

Lytle, C. F. A note on distribution patterns in Craspedacusta. Trans. Amer. micr. Soc. 79 4 1960: 461-469 text-figs. 1, 2.

McClary, A. Food Ingestion in Craspedacusta sowerbii [sic]. Trans. Wisc. Acad. Sci. 49 1960: 149–156 l pl.

McCullough, C. B. see Passano, L. M.

McDowell, F. W. see Beerbower, J. R.

McKerrow, W. S. & Campbell, C. J. The Stratigraphy and Structure of the Lower Palaeozoic Rocks of North-West Galway. Sci. Proc. roy. Dublin Soc. 1A 3 1960: 27-52 pls. 1-6 text-figs. 1-7.

Mackie, G. O. The Structure of the Nervous System in Velella. Quart. J. micr. Sci. 101 2 1960: 119-131 text-figs. 1-5.

Mackie, G. O. (1). Studies on Physalia physalis (L.) Part 2. Behaviour and Histology. Discovery Rep. 30 1960: 369-407 pls. 26-28 text-figs. 1-6.

Maclellan, D. C. see Legaré, J. E. H.

Macqueen, R. W. see Ollerenshaw, N. C.

Manten, A. A. De groeivormen van koralen als milieu-indicatoren. Grondboor en hamer, Ned. geol. Ver. 5 1960: 145–165 text-figs.; (Rectificaties) ibid. 6 1960: 203.

Margalef, R. Pigmentos asimiladores extraídos de las colonias de celentéreos de los arrecifes de coral y su significado ecológico. Invest. Pesq. 15 1959: 81-101 text-figs. 1-4. [Spanish with English summary.]

Markowski, S. Observations on the response of some benthonic organisms to power station cooling water. J. Anim. Ecol. 29 2 1960: 349-357 text-figs. 1, 2.

Martin, E. J. Observations on the Toxic Sea Anemone, *Rhodactis howesii* (Coelenterata). Pacif. Sci. 14 4 1960: 403-407 text-fig. 1.

Mecca, C. see Park, H. D.

Meléndez, B. Sobre la Paleobiología y Bioestratigrafía de los Tetracoralarios hulleros. Estud. geol. Inst. Mallada 8 16 1952 : 379-384 text-fig. 1.

C

di

Minato, M. Eine Permische Koralle von König Oscarsland im Nordwestlichen Ellesmereland. Acta Univ. Stockholm. geol. 6 3 1960 : 25–36 pl. 1 text-fig. 1.

Miné, B. de, Gillet, H. & Plessis, Y. Nouvelles stations de Méduses d'eau douce africaines. C.R. Soc. Biogéogr. 37 320-322 1960: 18-23.

Mirinova, N. V. see Sokolov, B. S.

[Miroshnikov, L. D., Kravtsov, A. G. & Shcheglova, O. S. The stratigraphical sequence of the Lower and Middle Paleozoic of the Northwestern Margin of the Siberian Platform.] Dokl. Akad. Nauk S.S.S.R. 126 2 1959: 359-362. [Russian only. See also English Translation, Earth Sci. Sect. 126 1-6 1960: 446-448.]

Mookerjee, S. Indeterminate cells in Hydra [sic]. Proc. Indian Sci. Congr. 45 3 1958: 341-342.

Mookerjee, S. (1). Dual capacity of differentiation of the middle piece in hydra [sic]. Proc. Indian Sci. Congr. 47 3 1960: 435.

Mookerjee, S. & Bose, A. Response of interstitial cells of hydra [sic] to the action of nucleic acids. Proc. Indian Sci. Congr. 47 3 1960: 435-436.

Mookerjee, S. & Datta, S. Induction of hyperplasia in the body-wall of hydra [sic] following Ethyl-Urethane treatment. Proc. Indian Sci. Congr. 47 3 1960: 436.

Mookerjee, S. & Nagarajan, S. N. Nuclear inconsistency in Hydra [sic]. Proc. Indian Sci. Congr. 46 3 1959: 368.

Mookerjee, S. & Sinha, A. Regionality in the inductive power of hydra [sic] tentacle. Proc. Indian Sci. Congr. 47 3 1960: 436.

Mookerjee, S. see Nagrajan [sic], S. N.

Mookerjee, S. see Sanyal, S.

Moore, D. R. & Bullis, H. R., Jr. A deep-water coral reef in the Gulf of Mexico. Bull. mar. Sci. Gulf & Caribbean 10 1 1960: 125-128 text-figs. 1, 2.

Mori, S. On the general knowledge of daily rhythmic activity of a sea-pen, Cavernularia obesa Valenciennes. Bull. mar. biol. Sta. Asamushi 9 4 1959: 157-160.

Moroni, M. A. La macrofauna Saheliana del Messiniano inferiore della Repubblica di S. Marino. Giorn. Geol. 2 25 (for 1953) 1956: 81-162 pls. 1-13. [Coral p. 137.]

Morrill, J. B., Jr. Concerning the Free Amino Acids in the Hydroid Tubularia [sic]. Experientia 16 10 1960: 441-442.

Nagao, Z. On the development of the gymnoblastic hydroid *Tubularia radiata* Uchida. Bull. mar. biol. Sta. Asamushi 10 2 1960: 133–136 text-figs. 1-4.

Nagao, Z. see Uchida, T.

Nagrajan [sic], S. N. Experimental determination of the zone of cell multiplication in regenerating Hydra [sic]. Proc. Indian Sci. Congr. 45 3 1958: 340.

Nagarajan, S. N. (1). Effects of chemicals on the nuclei of the cells of Hydra [sic]. Proc. Indian Sci. Congr. 46 3 1959: 368–369.

Nagarajan, S. N. (2). Some aspects of determination in the bud of hydra [sic]. Proc. Indian Sci. Congr. 47 3 1960: 436-437.

Nagrajan [sic], S. N. & Mookerjee, S. Experimental studies on Hydra [sic] regeneration. Proc. Indian Sci. Congr. 45 3 1958: 341.

Nagarajan, S. N. see Mookerjee, S.

[Naumov, D. V. Hydroids and Hydromedusae of the marine, brackish and freshwater basins of the U.S.S.R.] Opred. Faune S.S.S.R. Izdav. zool. Inst. Akad. Nauk S.S.S.R. 70 1960: 1-626 pls. 1-30 textfigs. 1-463. [Russian only.]

Naumov, D. V. (1). The parallelism of evolution pathways in the different classes of metagenetic coelenterates. Dokl. Akad. Nauk S.S.S.R. (Transl.) Biol. Sci. 127 1960: 735-738.

Nelson, S. J. Mississippian lithostrotionid zones of the southern Canadian Rocky Mountains. J. Paleont. 34 1 1960: 107–126 pls. 21–25 text-figs. 1–3.

Nicol, J. A. C. The regulation of light emission in animals. Biol. Rev. 35 1 1960: 1-42 text-figs. 1-4.

Nicol, J. A. C. (1). The Biology of Marine Animals: pp. xi, 1-707, illust. Sir Isaac Pitman & Sons Ltd., London, 1960.

Normandin, D. K. Regeneration of Hydra [sic] from the Endoderm. Science 132 3428 1960: 678.

Nursall, J. R. Oxygen as a Prerequisite to the Origin of the Metazoa. Nature, Lond. 183 1959: 1170-1172.

Nursall, J. R. (1). The Origin of the Metazoa. Trans. roy. Soc. Canada 53 ser. 3 sect. 5 1959: 1-5 (of sep.).

Nyholm, K.-G. On the Development of the Primitive Actinian Protanthea simplex [sic], Carlgren. Zool. bidr. Uppsala 33 1959: 69-77 text-figs. 1-11.

Odense, P. H. see Ciereszko, L. S.

Odum, H. T., Burkholder, P. R. & Rivero, J. Measurements of Productivity of Turtle Grass Flats, Reefs, and the Bahia Fosforescente of Southern Puerto Rico. Publ. Inst. mar. Sci. Univ. Texas 6 1959 [1960]: 159-170 text-figs. 1-5.

Okland, F. Michael Sars et Minneskrift. Norsk. Vidends.-Akad. Oslo 1955: 1-221 portrait text-figs.

Oliver, W. A., Jr. Rugose corals from reef limestones in the Lower Devonian of New York. J. Paleont. 34 1 1960: 59-100 pls. 13-19 text-figs. 1-34.

Oliver, W. A., Jr. (1). Devonian Rugose Corals from Northern Maine. Bull. U.S. Geol. Surv. 1–23 pls. 1–5 text-figs. 1, 2.

Oliver, W. A., Jr. (2). Coral faunas in the Onondaga Limestone of New York. Prof. Pap. U.S. Geol. Surv. 400B 1960: B172-B174 text-fig. 77.1.

Ollerenshaw, N. C. & Macqueen, R. W. Ordovician and Silurian of the Lake Timiskaming Area. Proc. Geol. Ass. Can. 12 1960: 105-115 fig. 1. (map). [Coral and stromatoporoid lists.]

Omenetto, P. see Dieni, I.

Ondo, Y. Ecological division of intertidal animal communities based on the types of habitat along the coast of San'in district, Japan. Bull. mar. biol. Sta. Asamushi 9 4 1959: 149–151.

Ortmeyer, A. see Park, H. D.

Osberger, R. The use of corals in the stratigraphy of the Tertiary of Indonesia [Abstract.] Resum. Trab. pres. 20 Congr. geol. intern. Mexico 1956: 236.

Palincsar, E. E. & Palincsar, J. S. The effects of 8-azaguanine and chloramphenicol on the regression-replacement cycle of hydranths. [Abstract.] Biol. Bull. Woods Hole 119 2 1960: 329-330.

Palinesar, J. S. see Palinesar, E. E.

Palmans, M. Pour la première fois, des Madrépores-Coraux sont transportés vivants, du fond du Pacifique dans un Aquarium européen, en l'occurrence l'Aquarium du Zoo d'Anvers. Zoo Antwerp 25 3 1960 : 74-79 8 text-figs.

Pantin, C. F. A. Diplobastic Animals. Proc. Linn. Soc. Lond. 171 1 1960: 1-14 pls. 1-4 text-figs. 1, 2.

Pantin, C. F. A. see Batham, E. J.

Parenzan, P. Aspetti biocenotici dei fondi ad alghe litoproduttrici del Mediterraneo. Rapp. Comm. int. Mer Medit. 15 2 1960: 87-107.

Pareyn, C. Les récifs carbonifères du Grand Erg occidental. Bull. Soc. géol. Fr. 7 1 4 (for 1959) 1960 : 347-364 pls. 23, 24 text-figs. 1-4.

Park, H. D., Mecca, C. & Ortmeyer, A. Is sex differentiation in *Hydra* related to pCO:? [Abstract.] Anat. Rec. 137 3 1960: 387.

Passano, L. M. & McCullough, C. B. Nervous activity and spontaneous beating in scyphomedusae. [Abstract.] Anat. Rec. 137 3 1960: 387.

Pasternak, F. A. The deep-sea Pennatularia from the Bering Sea and Kuril-Kamtschatka Trench. Trud. Inst. Okeanol. 34 1960: 329-335 text-figs. 1-4. [Russian only.]

Pavlovec, R. The Upper Eocene Fauna from the Surroundings of Drniš in Dalmatia. Razpr. Slov. Akad. Znan. Umetn. 5 1959: 349–416 pls. 1, 2 text-figs. 1-9. [Serbian with English summary.]

Payne, R. B. Notes on the Occurrence of Craspedacusta in two Natural Lakes in Michigan. Trans. Amer. micr. Soc. 79 1 1960: 108.

Peloux, Y. Étude histologique des coraux fluorescents de profondeur. C.R. Acad. Sci. Paris 250 6 1960: 1129-1130.

Pequegnat, W. E. see Cutress, C. E.

Perry, T. G. Fossils. Prehistoric animals in Hoosier rocks. Geol. Surv. Indiana Circ. 7 1959: 1-83 text-figs. 1-19.

Perry, T. G. see Boyce, M. W.

Pestana, H. R. Fossils from the Johnson Spring formation, Middle Ordovician, Independence Quadrangle, California. J. Paleont. 34 5 1960: 862-873 pls. 109-112 text-fig. 1.

Petersen, K. W. & Vannucci, M. The Life Cycle of Koellikerina fasciculata (Anthomedusae, Bougainvilliidae). Pubbl. Staz. Zool. Napoli 31 3 1960: 473-492 text-figs. 1-14.

Petersen, K. W. see Brinckmann, A.

Philip, G. M. The Middle Palaeozoic squamulate Favositids of Victoria. Palaeontology 3 2 1960: 186-207 pls. 30-34 text-figs. 1-3.

Philip, G. M. (1). Victorian Siluro-Devonian faunas and correlations. Rep. 21st Intern. geol. Cong. 7 1960: 143-157

Philip, G. M. see Talent, J. A.

Phillips, J. H. Antibodylike Materials of Marine Invertebrates. Ann. N.Y. Acad. Sci. 90 3 1960: 760– 769 text-figs. 1–5.

Phillips, J. H. & Yardley, B. J. Detection in invertebrates of Inducible, Reactive Materials Resembling Antibody. Nature, Lond. 188 4752 1960: 728-730 text-figs. 1-3.

Picard, J. Le polype Coryne gemnifera (Forbes) 1848 et la systématique générique chez les Corynidae. Rapp. Comm. int. Mer Medit. 15 2 1960 : 109-112 text-fig. 1.

Picard, J. (1). Merga tregoubovii, nouvelle Anthoméduse Pandeidas du plancton de Villefranche-sur-Mer. Rapp. Comm. int. Mer Medit. 15 2 1960: 333-336 text-fig. 1.

Pillai, N. K. Ectoproctan-Coelenterate association: An example of unpurposeful inquilinism? J. Bomb. Nat. Hist. Soc. 57 3 1960: 693-694.

Plessis, Y. see Miré, B. de.

Poljak, J. O naslagama titona i njihovoj fauni s područja Velike Kapele u Hrvatskoj. Vjest. Hrvats. Drzav. Geol. Zavod. Muz. Zagreb. 2-3 1944 : 281-340 pls. 16-20 text-figs. 1, 2. [Coelenterata pp. 299-310. Serbian with German Zusammenfassung.]

Poole, D. F. G. see Beadle, L. C.

Pople, W. The Occurrence of *Coeloplana* in Natal, South Africa. S. Afr. J. Sci. **56** 2 1960: 39-42 text-figs. **1**, **2**.

Prevorsek, M. see Tixier-Durivault, A.

Raikova, E. V. A histochemical investigation of the parasitic larva *Polypodium hydriforma* Usov (Coelenterata). Dokl. Akad. Nauk S.S.S.R. (Transl.) Biol. Sci. 121 1958: 604-608 3 figs.

Ralph, P. M. Tetraplatia, a coronate scyphomedusan. Proc. roy. Soc. 152B 947 1960: 263-281 pl. 19 text-figs. 1-7.

Ranson, G. Coraux et récifs coralliens. Observations sur les îles coralliennes de l'archipel des Tuamotu (Océanie française). Cah. pacif. No. 1 1959: 15-36.

Raymont, J. E. G. & Krishnaswamy, S. Carbohydrates in some marine planktonic animals. J. mar. biol. Ass. U.K. 39 2 1960: 239–248.

Rees, W. J. see Russell, F. S.

Remane, A. Zur Frage Neotenie und Fetalisation. Zool. Anz. 164 7-10 1960: 417-420.

Rich, M. Chaetetes in the Bird Spring Formation near Lee Canyon, Clark County, Nevada. J. Paleont. 34 4 1960: 761-762.

Rioja, E. Estudios hidrobiológicos. XII. Hallazgo de la Cordylophora caspia (Pallas) (Hidroideo gimnoblastido en la laguna de Mandinga Veracruz). An. Inst. Biol. Mex. 30 1-2 (for 1959) 1960: 151-157 text-figs. 1, 2.

Rivero, J. see Odum, H. T.

Robson, E. A. see Batham, E. J.

Roche, J., André, S. & Salvatore, G. Métabolisme de l'iode et formation de la scléroprotéine iodée (gorgonine) du squelette corné chez Eunicella verrucosa Pallas. C.R. Soc. Biol. Paris 153 11 1960 : 1747-1751 text-figs. I, 2.

[Roghozov, Y. G. Pseudouralinia i Cystophrentis iz Verkhnegho Turne Pripolyarnogho Urala.] [Pseudouralina and Cystophrentis from the Upper Tournaisian of the Polar Urals district.] Paleont. Zhurn. 1960 2 1960: 40-43 pl. 4. [Russian only.]

[Roghozov, Y. G. (1). Novuii Turneiskii rod Neomicroplasma (Rugosa).] [Neomicroplasma, a new Tournaisian genus of Rugosa.] Paleont. Zhurn. 1960 3: 48-51 pl. 2. [Russian only.]

[

No

129

lati

Af

i i

Ge

[R

Ne

20

Ru

ski

hi

78

th

Ki

19

И

1

Roniewicz, E. Complexastraea i Thecosmilia z Astartu Polski. [Complexastraea and Thecosmilia from the Astartian of Poland.] Acta palaeont. polon. 5 4 1960: 451– 470 pls. 1–8. [Polish with English and Russian summaries.]

Ross, D. M. The effects of ions and drugs on neuromuscular preparations of sea anemones. I. On preparations of the column of *Calliactis* and *Metridium*. J. exp. Biol. 37 4 1960: 732-752 text-figs. 1-7.

Ross, D. M. (1). The effects of ions and drugs on neuro-muscular preparations of sea anemones. II. On sphincter preparations of Calliactis and Metridium. J. exp. Biol. 37 4 1960: 753-774 text-figs. 1-9.

Ross, D. M. (2). The association between the hermit crab Eupagurus bernhardus (L.) and the sea anemone Calliactis parasitica (Couch). Proc. zool. Soc. Lond. 134 1960: 43-57 pls. 1, 2.

Rossi, L. Catalogo dei tipi di Madreporarii esistenti nel Museo Zoologico di Torino. Boll. Ist. Mus. Zool. Univ. Torino 6 1 (1958-60) 1960 : 81-89 pl. 1.

Rózkowska, M. Blastogeny and Individual Variations in Tetracoral Colonies from the Devonian of Poland. Acta palaeont. polon. 5 1 1960: 3-64 textfigs. 1-43. [English with Polish and Russian summaries.]

Russell, F. S. & Rees, W. J. The viviparous scyphomedusa Stygiomedusa fabulosa Russell. J. mar. biol. Ass. U.K. 39 2 1960: 303-318 pls. 1-4 text-figs. 1-7.

St. Jean, J., Jnr. The widespread distribution of characteristic Devonian Stromatoporoid microstructures and their stratigraphic significance. Rep. 21st internat. geol. Congr. Abstrs. 1960: 218; and 21 1960: 239–250 text-figs. 1–3.

St. Jean, J., Jnr., see Galloway, J. J.

Salvatore, G. see Roche, J.

Sánchez, J. A. Una campaña biológica a bordo del "Cruz del Sur" por aguas de Baleares. Bol. Soc. españ. Hist. nat. Secc. Biol. 57 (for 1959) 1960: 151-168 text-figs. 1-3 map. [Coelenterate list, pp. 158-159.]

Santarelli, M. see Cognetti, G.

Santos Pintos, J. dos. Contribuição para o estudo do zooplancton marinho da Guiné Portuguesa. Bol. cult. Guiné portug. 8 29 1953 : 1-16 pls. 1-8.

Sanyal, S. Regulative nature of endoderm cells of Hydra [sie]. Proc. Indian Sci. Congr. 45 3 1958: 341.

Sanyal, S. (1). Induction by hypostome in Hydra [sic]: "Competence" variable at different body levels. Proc. Indian Sci. Congr. 46 3 1959: 414-415.

Sanyal, S. (2). Organizer problem in hydra [sic]. Proc. Indian Sci. Congr. 47 3 1960: 433.

Sanyal, S. (3). Organizer Problem in Hydra [sic]. Naturwissenschaften 47 11 1960: 263.

Sanyal, S. & Mookerjee, S. The regenerative potency of isolated fragments from the hypostome of Hydra [sic]. Proc. Indian Sci. Congr. 46 3 1959: 415.

Sanyal, S. & Mookerjee, S. (1). Cytochemistry of the Cell-types in Hydra [sic] and their Functional Significance. Proc. nat. Inst. Sci. India 26B 3 1960: 119-125 pls. 1, 2 text-fig. 1.

Sanyal, S. & Mookerjee, S. (2). Experimental dissociation of cells from hydra [sic]. Roux Arch. Entw.-Mech. Organ. 152 2 1960: 131-136 text-figs. 1-5.

Scheer, G. Viviparie bei Steinkorallen. Naturwissenschaften 47 10 1960 : 238-239.

Schimunek, K. see Flügel, H.

Schindewolf, O. H. Über Lebensgemeinschaften von Würmen und Korallen. Natur u. Volk 90 1 1960: 1-10 text-figs. 1-16.

Schmidt, R. W. see Ciereszko, L. S.

Schnorf, A. Quelques Hydrozoaires du Sénonien de Martigues (Bouches-du-Rhône). Eclog. geol. Helvet. 53 1 1960: 427-437 pl. 1 text-figs. 1-15.

Schnorf, A. (1). Disparistromaria [sic], un Actinostromariidae nouveau du Valanginien d'Arzier (Jura vaudois). Ecl. geol. helv. 53 1 1960 : 439-442 text-figs. 1-5.

Schnorf, A. (2). Parastromatoporidae nouveaux du Jurassique supérieur et du Valanginien inférieur du Jura. Eclog. geol. Helv. 53 2 1960 : 729–732 pls. 1–3 text-figs. 1–5.

Schnorf, A. (3). Les Actinostromaria des marnes valanginiennes d'Arzier. Eclog. geol. Helv. 53 2 1960 : 733-746 pls. 1-5 text-figs. 1-18.

Schott, W. Zur Stratigraphie und Paläontologie des Oberen Jura in Südwestarabien. Geol. Jb. 77 1960: 599-613 text-figs. 1-4.

Schwegler, H. W. Süsswasserpolypen im Unterricht. Mikrokosmos 49 1 1960: 19-24 9 text-figs.

Sestini, N. F. La fauna oligocenica dei dintorni di Ovada (Alessandria). Riv. ital. Paleont. 66 3 1960: 403-434 pls. 36-39. [Corals pp. 411-422.]

Shcheglova, O. S. see Miroshnikov, L. D.

Shieh, J. C.-c. & Wang, Y. M. On a Fresh-water Medusa from Taiwan. Quart. J. Taiwan Mus. 12 3-4 1959: 201-203 l pl. text-fig. 1.

Sifford, D. H. see Ciereszko, L. S.

Sinha, A. Irreversibility of differentiation of implanted material in hydra [sic]. Proc. Indian Sci. Congr. 47 3 1960: 437.

Sinha, A. see Mookerjee, S.

Skerman, T. M. Ship-fouling in New Zealand Waters: A Survey of Marine Fouling Organisms from Vessels of the Coastal and Overseas Trades. N.Z. J. Sci. 3 4 1960: 620-648 text-figs. 1-7.

Slack-Smith, R. J. An Investigation of Coral Deaths at Peel Island, Moreton Bay, in Early 1956. Univ. Qd. Pap. Zool. 1 7 (for 1959) 1960: 211-222 text-figs. 1-3.

Sládečková, A. Limnological study of the reservoir Sedlice near Zeliv. XI. Periphyton stratification during the first year-long period (June 1957-July 1958). Sborn. Vys. Skol. Chem.-Tech. Praze 4 2 1960: 143– 261 text-figs. 1-46. [English with Czech and Russian summaries.]

Slautterback, D. B. Cytodifferentiation in secretory cells of hydra [sic]: an electron microscopic study. Anat. Rec. 136 2 1960: 278–279. [Abstract.]

Smith, S. see Thomas, H. D.

Smith, S. & Thomas, H. D. see Thomas, H. D.

[Sokolov, B. S. Permskie korallui yugho-vostochnoi chasti Omolonskogho massiva (s obshchim obzorom plerofilloidnuikh rugoz).] Trud. Vses. neft. nauch.issl. geol. Inst. [VNIGRT] 154 Paleont. Sborn. 2 1960: 38–77 pls. 1–3 text-figs. 1, 2. [Russian only.]

[Sokolov, B. S. & Mironova, N. V. On a new genus of Ordovician corals from Western Siberia and Northern Kazakhstan.] Dokl. Akad. Nauk S.S.R. 129 5 1959: 1150-1153 l pl. [See also English translation, Earth Sci. Sect. 129 1-6 1960: 1196-1199 figs. A fam. n. and a sp. n. attributed only to Sokolov, and two spp. n. only to Mironova.]

[Soshkina, E. D. Turneiskie korally Rugosa [sie] i ix vzaimootnosheniya e devonskimi.] Sborn. Trud. Geol. Paleont. Akad. Nauk S.S.S.R. Komi Filial, Syktyvkar, 1960: 272–329 pls. 1–6 text-figs. 1–12. [Russian only.]

Southcott, R. V. Venomous Jellyfish. Good Health, South Australia Jan. 1960: 1-6 text-figs. 1-4.

Southcott, R. V. see Kingston, C. W.

Spangenberg, D. B. & **Ham,** R. G. The Epidermal Nerve Net of Hydra [sic]. J. exp. Zool. **143** 2 1960: 195–201 pl. 1.

[Spasskii, N. Y. Devonskie chetyrekhluchevye korally Rudnogo Altaya.] Paleont. obos. strat. Palaeoz. Rudnogo Altaya 3, Altai. gorno-metallurg. nauch.issl. Inst. Akad. Nauk Kazakh S.S.R. 1960: 1–144 pls. 1–35. [Russian only.]

[Spasskii, N. Y. (1). Sopostavlenie srednedevonskikh otlozhenii Urala i Altaya po faune chetuirekhluchevuikh korallov.] Trudui VNIGRI 154 1960: 78-83.

Squires, D. F. Additional Rhizangiid Corals from the Wanganui Series. N.Z. J. Geol. Geophys. 3 1 1960: 1-7 text-figs. 1-6.

Squires, D. F. (1). The Scleractinian Genera Kionotrochus and Cylindrophyllia. Rec. Dom. Mus. Wellington N.Z. 3 4 1960: 283-288 text-figs. 1-16.

Squires, D. F. (2). Scleractinian Corals from the Norfolk Island Cable. Rec. Auck. Inst. Mus. 5 3-4 1960: 195-201 pls. 33-35.

Squires, D. F. (3). Wellsotrochus, a new name for Wellsia Squires, 1958. J. Paleont. 34 5 1960: 1053.

Staesche, K. Makrofossilien südlich Marib, pp. 605-609 in Schott, W., Zur Stratigraphie und Paläontologie des Oberen Jura in Südwestarabien. Geol. Jb. 77 1960: 599-613 text-figs. 1-3. [Coral p. 608.]

Stagni, A. Appunti ed osservazioni su Hydra grissa con riferimento all'istogenesi rigenerativa. R.C. Accad. Bologna Cl. Sci. Fis. (11) 2 1 1955: 129–140 1 pl.

Stanković, S. The Balkan Lake Ohrid and its Living World. Monogr. biol. 9 1960: 1-357 figs. 1-101. [Coelenterates p. 173.]

Stasińska, A. Koralowce Tabulata z devonu Grzegorzowic (Badania wstepne) (Les Tabulés du Dévonien de Grzegorzowice). Acta geol. polon. 4 2 Palaeont. 1954: 275-290 text-figs. 1-4. [Conspect. palaeont. 4 2 1954: 73-74 (Russian), 75-76 (French).]

Stasińska, A. (1). Velumbrella czarnockii n. gen., n. sp. —Méduse du Cambrien inférieur des Monts de Sainte-Croix. Acta palaeont. polon. 5 3 1960: 339–346 pls. 1–4 text-fig. 1. [French with Polish and Russian summaries.]

Steiner, G. Untersuchungen über den "Geschmackssinn" der Coelenteraten. Verh. dtsch. zool. Ges. (for 1959) 1960: 270-275 text-figs. 1-4.

Stensaas, L. J. & Langenheim, Jnr., R. L. Rugose corals from the Lower Mississippian Joana limestone of Nevada. J. Paleont. 34 1 1960: 179-188 text-figs. 1-10.

Stephens, G. C. The mechanism of glucose uptake by the coral, Fungia. [Abstract.] Anat. Rec. 137 3 1960: 395.

Stephens, G. C. (1). Uptake of Glucose from Solution by the Solitary Coral, Fungia [sic]. Science 131 3412 1960: 1532.

Straughan, R. P. L. The Florida Sea Anemones. Trop. Fish. Hobbyist 8 (8) 1960: 11-15 2 text-figs.

Strnad, V. Calceola sandalina [sic] in the Devonian near Horní Benešov. Přírod. Čas. Slezský 21 1 1960: 123–124 2 text-figs. [Czech only.]

Strusz, D. L. The Geology of the Parish of Mumbil, near Wellington, N.S.W. J. roy. Soc. N.S.W. 93 4 1960: 127-136 text-figs. 1, 2. [Coelenterate lists, p. 135.]

Stumm, E. C. The Type Species of the Paleozoic Tabulate Coral Genera Cladopora and Coemits. Contr. Mus. Paleont. Univ. Mich. Ann Arbor 15 7 1960: 133-138 pl. 1.

Stumm, E. C. (1). New rugose corals from the Middle and Upper Devonian of New York. J. Paleont. 34 1 1960: 161–163 pl. 30.

Stumm, E. C. (2). The holotype of Favosites biloculi Hall. J. Paleont. 34 3 1960: 589-590 text-fig. 1.

Subba Rao, D. V. see Ganapati, P. N.

Sutherland, P. K. & Cocke, J. M. A solitary rugose coral of exceptional size from the Middle Pennsylvanian of Oklahoma. Oklahoma Geol. Notes 20 4 1960: 78–82 pls. 1, 2.

Talent, J. A. & Philip, G. M. Bioherms and biostromes in the middle Palaeozoic of Victoria [Abstract.] Resum. Trab. pres. 20 Congr. geol. intern. Mexico 1956: 237.

[Teodorovich, G. I., Grozdilova, L. P., Lebedeva, N. S. & Khachatryan, R. O. The subdivision of the Lower Visean and the Beds along the Boundary of the Visean-Tournaisian of the Mountains of Bashkiria according to the Foraminiperal Fauna.] Dokl. Akad. Nauk S.S.S.R. 124 5 1959: 1120-1123. [Russian only. See also English Translation, Earth Sci. Sect. 124 1-6 1960: 92-95.]

Termier, G. see Termier, H.

Termier, H. & Termier, G. Paléontologie Stratigraphique: 1-515 pl. 1 text-figs. 1-3425. Masson & Cie, Paris, 1960.

Tesakov, Y. I. [O sistematicheskom polozhenii roda Desmidopora [sic] Nicholson.] [Discovery of the genus Desmidopora [sic] Nicholson in the U.S.S.R. and its systematic position.] Paleont. Zhurn. 1960 4 1960: 48-53 pl. 4 text-fig. 1. [Russian only.]

Tessenow, W. Untersuchungen an den interstitiellen Zellen von Pelmatohydra oligactis Pallas und Cordylophora caspia Pallas unter besonderer Berücksichtigung spezifischer Färbemethoden. Protoplasma 51 4 1960: 563–594 text-figs. 1–15.

Teter, H. E. The Bottom Fauna of Lake Huron. Trans. Amer. Fish. Soc. 89 2 1960: 193-197 text-fig. 1.

Thiel, M. E. Beobachtungen über Wachstum, Variationen und Abnormalitäten bei *Cyanea capillata* der Ostsee. Abh. naturw. Ver. Hamburg N.F. 4 (for 1959) 1960: 89–108 pls. 3–5 16 figs.

Thomas, H. D. The Palaeozoic Coral Genera Depasophyllum Yü and Depasophyllum Grabau. Geol. Mag. 93 2 1956: 181. [Quotes a note by Smith, S. & Thomas, H. D.]

2nd Joh

stit

Na

ter

L

th

D

of

E

Is

al

ne U

te

to

fr 1

Thomas, H. D. (1). [Two Liassic Corals] in Thompson, A. O., & Dodson, R. G., Geology of the Bur Mayo-Tarbaj Area. Rept. Geol. Surv. Kenya 47 1960: 24.

Thomas, H. D. see Lang, W. D.

Thomas, I. F. see Beadle, L. C.

Thomas, M. L. H. A Modified Anchor Dredge For Collecting Burrowing Animals. J. Fish. Res. Bd. Can. 17 4 1960: 591-594 text-figs. 1-2.

Thompson, A. D. & Dodson, R. G. Geology of the Bur Mayo-Tarbaj Area. Rept. Geol. Surv. Kenya 47 1960: [6] + 1-49 pls. 1-4 (text-figs.) text-figs. 1-6 maps. [Corals, p. 24.]

Thorsteinsson, R. see Harker, P.

Tixier-Durivault, A. Un nouvel Aleyonaire d'Afrique du Sud. Bull. Mus. nat. Hist. nat. Paris (2) 31 6 1960: 520-521 text-figs. a-d.

Tixier-Durivault, A. (1). Les Octocoralliaires de l'Ile Inhaca. Bull. Mus. nat. Hist. nat. Paris (2) 32 4 1960: 359-367 text-figs. 1, 2.

Tixier-Durivault, A. & Prevorsek, M. Le genre Roxasia (Alcyonaria, Nephtheidae). Spolia 200l. Mus. hauniens. 18 1960: 1-296 text-figs. 1-256.

Torelli, B. Chiarimenti su alcune strutture dei Ceriantharia. Pubbl. Staz. Zool. Napoli 31 3 1960: 373– 385 pl. 11 text-fig. 1. [Italian with German summary.]

Totton, A. K. Studies on *Physalia physalis* (L.). Part 1. Natural History and Morphology. Discovery Rep. **30** 1960: 301-367 pls. 7-25 text-figs. 1-31.

Trégouboff, G. Rapport sur les travaux relatifs à la planctonologie Méditerranéenne publiés entre Juillet 1956 et Juin 1958. Rapp. comm. int. Mer Medit. 15 (2) 1960 : 191-225. [Coelenterates, pp. 211-213.]

Trites, R. W. An Oceanographical and Biological Reconnaissance of Kennebecasis Bay and the Saint John River Estuary. J. Fish. Res. Bd. Can. 17 3 1960: 377–408 text-figs. 1–16.

Uchida, T. Carcinactis ichikawai, n. gen., n. sp., an Actiniarian Commensal with the Crab Doriphe granulata. Jap. J. Zool. 12 4 1960: 595-601 pl. 1 text-fig. 1.

Uchida, T. (1). Metamorphosis from the viewpoint of animal phylogeny. Bull. mar. biol. Sta. Asamushi 10 2 1960: 181–188 text-figs. 1–5.

Uchida, T. & Nagao, Z. The Polyp of the Hydromedusa, *Hybocodon prolifer* L. Agassiz. Annot. zool. jap. 33 3 1960: 184–187 text-figs. 1–4.

Uchida, T. & Nagao, Z. (1). The Life-history of the Hydromedusa, *Bougaiwillia superciliaris* (L. Agassiz). Annot. zool. jap. 33 4 1960: 249-253 text-figs. 1-7.

Unsalaner-Kiragli, C. Lower Carboniferous Corals from Turkey. J. Palaeont. Soc. India (Birbal Sahni Mem. No.) 3 1958: 53–58 pls. 11, 12 text-fig. 1.

Utinomi, H. Invertebrate fauna of the intertidal zone of the Tokara Islands: XIV. Stony corals and Hydrocorals. Bull. Ozaka Mus. nat. Hist. No. 10 1956: 37-44 pls. 1, 2.

Utinomi, H. (1). Noteworthy Octocorals Collected off the Southwest Coast of Kii Peninsula, Middle Japan. Part 1, Stolonifera and Alcyonacea. Publ. Seto mar. biol. Lab. 8 1 1960: 1-26 pls. 1, 2 text-figs. 1-9.

Utinomi, H. (2). A Revision of the Nomenclature of the Family Nephtheidae (Octocorallia: Alcyonacea).

1. The Genera Capnella, Scleronephthya and Chondronephthya (n. g.). Publ. Seto mar. biol. Lab. 8 1 1960: 27-40 text-figs. 1-5.

Uvais, B. Mechanism of Action of a Histamine-Liberating Principle in Jellyfish (Cyanea capillata).

Ann. N.Y. Acad. Sci. 90 3 1960: 751-759 text-figs. 1-7.

[Vaganova, T. I. Rugosa in Khodalevich, A. N. et al., Brachiopods and corals from the Eifelian bauxite-producing deposits of the eastern slope of the central and northern Ural.] Min. Geol. Ochran. Nedr S.S.S.R. Ural. geol. Uprav, Moscow 1959: 77-86 pls. 35-38. [Russian only.]

Vannucci, M. Considerações em Torno das Hydromedusae de Região de Fernando de Noronha. Bol. Inst. oceanogr. S. Paulo 9 1-2 1958: 3-12. [Portuguese with English summary.]

Vannucci, M. (1). Catalogue of Marine Larvae, No. 1. Inst. Oceanogr. Univ. São Paulo 1959: 1-44 illust. [Coelenterata pp. 15, 16.]

Vannucci, M. (2). On the Young Stage of Euchsilota duadecimalis (Leptomedusae). An. Acad. bras. Cien. 32 3-4 1960: 395-397 text-fig. 1. [English with Portuguese summary.]

Vannucci, M. (3). On the Intraspecific Variation and Biology of Merga tergestina (Anthomedusae, Pandeidae). Pubbl. Staz. Zool. Napoli 31 3 1960: 393-420 text-figs. 1-17.

Vannucci, M. & Yamada, M. The Life Cycle of Merga tergestina (Anthomedusae, Pandeidae). Pubbl. Staz. Zool. Napoli 31 2 1959: 320-333 text-figs. 1-7.

Vannucci, M. see Petersen, K. W.

Vasilyuk, N. P. Novuie tetrakorallui iz Nizhnegho Karbona Donetzkogho Basseina. [New tetracorals from the Lower Carboniferous of the Donets basin.] Paleont. Zhurn. 1959 4 1960: 85-89 pl. 3. [Russian only.]

Verseveldt, J. Octocorallia from the Malay Archipelago (Part I). Temminckia 10 1960: 209-251 pl. 7 text-figs. 1-4.

Verseveldt, J. (1). Two new species of the genus Dendronephthya Kükenthal (Coelenterata: Octocorallia). Proc. ned. Akad. Wet. Amst. 63C 4 1960: 511-517 figs. 1-4.

Verwey, J. Annual Report of the Zoological Station of the Netherlands Zoological Society for the Year 1957. Arch. néerl. Zool. 13 4 1960: 540-555. [Coelenterates, pp. 541-543.]

Verwey, J. (1). Annual Report of the Zoological Station of the Netherlands Zoological Society for the Year 1958. Arch. néerl. Zool. 13 4 1960: 556-571. [Coelenterates, pp. 559-561.]

Vladimirov, V. I. On the role played by invertebrate predators in the dynamics of population density of migratory fishes. Vopr. Ikhtiol. Akad. Nauk S.S.S.R. 16 1960: 56-66 text-figs. 1-4. [Russian only.]

[Vologdin, A. G. An Upper Cambrian Archaeocyathid-Coral Coenose in the Tannu-Ola Range, Tuva.] Dokl. Akad. Nauk S.S.S.R. 129 1959: 670-673 lpl. [See also English Translation, Earth Sci. Sect., 129 1-6 1960: 1189-1192 figs.]

Wang, Y. M. see Shieh, J. C .- c.

Wangersky, E. D. & Lane, C. E. Interaction between the Plasma of the Loggerhead Turtle and Toxin of the Portuguese Man-of-War. Nature, Lond. 185 4709 1960: 330-331. Ward, H. B. & Whipple, G. C. Fresh-water Biology, 2nd Ed. (ed. W. T. Edmondson), i-xx + 1-1248 illust. John Wiley & Sons, New York, 1959.

Warren, M. see Burnett, A. L.

Weller-Stolt, B. Über die Bedeutung der interstütiellen Zellen für die Entwicklung und Fortpflanzung mariner Hydroiden. Roux Arch. Entwickl.-Mech. Organ. 152 4 1960: 398–454 text-figs. 1–50.

Weinheimer, A. J. see Ciereszko, L. S.

Wells, J. W. [A fossil coral] in R. W. Bartholomew, Geology of Savusavu Bay West Vanua Levu. Bull. Geol. Surv. Dept. Suva Fiji 5 no date [? 1960]: 9.

Wells, J. W. (1) [as J. D. [sic]]. Corals in R. W. Bartholomew (1), Geology of the Nandi Area Western Viti Levu. Bull. Geol. Surv. Dept. Suva Fiji 7 no date [1960]: 12.

Welsh, J. H. 5-Hydroxytryptamine in Coelenterates. Nature, Lond. 186 4727 1960: 811-812 text-fig. 1.

Whipple, G. C. see Ward, H. B.

Williams, E. G. Marine and fresh water fossiliferous beds in the Pottsville and Allegheny groups of Western Pennsylvania. J. Paleont. 34 5 1960: 908–922 pl. 121 text-figs. 1–8.

Williams, J. B. Mouth and Blastopore. Nature, Lond. 187 4743 1960: 1132.

Wittenberg, J. B. The source of carbon monoxide in the float of the Portuguese man-of-war, *Physalia physalis* L. J. exp. Biol. 37 4 1960: 698–705.

Wolff, T. The hadal community, an introduction. Deep-Sea Res. 6 2 1960: 95-124.

[Yakovlev, N. N. O parallelizme v evolyutsii organizmov i o ego znachenii dlya sistematiki—Voprosui paleoblologii i biostratigrafii.] Trans. All-Un. Palaeont. Soc. 2nd session 1959: 18–24 text-figs. 1, 2. [Russian only.]

Yamada, M. Invertebrate fauna of the intertidal zone of the Tokara Islands. XI. Hydroida. Bull. Ozaka • Mus. nat. Hist. No. 3 1955: 1-6 pls. 1, 2.

Yamada, M. see Vannucci, M.

Yanagita, T. M. The physiological Mechanism of Nematocyst Responses in Sea-Anemone. V. The Effects of Lipoid Solvents on the Cnidae in situ and in Isolation. Annot. 2001. jap. 33 4 1960: 203-210.

[Yanet, F. E. Tabulata in Khodalevich, A. N. et al., Brachiopods and corals from the Eifelian bauxite-producing deposits of the eastern slope of the central and northern Ural.] Min. Geol. Ochran. Nedr S.S.S.R. Ural. geol. Uprav., Moscow 1959: 86-133 pls. 39-61 text-figs. 31-39. [Russian only. Some spp. are referred to Dubatolov MS.]

Yardley, B. J. see Phillips, J. H.

[Yavorskii, V. I. Novuii vid nizhnekamennougol' noi stromatoporoidei.] [A new stromatoporoid species from Lower Carboniferous.] Paleont. Zhurn. 1960 4 1960: 132–133 pl. 13. [Russian only.]

Yoh, S. S. & Yu, C. M. New Calceolid Corals from the Devonian of China. K'è Hsüch T'ung Pao (Scientia) No. 8 1957: 247-249 text-figs. 1-15. [Chinese only.]

Yokoyama, T. Permian Corals from the Taishaku District, Hiroshima Prefecture, Japan. Trans. palaeont. Soc. Japan N.S. 38 1960: 239-248 pls. 27, 28.

Yu, C. M. see Yoh, S. S.

[Yü, T.-m. Late Ordovician Corals of China.] Acta palaeont. Sinica 8 2 1960: 65-132 pls. 1-15 textfigs. 1, 3. [Chinese with Russian summary.]

Zans, V. A. Recent Stony Corals of Jamaica. Geonotes 2 1 1959: 27-36.

Zhuravel, P. A. Appearance of hydroid *Cordylophora caspia* Pall. in Samara bay of Dnieper reservoir. Byull. Inst. Biol. Vodochr. No. 4 1959: 26–28. [Russian only.]

Zuffardi-Comerci, R. Corallari e Idrozoî giurassici degli altipiani Hararini. Accad. Naz. Lincei 4 Documentazione Paleontologica 1959: 199–250 pls. 1–13 text-fig. 1.

SUBJECT INDEX

GENERAL LITERATURE AND HISTORY

Biographical.-Michael Sars, ØKLAND.

Textbooks and General Works.—Easton (1); Ehrenberg; Nicol (1); Termier & Termier; Ward & Whipple.

Popular and semi-popular works.—Flügel, E.; Perry; Straughan.

Monographs.—Physalia physalis, TOTTON; hydroids and hydromedusae of the marine, brackish and freshwater basins of the U.S.S.R., [NAUMOV].

Catalogues.—Type specimens of fossil coelenterates of the Geological Survey of Canada, Bolton ; Australian type and figured Palaeozoic coelenterates, Crespin; types of Madreporaria in the Zoological Museum, Turin, Rossi; marine coelenterate larvae, VANNUCCI (1).

Classification and Nomenclature.—Classification of the Hydrozoa, [Naumov]; Idiellana a new name for the pre-occupied generic name Idiella Stechow, Corron & Godfrey; classification of four Hydrozoa, Hadži; graptolites considered to be coelenterates, Easton (1); Chaetetids of the Trias are algae, Flügel (1); classification of the madreporarian corals, Kolosyáry.

Terminology.—For Palaeozoic Stromatoporoidea, GALLOWAY, also GALLOWAY & EHLERS; for Jurassic stromatoporoids, Hudson (2); for rugose corals, OLIVER.

Technique.—Staining of nerves in Hydra, Spanoen-Bero & Ham; dyeing sea anemones, Bellomy; aquaria for corals, Grobe; living corals transported from the Pacific Ocean to the aquarium of Antwerp Zoo, Palmans; detection in sea-anemones of inducible, reactive materials resembling antibody, Phillips & Yardley; a dredge for collecting the fauna of soft bottoms, Thomas, M. L. H.

Biology of Hydra, BRIEN.

Biology of Physalia physalis, LANE (1).

Porpita porpita as the food of a pelagic gastropod, GANAPATI & SUBBA RAO.

Present position of investigations into fossil Hydrozoa, FLÜGEL, E. (4).

Date of J. D. Dana's Zoophytes in U.S. Exploring Expedition...under... Charles Wilkes shown to be 29 May, 1846, HASKELL.

Freshwater polyps in teaching, Schwegler.

ph (1 (1 D of p) re fo B P T V

se P

MHINWWYVTO

N vi

H (IP mU oth Saith

STRUCTURE

Of coelenterates, Pantin; of Hydrozoa, [Naumov]; mouth and blastophore in coelenterates, Williams, J. B.; Hydra, Brien; epidermal nerve-net in Hydra, J. B.; Hydra, Brien; epidermal nerve-net in Hydra, Spanoenberg & Ham; interstitial cells of Pelmatchydra oligactis and Cordylophora caspia, Tessenow; indeterminate cells in Hydra, Mookerjee; interstitial cells in Eleutheria and Cladonema, Weiler-Stolt; Coryne uchidai, Hirai & Kakinuma; species of Corynidae, Hirai (1); nervous system in Velella, Mackie; histology of Physalia physalis, Mackie (1); Physalia physalis, Totton; intraspecific variation in Merga tergestina, Vannucci (3); Stromatoporoidea, Galloway; microstructures of Devonian stromatoporoids, St. Jean; microstructure of †Cassianostroma, Flügel, E.; Jurassic Milleporidiidae, Hudbon (1); Tetraplatia, Ralph; Raxasia, Tixier-Durivalli & Prevorsee; Devonian squamulate Favositid corals, Philip; dimorphism of the nematocysts in actinians, Duraure; nerve-net of Metridium senile, Ratham, Pantin & Robson; epithelium and mesogloea in Metridium canum, Batham; of Ceriantharians, Torelli; of †Clausastraea, Allotteau (2); †Cyclolites, [Kuz'micheva (1)]; rugose corals, Oliver.

Chemical constitution.—5-hydroxytryptamine in coelenterates, Welsh; nuclear inconsistency in Hydra, Mookerjee & Nagarajan; histochemical study of Pelmatohydra oligactis, Cowden & Glocker; toxin of Physalia nematocysts, Lane; histochemical investigation of Polypodium hydriforme, Raikova; free amino acids in Tubularia, Morrill; metabolism of iodine and formation of gorgonine in Eumicella verrucosa, Roche, André & Salvatore; taurobetaine and creatine in gorgonians, Ciereszko, Odense & Schmidt; terpenoid compounds in gorgonians, Ciereszko, Sifford & Weinheimer; distribution of labelled carbon in corals, Goreau & Goreau (2); assimilatory pigments of corals, Margalef; paralysing poisons of a sea anemone, Martin; inducible reactive materials resembling antibody in sea anemones, Phillips & Yardley; carbohydrates in Pleurobrachia pileus, Raymont & Kreishnaswamy.

PHYSIOLOGY

Polarity in coelenterates, Hadži; polarity in the bud of Hydra, Nagarajan (2); comparative physiology of marine coelenterates, Nigol. (1); reactions of coelenterates to chemicals, Stenner; chemical regulation of morphogenesis of hydroid polyps, Belousov & Geleg; food ingestion in Craspedacusta sowerbii, McClary; mechanism of glucose uptake by Fungia, Stephens; intake of glucose from solution by Fungia, Stephens; intake of glucose from solution by Fungia, Stephens; (1); fluorescence produced by the action of ultraviolet rays on alcyonarians and zoantharians, Catalastucki; regulation of light emission in coelenterates, Nicol.; fluorescence in some deep-water corals, Peloux; histochemical study of Pelmatohydra oligaetis, Cowden & Glocker; phototaxis in Hydra lititoralis, Feldman & Lenhoff; enzymatic activation of a hormone-like response in Hydra by proteases, Lenhoff & Bovard ; response of interstitial cells of Hydra to the action of nucleic acids, Mookerjee & Bose; induction of hyperplasia in the body-wall of Hydra tentacle, Mookerjee & Sinha; effects of chemicals on the nuclei of the cells of Hydra, Naoarajan (1); regulative nature of endoderm cells of Hydra, Sanyal, ; organizer problem in Hydra, Sanyal, (2); cytochemistry of the cell-types in Hydra and their functional significance,

Sanyal & Mookerjee (1); experimental dissociation of cells from *Hydra*, Sanyal & Mookerjee (2); cytodifferentiation in secretory cells of Hydra, SLAUTTER-BACK; bi-sexuality in Hydra, BRIEN; sex differentiation in Hydra, PARK, MECCA & ORTMEYER; growth pattern in Hydra viridissima, BURNETT & GAROFALO; effects of certain chemicals on the regression-replacement of hydranths of Obelia and Tubularia, PALINGAR & PALINGAR, cartyous reactions in Tubularia, Leohusa ; cell migrations during morphogenesis of Campanularia ceii migrations during morphogenesis of Cambanularia integra, Beloussov; contractility and hydroplasmic movements in Clytia johnstoni, Hale; neuromuscular physiology of Haliclystus auricula, Gwilliam; behaviour of Physalia physalis, Mackee (1); source of carbon monoxide in the float of Physalia physalis, Wittenberg; interaction between the plasma of the loggerhead turtle and Physalia physalis, Wangersky & Lane; sensitivity of Syncoryne mirabilis to water-borne mechanical distributions. Josephysol in influence of correct mechanical distributions. of Syncoryne maranis to water-to-life international turbances, Josephson; influence of current velocities on survival of Hydractinia echinata, Verwey (1); nervous activity and spontaneous beating in scyphomedusae, Passano & McCullough; mechanism of the action of a historian libracting principle in Cranac cabillata. of a histamine-liberating principle in Cyanea capillata, UVNAS; daily rhythmic activity of Cavernularia obesa, MORI; production of antibodies in Anthopleura elegantis-sima, PHILLIPS; physiology of Heliactis bellis, Berner; variation of the cnidome of Actinia equina, Bonnenfant: effect of lipoid solvents on the cnidae of Diadumene luciae, YANAGITA; ciliary reversal in Metridium under nervous control, HILLENIUS; effects of ions and drugs on neuro-muscular preparations of the column and sphincter of Calliactis and Metridium, Ross, also Ross (1); neuromuscular activity in Stomphia coccinea, HOYLE; inhibition and rhythmice activity of the circular muscles of Calliactis parasitica, EWER; calcification rate in Manicina areolata, Goreau & Goreau; isotopic equilibrium exchanges of calcium between corallum and environment in living and dead reefbuilding corals, GOREAU & GOREAU (1); assimilatory pigments of corals, MARGALEF.

Nematocysts.—Maturation of nematocysts in Hydra, Burnett; inhibition of the nematocyst formation process in Hydra, Burnett (1); exchange of cnidoblast cells between two different species of Hydra, Burnett (2); migration pathways of nematocysts in Hydra, Burnett & Lentz; control of the nematocyst discharge by Hydra, Burnett, Lentz & Warren; toxin of Physalia nematocysts, Lane; Physalia physalis, Totton; coelenterates, especially Cubomedusac, Kinoston & Southcott; dimorphism in actinians, Dupaure.

Stinging Effects on Man.—Toxic effect of stinging by Physalia physalis, Lane; skin histopathology in fatal jellyfish stinging, Kinoston & Southcott; venomous jellyfish of Australia, Southcott.

Regeneration.—Hydra, BRIEN; Hydra grissa, STAGNI; experimental studies on Hydra, NAGRAJAN [sic] & MOOKER-JEE; regeneration of Hydra from the endoderm, NORMANDIN; experimental determination of the zone of cell multiplication in regenerating Hydra, NAGRAJAN [sic] dual capacity of differentiation of the middle piece in Hydra determined by grafting, MOOKER-JEE [1]; effects of transplantation of various regions of Hydra on cell differentiation, MOOKER-JEE; induction by grafting hypostome fragments in Hydra, SANYAL (1); nature of the induced hydranth and the host-graft relation-ship in Hydra, SANYAL (3); regenerative potency of isolated fragments from the hypostome of Hydra, SANYAL & MOOKER-JEE; irreversibility of differentiation of implanted material in Hydra, SINHA; inhibitory action of a tissue extract on regeneration of Tubularia,

DINOLE; of Corpne uchidai, KARINUMA; in Eleutheria and Campanularia, WELLER-STOLT; Actinia equina, ABELOOS; Bunodeopsis globulifera, COWDEN; correlation between the forms of laceration pieces and those of their regenerates in Diadumene luciae, ATODA.

REPRODUCTION

Budding and sexual reproduction in Hydra, BRIEN; nucleic acid patterns in Hydra budding synchrony, Li & Lenhoff; Aglaophenia pluma, FAURE; Physalia physalis, TOTTON; importance of the interstitial cells in the propagation of marine hydroids, Weiler-Stolt; Stygiomedusa fabulosa, Russell & Rees; influence of temperature on the strobilation of polyps of scyphozoa, Verwey; stolonization and strobilation of polyps of scyphozoa, Verwey (1); viviparous corals, Scheer.

DEVELOPMENT

Life cycle of Hydrozoa, [NAUMOV]; Bougainvillia Life cycle of Hydrozoa, [NAUMOV]; Bougainvillia superciliaris, UCHIDA & NAGAO (1); growth of Cordylophora lacustris, Fulton; of Coryne uchidai, Kakinuma (1) and (2); polyps of Craspedacusta sowerbyi, Buchert (1); Craspedacusta sowerbii, Hadži, also Kuhl; of Dipurena reesi, Brinckmann & Petersen; young stage of Eucheilota duocecimalis, Vannucci (2); Hybocodon prolifer, Uchida & Nagao; Hydra, Brien; growth pattern in Hydra viridissima, Burrett & Garofalo; requirement of trees amounts of environmental sedime. requirement of trace amounts of environmental sodium for the growth and development of Hydra, LENHOFF & BOVAIRD (1); life cycle of Koellikerina fasciculata, PETERSEN & VANNUCCI; of Limnocnida victoriae, BEADLE, THOMAS & POOLE; Merga tergestina, VANNUCCI (3), also VANNUCCI & YAMADA; cyclical development of preyseizing polyps in Microhydra germanica, Buchert; Physalia physalis, Tortron; Podocovyne carnea, Bravera, Man; differentiation of a colony of Proboscidactyla sp., HIRAI; Tubularia radiata, NAGAO; importance of the interstitial cells in the development of marine hydroids, WEILER-STOLT; astogeny of stromatoporoids, GALLO-WAY; Stygiomedusa fabulosa, RUSSELL & REES; growth, variation and abnormalities in Cyanea capillata, THIEL; young stages of Cyanea capillata and Aurelia aurita, Verwey; Actinia equina, BONNENFANT; variation in Fravosites squamuliferus, Philip; †Balanophyllia italica, Chevalier (1); Diadumene luciae, Atoda; Manicina areolata, Goreau & Goreau; Protanthea simplex, NYHOLM; † Thecosmilia langi, BEAUVAIS (1); Ordovician rugose corals, KALJO; ontogeny and variation in American Devonian rugose corals, OLIVER; blastogeny and variation in Devonian tetracorals of Poland, RÓZKOWSKA; growth rate of corals, Squires (2); size of Beroe cucumis in relation to its feeding, KAMSHILOV

EVOLUTION AND RELATIONSHIPS

Ancestors, embryos and symmetry in coelenterates, GREENBERG; origin and phylogeny of the coelenterates, HAND; origin of the Metazoa, NURSALL, also NURSALL (1); relationships of coelenterates to other animals, PANTIN; neoteny and fetalisation, REMANE; metamorphosis from the viewpoint of animal phylogeny, UCHIDA (1); evolution of mouth and blastopore in coelenterates, WILLIAMS, J. B.; origin and evolution of the Hydrozoa, [NAUMOV]; evolution in Hydrozoa and Scyphozoa, NAUMOV (1); origin of Physalia and the siphonophores, TOTTON; ancestry and phylogeny of the stromatoporoids, GALLOWAY; evolution and relationships of Tetraplatia, RALPH; possible intermediates between Alcyonaria and Tabulata, Tabulata

and Rugosa, and Rugosa and Hexacoralla, Hill; phylogeny of the †Streptelasmatidae, †Protozaphrentidae and †Zaphrentidae, [IVANOVSKI (2)]; phylogeny of Ordovician rugose corals, Kaljo; phylogenetic classification of madreporarian corals, Kolosváry; evolution of tetracorals, Melsénez; phylogeny of the †Plerophyllida, [Sokolov]; relationship of Tournaisian Rugosa to the Devonian, [Soshkina]; evolution in fossil corals, [Yakovlev].

ECOLOGY AND HABITS

Growth-form of hydrozoa and corals as indicators of conditions, Manten; of Merga tergestina, Vannucci (3); of Heliactis bellis, Berner; of coelenterates of the Bay of Marseilles, Costa; of hydrozoa and anthozoa of the S. of France, KERNEIS; quantitative and qualititive variation in the planktonic coelenterates from July, 1956, to December, 1957, in the Tyrrhenian Sea, Anichim (1); of the Gulf of Naples, Coonetti & Santarelli; the seasonal cycle of plankton in relation to the geographical conditions and the physicochemical conditions of the sea water of southern Italy, DE ANGELIS & DELLA VALLE; of algal areas of the Gulf of Naples, Parenzan; seasonal regional and other variations of planktonic coelenterates off eastern Canada, Legaré & Maclellan; ecological conditions affecting hydrozoa of an inlet in Nova Scotia, BOUSFIELD & LEIM; ecology of zoantharians of rocky shores of Barbados, Lewis; measurements of oxygen, gross production and community respiration on coral reefs of Puerto Rico, ODUM, BURKHOLDER & RIVERO; of hydrozoa and zoantharia of Jamaica, Zans; ecology of an eastern Canadian bay, Trites; of Northern Moçambique, Kalk; coral deaths in Queensland, SLACK-SMITH; ship-fouling hydroids in New Zealand, SKERMAN; of intertidal communities of Japan, Ondó; ultra-abyssal (hadal) coelenterates of the deep-sea trenches of the Pacific, WOLFF; sudden outburst of ctenophores and medusae off Bombay, CHOPRA; planktonic coelenterates at Mawson, Antarctica, BLUNT; effect of high storm tide levels on beach burial of scyphozoa, Kornicker & Conover; response of Cordylophora lacustris and Actinia sp. to power station cooling water, MARKOWSKI; of a reservoir in Czechoslovakia, SLÁDEČKOVÁ; of the stromatoporoids, GALLO-WAY; palaeoecology of Lower Cretaceous deposits of Texas, LAUGHBAUM; ecology of a Devonian biostrome in Pennsylvania, BEERBOWER & McDowell; of American Devonian rugose corals, Oliver; of Devonian tabulate corals in Poland, Stasińska; nutrition of Hydra, Brien; role played by Hydra and Pelmatohydra in the dynamics of population density of migratory fishes, Vladimirov; habits of Physalia physalis, Totton; feeding of Beroe cucumis, KAMBHILOV.

Commensalism, Association and Symbiosis.—Associations of marine coelenterates, Nicol. (1); Hystrichospheres with Silurian, Devonian and Carboniferous corals, Deunff; Podocoryne canea and a hermit crab, Braverman; Pteroeides esperi with a porcellanid crab, Jones; Calliactis parasitica and a hermit crab, Ross (2); an actiniarian commensal with a crab, Uchida, commensalism of Proboscidactyla sp. and a worm, Hirat; worms and corals (Recent and Devonian), Schindewolf; Clytia gracilis and a polyzoan, Buge; sea anemones and various animals, Straughan; corals and coral-fish, Eibl-Eibespeldt.

Coral reefs.—Alloiteau (1); Gerlach; Manten; Barbados, Lewis (1); Gulf of Mexico, Kornicker,

LO

COL

M

E.

str

Sci

Sw

AL

COL

of

fro

Du

Ze

Sc

Te

(1)

Ja

hy

Cl

in

Fr Be

CO [B ST

CO

fr

H

BONET, CANN & HOSKIN, also MOORE & BULLIS; PUETTO RICO, ODUM, BURKHOLDER & RIVERO; Northern Moçambique, KALK; Madagascar, BATTISTINI, also GUILCHER; Queensland, SLACK-SMITH; phosphate rock in the Marshall Islands, FOSBERG; New Caledonia, AVIAS; Tuamotu, RANSON; Miocene of the Mediteranean basin, CHEVALIER; Upper Jurassic of France, BEAUVAIS, also LAFUSTE; Middle Jurassic of Madagascar, COLLIGNON; Alpine Trias, FLÜGEL, E.; LOWER CARDONICTOUS of N.W. Africa, PAREYN; Middle Palaeozoic of Victoria, Australia, TALENT & PHILIP.

DISTRIBUTION 1.—GEOGRAPHICAL

A.-MARINE

Atlantic Ocean (including Mediterranean and Black Seas).—Planktonic coelenterates of the Mediterranean Sea, Trégouboff; coelenterates near the Balearic Islands, Sanchez; planktonic coelenterates of the Gulf of Lyons and Corsica, FURNESTIN; coelenterates in the Gulf of Naples, Cognetti & Santarelli, also PARENZAN; planktonic coelenterates of the Tyrrhenian Sea, ANICHINI; coelenterates of the Gulf of Mexico, KORNICKER, BONET, CANN & HOSKIN; planktonic coelenterates of an eastern Canadian area, LEGARÉ & MACLELLAN; hydropolyps of the Atlantic Ocean, LELOUP; distribution of Physalia physalis, Torron; siphonophora north of Scotland and in the northern North Sea, Fraser; hydrozoa of the Baltic and Black Seas, [Naumov]; a hydrozoan in a creek in Holland, LEENTVAAR; siphonophora of western Spain, Cervigón; a hydrozoan of the Gulf of Marseilles, Picard; a new sp. of Merga from S. France, Picard (1); Niobia dendrotentaculata in the Gulf of Naples, Brinckmann; two hydrozoans from the Gulf of Naples, Brinckmann & Petersen; siphonophores of north-west Africa, Cervicón (1); planktonic hydrozoa of Sierra Leone, BAINBRIDGE; two planktonic hydrozoa of Portuguese Guinea, Santos Pintos; Allopora bithalamus from South Africa, Boschma (3); Stylasteridae of South Africa, Boschma; a new genus of stylasterine coral from S. Africa, Boschma (2); planktonic hydrozoa of the Delaware Bay region, Deevey; hydrozoa of Nova Scotia, Bousfield & Leim; planktonic hydromedusae (including oceanic and benthonic spp.) off Fernando de Noronha, Vannucci; Eucheilota duodecimalis off Brazil, VANNUCCI (2); Allopora profunda of S. Allierica, Boschma (1); a viviparous scyphomedusan off Spain, RUSSELL & REES; hydrozoa and anthozoa of the S. of France, Costa, also Kerneïs; hydrozoa and zoantharia of Jamaica, ZANS; an octocoral and an actinian off Algeria, Dieuzeide; gorgonians of Cuba, Guttart Manday; actinians of north-west France, Bénard; Heliactis bellis on the French coast, Berner; Florida sea anemones, STRAUGHAN; corals of the Gulf of Mexico, Moore & Bullis; corals of Barbados, Lewis, also Lewis (1) and Lewis (2); two spp. of Desmo-phyllum from the West Indies, Rossi.

Pacific Ocean.—Ultra-abyssal (hadal) coelenterates of the deep-sea trenches, WOLFF; benthic coelenterates of Southern California, HARTMAN & BARNARD; distribution of Physalia physalis, TOTTON; hydrozoa of the U.S.S.R., [NAUMOV]; hydroids of Japan, YAMADA; Allopora stellulata from Tahiti, etc., BOSCHMA (4); the Ellisellidae and their bearing on the zoogeography of the eastern Pacific, BAYER & DEICHMANN; a SCYPHORA and an alcyonarian of Southern California, HARTMAN; Roxasia spp. revised, Tixier-Durivault &

PREVORSEK; Nephtheidae revised, UTINOMI (2); deep-sea Pennatularia from the Bering Sea and Kurile-Kamschatka trench, PASTERNAK; octocorals off Japan, UTINOMI (1); hydrocorals and stony corals of Japan, UTINOMI; a new genus and sp. of actinarian from Japan, UCHIDA; Kionotrochus from New Zealand and subgen. Cylindrophyllia from Japan, Squires (1); corals from the Norfolk Island cable, Squires (2); three new spp. of zoantharians from California, Cutress & Pequegnat; corals (genera) of California, Durham & Allson.

Indian Ocean.—Coelenterates of Northern Mozambique, Kalk; distribution of Physalia physalis, Totton; Rozasia spp. revised, Tixer-Durivault & Prevorsek; Nephtheidae revised, Utinomi (2); a new sp. of Xenia from S. Africa, Texer-Durivault; octocorals of Mozambique, Texer-Durivault (1); two new spp. of Dendronephthya, one from East Africa and one from the Persian Gulf, Versevellot (1); Pteroeides esperi in the Gulf of Manaer, Jones; octocorals from the Malay Archipelago, Versevellot; ctenophores and medusae off Bombay, Chopra; Coeloplana in Natal, Pople.

Arctic Ocean.—Hydrozoa of the U.S.S.R. [Naumov].

Antarctic Ocean.—Planktonic coelenterates at Mawson, Blunt.

B.—FRESHWATER

Hydrozoa of the U.S.S.R., [NAUMOV]; coelenterates of North America, HYMAN; Hydra in the River Volga, LJACHOV; Hydra in Lake HUTON, TETER; Pelmato-hydra oligacits in a Balkan lake, STANKOVIĆ; Limnocnida in Northern Nigeria, GREEN; Limnocnida victoriae at Tibesti, Africa, Mirk, GILLET & PLESSIS; Cordylophora caspia in the Dnieper reservoir, ZHURAVEL; Cordylophora caspia in Mexico, RIOJA.

Craspedacusta.—C. sowerbyi in Hungary, Buchert (1); C. sowerbyi in S.W. France, Dupéré; C. sowerbyi in Czechoslovakia, Kapler; C. sowerbii in the castern U.S.A., Lytle; C. sowerbyi in Michigan, Payne; a new sp. of Craspedacusta from Taiwan, Shieh &

2.—GEOLOGICAL

Pleistocene.—Corals (genera) of California, Dur-HAM & ALLISON.

Tertiary.—Use of corals in the stratigraphy of Indonesia, Osberger.

Pliocene.—Flabellum avicula in the Republic of San Marino, Moroni; two corals of Sardinia, Dieni & Omenetto; corals (genera) of California, Durham & Allison; corals of California, Hertlein & Grant; corals in Fiji, Bartholomew (1), Wells (1); two corals of New Zealand, Squires.

Miocene.—A coral in France, Buge, also Chevalier (1); corals of the Mediterranean basin, Chevalier; three corals of Italy, Comaschi Carla; corals of Yugoslavia, Kochansky; corals (genera) of California, Durham & Allison; a coral from Fiji, Bartholomew, also Wells; Kionotrochus (Cylindrophyllia) from New Zealand, Squires (1).

Oligocene.—Corals of Italy, Sestini; corals (genera) of California, Durham & Allison; Kionotrochus (Cylindrophyllia) from New Zealand, Squires (1).

Eocene-Oligocene.-Corals in Japan, HATAE.

nd

s

Eocene.—Corals and hydrozoa of Dalmatia, PAV-LOVEC; a new sp. of *Turbinolia* from Alabama, Howe; corals (genera) of California, DURHAM & ALLEON.

Mesozoic.—Tienodictyon zonatum not Devonian but Mesozoic, GALLOWAY.

Cretaceous.—A hydrozoan from Bulgaria, Flügel, E. (3); hydrozoans of S. France, Schnorf; a new stromatoporoid from S.E. France and Switzerland, Schnorf (2); a gen. et sp. n. of stromatoporoid from Switzerland, Schnorf (1); stromatoporoids of Switzerland, Schnorf (3); Clausastraea and its spp. Alloiteau (2); new corals from Spain, Alloiteau; corals of Spain, Bataller, also Bataller (1); corals of the Caucasus and Crimea, [Kuz'micheva]; Cyclolites from Russias, [Kuz'micheva (1)]; a Micrabacia? [sic] sp. in Texas, Laughbaum; corals (genera) of California, Durham & Allison; a new generic name for a New Zealand coral, Squires (3).

Jurassic.—A new stromatoporoid from S.E. France, Schnorf (2); stromatoporoids from Arabia, Hudson Tethyan hydroids of the Milleporididae, Hudson (1); stromatoporoids of the Middle East and East Africa, Hudson (2); a new genus of hydrozoan from Japan, Hashimmoto; stromatoporoids of Japan, Hashimmoto (1); hydrozoa and corals of Yugoslavia, Poljak; hydrozoa and corals of Abyssinia, Zuffardi-Comerci; a burrow possibly produced by a cerianthid, Hallam; Clausastraea and its spp., Allotteau (2); derived corals in a French Quaternary river gravel, Basse; corals in France, Ferry; Thecosmilia langi in Switzerland, Beauvais (1); corals of Czechoslovakia, Frajová; corals of Poland, Roniewicz; corals of Armenia, Bendukidze]; a coral in Arabia, Schott, also Thompson & Dodon; corals in Madagascar, Colligonon.

Triassic.—Chaetetes spp. are algae, Flügel, E. (1); a new genus of hydrozoa from Austria, Flügel, E. (5); a hydrozoan of Cyprus, Flügel, E. (2); hydrozoans and corals of Austria, Flügel, E.; corals (list) of Yukon, Canada, Bosrock & Lees.

Permian.—Distribution of tetracorals, Meléndez; synonymy of Depasophyllum and Amplexocarinia, Smith & Thomas in Thomas, H. D.; rugose corals of the U.S.S.R. [Sokolov]; a coral of Japan, Konishi; corals of Japan, Yokoyama; corals of Arctic Canada, Harker, also Harker & Thorsteinsson; a coral from Ellesmereland, Minato; corals of Nevada, Utah and California, Easton; corals in Tasmania, Banks.

Carboniferous.—A new gen. and sp. of stromatoporoid from the U.S.S.R., [YANORSKII]; tabulate corals of Moravia, Chlupáč; Chaetets in Nevada, Rich; distribution of tetracorals, Meléndez; synonymy of Depasophyllum, Smith & Thomas, in Thomas, H. D.; corals in Ireland, George; corals of Spain, Hernández-Sampelayo; corals of Yugoslavia, Kostic-Podgorska; a new family, three new genera and new species of tetracorals from the Donetz Basin, Vasilyuk; a new genus of rugose corals from Russia, [Roghozov (1)]; Rugosa of the Moscow Basin, [Dobrolyubova]; Tournaisian corals of the northern Urals, [Roghozov]; Tournaisian Rugosa of northern European Russia, [Soshkina]; corals of Turkey, Unsalane-Kiragii; new tetracorals, including a gen. n., from Kazakhstan, Keller; corals in Bashkiria, Teodorovich, Grozdilova, Lebedeva & Khachatreyan; corals in N.W. Africa, Pareyn; corals of Western Canada, Nelson; a new name for a rugose coral from the U.S.A., Lano

& Thomas; a coral of Indiana, Perry; two rugose corals from Nevada, Stensaas & Langenheim; Pseudozaphrentoides sp. from Oklahoma, Sutherland & Cocke; Lophophyllum profundum in Pennsylvania, Williams, E. G.; corals in Western Australia, Condon.

Devonian.—Stratigraphic significance of micro-structures of stromatoporoids of Europe, the Kuznetzk basin and central North America, St. Jean; Stackyodes in Poland, Gogolczyk; stromatoporoids of Canada, GALLOWAY (1); stromatoporoids of Michigan and Ontario, Galloway & Ehlers; Amphipora and coral reefs of Victoria, Australia, Talent & Philip; stromatoporoids and corals of Yugoslavia, Kostić-Popogorska; stromatoporoids and corals of Russia, [ERMAKOVA (1)]; stromatoporoids and corals of Victoria, Australia, PHILIP; tabulate corals of S. France, CAVET; tabulate corals of Poland, STASIŃSKA; tabulate corals of the Urals, [YANET]; a new genus of tabulate coral from Central Asia, [CHEKHOVICH]; a tabulate coral from New York State, STUMM (2) Favositids of Victoria, Australia, Philip; tabulate and rugose corals of the U.S.A., OLIVER (1); synonymy of Depasophyllum, Smith & Thomas in Thomas, H. D.; Hexagonaria spp. of Austria, Flügel, H. & Schimunek; Calceola sandalina in Czechoslovakia, Strnad; rugose corals of Poland, Rózkowska; rugose corals of Russia, [Ermakova]; corals in the Kuznetsk Basin, Ivanova & Chudinova; corals of northern European Russia, [Soshkina]; coral succession in the Urals and the Altai, [Spasskii (1)]; rugose corals of the Urals, [Vaganova]; corals of the Rudnoi Altae, Spasskii; calceolid corals from China, Yoh & Yu; corals of China and Korea, Hamada; corals of N.W. Canada, Crickmay; rugose corals of New York State, Oliver; coral faunas of New York State, OLIVER (2); new rugose corals from New York State, STUMM (1); a coral of Indiana, PERRY.

Silurian.—Stromatoporoids and corals in Siberia, Miroshnikov, Kravtsov & Shcheglova; a tabulate coral of S. France, Cavet; Desmidopora in the U.S.S.R., [Tesakov]; type species of Cladopora and Coenites, Stumm; Halysites catenularius in Indiana, Perry; Ludlovian corals of Britain, Lawson; corals in Ireland, McKerrow & Campbell; a fam. n. and two gen. n. of rugose corals, [Ivanovskii]; systematics of the zaphrentids, [Ivanovskii (2)]; corals in Zeravshano-Gissersk Province, Russia, Kim; two new corals in Siberia, [Ivanovskii (2)]; corals of China and Korea, Hamada; corals of Canada, Ollerenshaw & Macqueen; corals of Indiana, Boyce; corals of New South Wales, Strusz; ? Silurian corals of Victoria, Australia, Philip (1).

Ordovician.—A new gen. and spp. n. of stromatoporoids of the U.S.A., Galloway & St. Jean; a stromatoporoid and corals of Canada, Ollerenhaw & Macqueen; new family, genus, and species of tabulate corals, Sokolov & Mironova; a new family of rugose corals, [Ivanovskii]; systematics of the zaphrentids, [Ivanovskii (2)]; development of tetracorals and a new sp. of Bighornia, Kaljo; corals of China, [Yü]; two corals of Indiana, Perry; corals from California, Pestana; corals in Western Australia, Condon.

Cambrian.—A new genus of hydrozoan from Poland, Stasińska (1); a coral from Russia, [Volog-DIN]; three? coelenterates from Siberia, [Korde].

Pre-Cambrian.—Coelenterates of South Australia, Glassner, also Glassner (1).

fig

to

1

SYSTEMATIC INDEX

Full references are given only in the case of a new subgenus or taxon of higher rank, the volume number being printed in "small bold type", e.g., 15.

HYDROZOA

Abietinaria, key to spp. p. 372, abietina p. 375 fig., variabilis p. 376 fig., urceolus sp. n. p. 377 fig. Ochotsk Sea, etc., smirnowi p. 379 fig., macrotheca sp. n. p. 379 fig. Ochotsk Sea, etc., compressa p. 380 fig., filicula p. 381 fig., filicula costata p. 382 fig., inconstans p. 383 fig., gracilis p. 384 fig., labrata p. 384 fig., gigantea p. 385 fig., krakaidi p. 386 fig., turgida p. 387 fig., annulata p. 388 fig., crassiparia sp. n. p. 390 fig. Kurile Islands, gagarae sp. n. p. 391 fig. Ochotsk Sea, etc., raritheca sp. n. p. 392 fig. Kurile Islands, alternitheca p. 393 fig., koltuni sp. n. p. 394 fig. Ochotsk Sea, thujarioides p. 395 fig., pulchra p. 396 fig., spiralis sp. n. p. 398 fig. Kurile Islands, spasskii p. 399 fig., fusca p. 400 fig., derbeki p. 401 fig., [NAUMOV].—A. abietina, fusca p. 223, Lelloup. A. abietina, fusca p. 223, LELOUP.

Abylopsis tetragona p. 36 fig., Cervigón.

Acaulis p. 224, primaris p. 224 fig., [NAUMOV].

Actigia a junior synonym of Coryne p. 112, PICARD.

†Actinodictyon pp. 419, 453, canadense p. 468 fig., GALLOWAY.

†Actinostroma clathratum p. 70 fig., [Ermakova (1)].— A. pp. 417, 437, vologdini is probably Actinostromaria stellata p. 389, expansum p. 463 fig., clathratum p. 467 fig., GALLOWAY.—A. tyrelli p. 623 fig., aff. tyrrelli p. 624 fig., GALLOWAY (1).—A. tyrelli p. 243 fig., frustulum p. 243 fig., Sr. JEAN.—A. jeanneti a sp. of Actinostromaria p. 357, SCHNORF (3).

† Actinostromaria cantabrica p. 80 fig., FLÜGEL, E. (3). 7Actinostromaria canaorica p. 60 lig., FLUGEL, E. (9).

733, leptocana p. 734 fig., jeanneti (=dasycana) p. 735 fig., regularis sp. n. p. 737 fig., coacta sp. n. p. 738 fig., maxima sp. n. p. 740 fig., limitaris sp. n. p. 741 fig., verticalis sp. n. p. 742 fig., laminaria sp. n. p. 744 fig., L. Cretaccous Switzerland, Schnorf (3).—A. hararina sp. n. p. 238 fig. Jurassic Abyssinia, Zuffardi-Comerci.

†Actinostromarianina p. 229, lecomptei sp. n. p. 231 fig. Upper Jurassic Arabia, Hudson.

†Actinostromatidae pp. 417, 437, key to genera p. 437, GALLOWAY.

Aegina p. 569, rosea p. 569 fig., [NAUMOV].

Aeginidae, key to genera p. 566, [Naumov].

Aeginopsis p. 568, laurentii p. 568 fig., [NAUMOV].

Aeginura p. 567, grimaldii p. 568 fig., [NAUMOV].

Aequorea p. 317, forskalea p. 317 fig., [NAUMOV].

Agalma sp. p. 43 fig., CERVIGÓN.

Aglantha p. 560, digitale p. 560 fig., [NAUMOV].

Aglaophenia pluma p. 185 fig., FAURE.—A. latecarinata p. 230, Leloup.—A. p. 487, pluma p. 488 fig., [NAUMOV].—A. amoyensis p. 5 fig., YAMADA.

Aglaophenopsis p. 482, compressa p. 482 fig., [NAUMOV].

Aglaura hemistoma p. 7, VANNUCCI.

Allopora profunda p. 400 fig., Boschma (1).—A. bithalamus p. 435 fig., Boschma (3).—A. stellulata p. 49 fig., Boschma (4).—A. p. 522, key to spp. p. 522, solida p. 523 fig., stejnegeri p. 524 fig., californica p. 525 fig., verrilli p. 526 fig., scabiosa p. 527 fig., brochi p. 528 fig., carinata p. 529 fig., purpurata sp. n. p. 530 fig. Kamchatka

Peninsula and Kurile Islands, boreopacifica p. 530 fig., norvegica pacifica p. 533 fig., granulosa p. 533 fig., moseleyana p. 535 fig., campyleca campyleca p. 537 fig., campyleca tylota p. 539 fig., polyorchis p. 541 fig., [NAUMOV].

†Amphipora franca p. 73 fig. N. Devonian, vesiculosa p. 74 fig. M. Devonian, minima p. 75 fig. U. Devonian, alveolata p. 75 fig. M. Devonian, spp. n. Russia, elemankova (1)].—A. pp. 418, 442, ramosa pp. 464, 467 fig., Galloway.—A. p. 97, ramosa p. 98 fig., natiressi p. 99 fig., Galloway & Ehlers.

Amphisbetia operculata p. 232, LELOUP.

Anarthroclada p. 475, parmata p. 475 fig., [NAUMOV].

†Anostylostroma pp. 417, 434, hamiltonense pp. 463, 466 fig., columnare p. 466 fig., GALLOWAY.—A. [as Anostylostioma [sic] vacuolatum sp. n. p. 622 fig. Devonian N.W. Canada, GALLOWAY (1).—A. p. 82, arvense p. 82 fig., GALLOWAY & EHLERS.—A. sp. p. 146 fig., Kostió-Podgorska.—A. izlense p. 241 fig., mediale p. 241 fig., amydaloides p. 241 fig., obscurum p. 243 fig., St. Jean.

†Apralysia probably an alga p. 454, GALLOWAY.

Astolabia p. 477, heterotheca p. 477 fig., [NAUMOV].

†Astroporina gen. n. (fam. Parastromatoporidae) p. 196, type sp. (by original designation) stellifera p. 196 fig. British Somaliland, orientalis p. 196 fig. Lebanon, stellans p. 197 fig. British Somaliland, spp. a. Upper Jurassic, cf. orientalis p. 197 fig., sp. p. 197, Hudson Palacont. 2 2 1960.—A. valanginiensis sp. n. p. 729 fig. L. Cretaceous S.E. France and Switzerland, Schnore (2).

† Atelodictyon pp. 417, 435, fallax p. 466 fig., GALLOWAY. †Aulacera pp. 416, 422, plummeri sp. n. p. 423 fig. Ordovician U.S.A., undulata p. 423 fig., Galloway & St. Jean in GALLOWAY.

† Aulocerium not a hydrozoan but the polyzoan Fistulipora p. 454, GALLOWAY.

Bassia bassensis p. 43 fig., Cervigón.

†Beltanella gilesi p. 378, GLAESSNER.

Bimeria humilis p. 225, LELOUP.

Blackfordia p. 321, virginica p. 321 fig., [NAUMOV].

Bonneviella p. 286, key to spp. p. 287, laevigata sp. n. p. 287 fig. Ochotsk and Bering Seas, enterovillosa p. 288 fig., superba p. 289 fig., uschakovi p. 290 fig., ingens p. 291 fig., regia p. 292 fig., grandis p. 293 fig., extensa sp. n. p. 294 fig. Ochotsk Sea, [NAUMOV].

Bonneviellidae p. 286, [Naumov].

Botrynema p. 564, brucei p. 564 fig., [NAUMOV].

Bougainvillia key to spp. p. 197, superciliaris p. 197 fig., principis p. 198 fig., [NAUMOV].

Bougainvillidae [sic], key to genera p. 182, [NAUMOV].

†Burgundia steinerae sp. n. p. 228 fig. Upper Jurassic Arabia, Hudson.—B. circoporoides p. 242 fig., corrugata p. 243 fig., spp. n. Jurassic Abyasinia, Zuffardi-COMERCI.

Calicella [as Calycella [sic]] syringa p. 220, Leloup.— C. p. 306, syringa p. 307 fig., [Naumov].

Calycopsis p. 192, key to spp. p. 193, birulai p. 193 fig., nematophora p. 194 fig., [NAUMOV].

Campanularia assymetrica p. 173 fig., Kernels.— C. speciosa, perticillata p. 221, volubilis p. 221 fig., marginata p. 226, noliformis p. 227, africana p. 231 fig., euryzalyx p. 231 fig., gaussica p. 232 fig., Leloup.—C. p. 249, key to spp. p. 249, johnstoni p. 250 fig., volubilis p. 251 fig.,

g., ma ota

250

n, ia, 67 groenlandica p. 252 fig., bigena sp. n. p. 253 fig. Bering Sea, speciosa p. 255 fig., everta p. 256 fig., compressa p. 256 fig., platycarpa p. 257 fig., integra p. 258 fig., integriformis p. 259 fig., but chinensis a sp. of Verticillina (q.v.) p. 270, [NAUMOV].

Campanulariidae, key to genera p. 248, [NAUMOV].

Campanulina chilensis p. 231, LELOUP.—C. p. 309, key to spp. p. 310, quadrata p. 310 fig., lacerata p. 311 fig., [NAUMOV].

Campanulinidae, key to genera p. 295, [Naumov]. Campanulininae p. 296, [Naumov].

†Cassianostroma gen. n. p. 51, type sp. (by original designation) küpperi sp. n. p. 51 fig. Triassic Austria, Flügel, E., Neues Jb. Geol. Paläont. Monats. 1960 2 1960.

†Caunopora p. 454, GALLOAWAY.

Chelophyes appendiculata p. 26 fig., CERVIGÓN.

Chlorohydra viridissima p. 317, Hyman.—C. p. 556, viridissima p. 557 fig., [NAUMOV].

Cladocarpus, key to spp. p. 483, holmi p. 484 fig., pourtalessii p. 485 fig., formosus p. 485 fig., [NAUMOV].

†Cladocoropsis sp. p. 238, Hudson.

Cladonema radiatum p. 388 fig., Brinchmann & Petersen.—C. p. 225, key to spp. p. 225, radiatum p. 226 fig., myersi p. 227 fig., [Naumov].

Cladonemidae p. 224, key to genera p. 225, [NAUMOV].

†Clathrocoilona pp. 419, 451, abeona p. 468 fig., GALLOWAY.—C. abeona p. 634 fig., restricta p. 634 fig., GALLOWAY (1).

†Clathrodictyidae pp. 417, 432, key to genera p. 432, GALLOWAY.

†Clathrodictyon [as Clatrodictyon [sic]] tschussovense p. 72 fig., [ERMAKOVA (1)].—C. pp. 417, 433, sajanicum possibly a sp. of Anostylostroma p. 390, vesiculosum pp. 463, 466 fig., GALLOWAY.—C. variolare Grabau not Rosen is Stictostroma anderdonense p. 88, GALLOWAY & EHLERS.—C. confertum p. 150 fig., KOSTIĆ-PODGORSKA.

†Clathrostroma gen. n. (fam. Actinostromidae) p. 132, type sp. (by original designation) lekense sp. n. p. 132 Silurian U.S.S.R., stolbergense sp. n. p. 132 fig. L. Carboniferous U.S.S.R., cracoviensis p. 133, [YAVORSKII] Paleont. Zhurn. 1960 4 1960.

Clava multicornis p. 179 fig., [NAUMOV].

†Clavidictyon pp. 418, 441, columnare p. 467 fig., GALLOWAY.—C. p. 73, kegomiceuse Galloway p. 73 fig., millcreekense p. 103 fig., spp. n. M. Devonian Michigan, GALLOWAY & EHLERS.

†Coenostroma see Stromatopora.

Corbulifera gen. n. (fam. Plumulariidae) p. 489, type sp. (by original designation) Plumularia macgilliurayi p. 490 fig. Philippines, etc., [NAUMOV] Opred. Faune S.S.S.R. Izdav. zool. Inst. Akad. Nauk S.S.S.R. 70 1960.

Cordylophora lacustris p. 316 fig., Hyman.—C. caspia p. 180 fig., [Naumov].—C. caspia p. 151 fig., Rioja.

Corymorpha p. 207, key to spp. p. 208, nutans p. 208 fig., aurata p. 210 fig., tentaculata p. 211 fig., flammea p. 211 fig., glacialis p. 212 fig., groenlandica p. 213 fig., [NAUMOV].

Coryne a senior synonym of Staurocoryne pp. 142, 143, uchidai p. 141, sp. p. 143, Hirkar (1).—C. p. 232, key to spp. p. 233, tubulosa p. 233 fig., princeps p. 236 fig., lovenii p. 236 fig., pusilla p. 237 fig., [Naumov].—

C. gemmifera p. 109 fig., ophiogaster p. 111, fusicola a senior synonym of Staurocoryne filiformis p. 111, C. a senior synonym of Dipurena p. 111, and of Actigia and Linvillea p. 112, Proand.

Corynidae p. 232, key to genera p. 232, [Naumov].—C. discussed p. 111, Picard.

Craspedacusta sowerbii pp. 72, 96, Hadži.—C. sowerbyi p. 316 fig., Hyman.—C. kuoi sp. n. p. 201 fig. Taiwan, Shieh & Wang.

Crossota p. 558, key to spp. p. 558, brunnea p. 558 fig., alba p. 559 fig., [Nauмov].

Cryptohelia, key to spp. p. 546, pudica p. 546 fig., trophostega p. 548 fig., [NAUMOV].

Cryptolaria, key to spp. p. 277, profunda **sp. n.** p. 277 fig. Bering Sea, flabellum p. 278 fig., borealis p. 279 fig., [NAUMOV].

†Cryptophragmus p. 417, 426, antiquatus p. 465 fig., GALLOWAY.

Cunina p. 567, globosa p. 567 fig., [NAUMOV].

Cunoctantha p. 568, tenella p. 568 fig., [NAUMOV].

Cuspidella p. 299, key to spp. p. 300, mertensii p. 300 fig., grandis p. 302 fig., polydiademala p. 302 fig., [NAUMOV].

†Cystostroma gen. n. (fam. Labechiidae) pp. 416, 421, type sp. (by original designation) vermontense p. 421 fig., simplex p. 421 fig., spp. n. Ordovician U.S.A., Galloway & St. Jean in Galloway Bull. Amer. Paleont. 37 164 1957.

†Dehornella discussed p. 187, hydractinoides p. 190, choffati p. 190 fig., crustans sp. n. p. 191 fig. Upper Jurassic Israel, omanensis sp. n. p. 191 fig. Upper Jurassic Arabia, harrarensis p. 194 fig., aff. harrarensis p. 196, Hudson (2).

†Dendrostroma pp. 418, 443, oculatum pp. 444, 467 fig., comulus p. 44, GALLOWAY.—D. p. 69, petoskeyense sp. n. p. 69 fig., fibrosum Galloway sp. n. p. 71 fig., M. Devonian Michigan, GALLOWAY & EHLERS.

†Dermatostroma pp. 417, 430, papillatum p. 466 fig.,

†Diapora a combination of a stromatoporoid and a tabulate coral p. 455, Galloway.

Dicoryne conferta p. 200 fig., [NAUMOV].

Dictyocladium flabellum p. 345 and reitculata p. 346 are Sertularella, [NAUMOV].

 $\dagger \textit{Dictyostroma}$ not a hydrozoan but a tabulate coral p. 455, Galloway.

Diphasia p. 331, key to spp. p. 332, rosacea p. 332 fig., fallax p. 333 fig., [NAUMOV].

Diphyes dispar p. 39 fig., CERVIGÓN.

Dipurena reesi p. 386 fig., Brinckmann & Petersen.— D. pp. 142, 143, Hirai (1).—D. a junior synonym of Corme p. 111, Picard.

†Disparistromaria gen. n. (fam. Actinostromariidae) p. 439, type sp. (by original designation) tenuissima sp. n. p. 439 fig. L. Cretaceous Switzerland, Schnorf Ecl. geol. helv. 53 1 1960.

Distichopora irregularis p. 427, Boschma (2).—D. p. 521, borealis p. 521 fig., [Naumov].—D. violacea p. 43, Utinomi.

Dynamena cornicina, crissioides p. 228, tumida p. 228 fig., LELOUP.—D. p. 329, key to spp. p. 329, pumila p. 329 fig., operculata p. 330 fig., [NAUMOV].—D. tubuliformis p. 2 fig., YAMADA.

GA

GA

L

BE

G

fig

(1)

Ju

M

501 Sp

pa

C

Eirene p. 319, indicans p. 320 fig., [NAUMOV].

Eleutheria p. 229, dichotoma p. 230 fig., [NAUMOV].

† Ellipsactinia ellipsoidea, tyrrhenica, caprense, polypora p. 310, POLIAK.

† Emscheria intermedia sp. n. p. 427 fig., var. tenuis var. n. p. 430 fig., U. Cretaceous S. France. Schnorf.

†Epistromatopora see Stromatopora.

Errina p. 514, key to spp. p. 514, porifera sp. n. p. 514 fig., Ochotsk Sea, antarctica p. 515 fig., [NAUMOV].

Errinopora pourtalesii p. 428 fig., stylifera p. 428 fig., BOSCHMA (2).—E., key to spp. p. 516, stylifera p. 516 fig., latifudata sp. n. p. 517 fig. Ochotsk Sea, nanneca p. 518 fig., zarhyncha p. 519 fig., intervacans sp. n. p. 520 fig. Sea of Japan, etc., [NAUMOV].

Eucheilota duodecimalis young stage p. 395 fig., VANNUCCI (2).

Eudendriidae p. 243, [Naumov].

Eudendrium carneum, ramosum p. 225, LELOUP.— E. p. 243, key to spp. p. 243, capillare p. 244 fig., rameum p. 246 fig., annulatum p. 246 fig., ramosum p. 246 fig., [NAUMOV].

Eudoxoides spiralis p. 38 fig., CERVIGÓN.

Eulafoeinae subfam. n. (of Lafoeidae) p. 272, [Naumov] Opred. Faune S.S.S.R. Izdav. zool. Inst. Akad. Nauk S.S.S.R. 70 1960.

Eutima mira p. 9, VANNUCCI.

†Ferestromatopora pp. 418, 446, krupennikovi p. 469 fig., byganensis p. 469 fig., Galloway.—F. p. 627, jacquesensis sp. n. p. 627 fig. Devonian N.W. Canada, Galloway (1).

Filellum serpens p. 220, Leloup.—F. p. 280, serpens serpens p. 281 fig., serpens tubiforme p. 281 fig., [NAUMOV].

Galetta chuni p. 34 fig., CERVIGÓN.

Gemmaria, key to spp. p. 238, costata p. 238 fig., globosa p. 240 fig., [NAUMOV].

Georginella diaphana a junior synonym of Hydranthea aloysii pp. 47, 85, HADŽI.

†Gerronostroma pp. 417, 438, elegans pp. 464, 467 fig., GALLOWAY.

Geryonia proboscidalis p. 6, VANNUCCI.

Gonionemus vertens p. 261 fig., LEENTVAAR.—G. p. 492, vertens murbachi p. 492 fig., vertens vertens p. 494 fig., [NAUMOV].

Grammaria p. 281, key to spp. p. 282, stentor p. 282 fig., abietina p. 283 fig., immersa immersa p. 284 fig., immersa gracilis p. 285 fig., [NAUMOV].

Cyropora gen. n. (fam. Stylasteridae) p. 423, type sp. (by original designation) africana sp. n. South Africa, Возсима Proc. Akad. Wet. Amst. 63 С 4 1960.

Halammohydra discussed pp. 56, 90, HADŽI.

Haleciidae p. 442, [NAUMOV].

Halecium articulosum p. 218, delicatulum p. 218 fig. tenellum pp. 220, 230, pusillum p. 226 fig., beani p. 230 tenetium pp. 220, 230, pusilium p. 226 fig., beani p. 230, Lelour.—H. p. 442, key to spp. p. 442, mirabile p. 444 fig., curvicaule p. 444 fig., speciessum p. 446 fig., hearing p. 446 fig., beani p. 447 fig., beringi sp. n. p. 449 fig. Bering Sea, brashnikowi p. 449 fig., ochotense p. 450 fig., reversum p. 451 fig., corrugatum p. 452 fig., labrosum p. 456 fig., tenellum p. 454 fig., marsupiale p. 455 fig., birulai p. 456 fig., muricatum p. 456 fig., groenlandicum p. 457 fig., [NAUMOV]. Halicreas, key to spp. p. 563, minimum p. 563 fig., bigelowi p. 563 fig., [NAUMOV].

Halopsis p. 318, ocellata p. 319 fig., [NAUMOV].

Hebella striata p. 231, LELOUP.

† Heptastylopsis see Spongiomorpha.

†Hermatostroma pp. 419, 451, schlüteri p. 468 fig., fig., GALLOWAY.—H. episcopale p. 635 fig., GALLOWAY

†Heterastridium p. 130, conglobatum conglobatum p. 127 fig., FLÜGEL, E. (2).

Heterotheca sp. p. 4 fig., YAMADA.

Homoeonema p. 562, platygonum p. 562 fig., [NAUMOV]. Hybocodon prolifer p. 184 fig., UCHIDA & NAGAO.

Hydra fusca p. 461 fig., attenuata p. 461 fig., BRIEN.-Hydra Jusca p. 461 fig., attenuata p. 461 fig., BRIEN.—
H. key to N. American spp. p. 317, americana p. 317 fig., hymanae p. 318 fig., oligactis p. 318 fig., pseudoligactis p. 318 fig., carnea p. 320 fig., utahensis p. 320 fig., cauliculata p. 321 fig., littoralis p. 321 fig., canadensis p. 322 fig., oregona p. 322, Hyman.—Hydra p. 551, key to spp. p. 551, oligactis p. 553 fig., braueri p. 553 fig., baicalensis p. 554 fig., outgaris p. 554 fig., attenuata p. 555 fig., circumcincta p. 555 fig., oxycnida p. 556 fig., oxycnidoides p. 556 fig., [NAUMOV].—H. p. 19 fig., SCHWEGLER.—H. grissa p. 129 fig., STAGNI. p. 129 fig., STAGNI.

Hydractinia p. 200, key to spp. p. 201, carnea p. 201 fig., allmani p. 202 fig., carica p. 203 fig., monocarpa p. 204 fig., echinata p. 204 fig., serrata p. 205 fig., [NAUMOV].

Hydrallmania falcata p. 223, LELOUP.-H. p. 401, falcata p. 402 fig., [NAUMOV].

Hydranthea aloysii a senior synonym of Georginella diaphana pp. 47, 85, HADŽI.

Hydrida p. 550, [NAUMOV].

Hydridae p. 551, key to genera p. 551, [NAUMOV].

Hydrocorallia p. 512, [Naumov].

Hydroctena salenskii pp. 65, 93, HADŽI.

Hydrolariidae p. 504, [Naumov].

Hymeninae p. 317, [Naumov].

Idiella pristis p. 229, LELOUP.

Idiellana (fam. Sertulariidae) nom. n. for Idiella Stechow (non Brauer & Bergenstamm) p. 234, COTTON & GODFREY Rec. S. Austral. Mus. 7 2 1942.

†Idiostroma pp. 418, 443, caespitosum p. 464 fig., roemeri p. 467 fig., but crassum Lecompte and roemeri irregularis Lecompte are Stachyodes p. 444, and comulus and oculatum are Dendrostroma p. 444, GALLOWAY.—
I. p. 62, caespitosum p. 63 fig. (lectotype chosen p. 66), roemeri p. 67 fig., nattressi Grabau = Amphipora nattressi + A. ramosa p. 99, GALLOWAY & EHLERS.

†Idiostromatidae pp. 418, 440, key to genera p. 440, GALLOWAY.

*Kentlandia not a hydrozoan but the coral Paleoalveolites [sic] p. 455, GALLOWAY.

Kirchenpaueria curvata p. 236, LELOUP.

Kitikamia not a hydrozoan but the coral Alveolites p. 455, GALLOWAY.

Koellikerina fasciculata a senior synonym of Thamnostoma cidaritis, sp. Browne and russellii p. 473 fig., Petersen & VANNUCCI.

†Labechia cystilosa sp. n. p. 72 fig. U. Devonian Russia, aff. devonica p. 73 fig., [Ermakova (1)].—L. pp. 417, 427, conferta pp. 463, 465 fig., Galloway.

†Labechiella pp. 417, 428, serotina p. 465 fig., GALLOWAY.

†Labechiidae pp. 416, 419, key to genera p. 420, GALLOWAY.

Lafoea dumosa p. 221, gracillima p. 231, Leloup.— L. p. 272, key to spp. p. 273, pocillim p. 273 fig., grandis grandis p. 274 fig., grandis ochotensis p. 275 fig., fruticosa p. 275 fig., dumosa p. 276 fig., [NAUMOV].

Lafoeidae p. 271, key to genera p. 272, [NAUMOV].

Lafoeina p. 313, key to spp. p. 314, tenuis p. 314 fig., maxima p. 314 fig., [NAUMOV].

†Lamellata wähneri p. 19 fig., Flügel, E.

Laomedea dichotoma, hyalina, longissima p. 222, bicuspidata, calceolifera p. 227, LELOUP.

Lar p. 504, flavicirratus p. 504 fig., NAUMOV].

Lensia subtilis p. 32 fig., campanella p. 43 fig., CERVIGÓN. Lictorella p. 285, pinnata p. 285 fig., [NAUMOV].

Limnocnida victoriae p. 18, MIRÉ, GILLETT & PLESSIS.— L. victoriae p. 613 fig., GREEN.—L. victoriae p. 217 fig., BEADLE, THOMAS & POOLE.

Limnomedusae p. 491, [NAUMOV].

Linvillea a junior synonym of Coryne p. 112, PICARD. Liriope tetraphylla p. 4, VANNUCCI.

†Lophiostroma pp. 418, 439, schmidti p. 467 fig., GALLOWAY.

Meator p. 190, rubatra p. 190 fig., depressa sp. n. p. 191 fig. Bering and Ochotse Seas, [NAUMOV].

Melicertinae p. 323, [Naumov].

Melicertum p. 324, campanula p. 324 fig., [NAUMOV].

Merga tregoubovii sp. n. p. 333 fig. S. France, Picard (1).—M. tergestina p. 393 fig., Vannucci (3).—M. tergestina p. 320 fig., Vannucci & Yamada.

Microhydra sowerbii p. 509 fig., [NAUMOV].

Microhydridae p. 509, [Naumov].

†Milleporella fasciculata tenue **subsp. n.** p. 200 fig. U. Jurassic Japan, Hashimoto (1).

†Milleporidiidae p. 716, Hudson (1).

†Milleporidium cf. lusitanicum p. 238, Hudbon.— M. p. 716, remes p. 716 fig., lusitanicum p. 719, but somaliensis a sp. of Steineria p. 727, and libanoticum a sp. of Sporadoporidium p. 729, Hudbon (1).—M. kitamiensis sp. n. p. 201 fig. U. Jurassic Japan, sp. 1 p. 201 fig., sp. 2 p. 201 fig., Hashimoto (1).—M. somaliense p. 234, Zuffardi-Comerci.

Moerisia, key to spp. p. 498, maeotica p. 499 fig., pallasi p. 501 fig., [NAUMOV].

Moerisiidae p. 497, [Naumov].

Monobrachiidae p. 506, [Naumov].

Monobrachium p. 507, parasitum p. 507 fig., [NAUMOV].

Monotheca posidoniae p. 173 fig., Kerneïs.—M. obliqua p. 3 fig., Yamada.

Muggiaea kochi p. 28 fig., atlantica pp. 30, 39 fig., Cervigón.

† Myrioporina discussed p. 729, Hudson (1).

Myriothela p. 241, phrygia p. 241 fig., [NAUMOV].

Myriothelidae p. 241, [Naumov].

Narcomedusae p. 566, [Naumov].

Nemertesia cymodocea p. 236, LELOUP.—N. p. 474, antennina p. 474 fig., [NAUMOV].

Niobia dendrotentaculata p. 334 fig., BRINCKMANN.

Nuditheca p. 478, key to spp. p. 479, dalli p. 479 fig., dogieli p. 479 fig., tetrandra sp. n. p. 480 fig. Bering Sea, [Naumov].

Obelia, key to spp. p. 260, geniculata p. 261 fig., longissima p. 263 fig., loveni p. 264 fig., gracilis p. 265 fig., flexuosa p. 266 fig., exigua p. 267 fig., angulata p. 267 fig., gelatinosa p. 268 fig., [NAUMOV].

Olindias inexpectata p. 496 fig., phosphorica p. 497 fig., [NAUMOV].

NAUMOV

Olindiidae p. 491, key to genera p. 492, [Naumov]. Opercularella p. 308, nana p. 308 fig., [Naumov].

Oplorhiza p. 312, diaphragmata sp. n. p. 312 fig. Ochotsk Sea, [Naumov].

Pandea p. 189, rubra p. 190 fig., [NAUMOV].

Pantachogon p. 561, haeckeli p. 561 fig., [NAUMOV].

†Parallelopora pp. 418, 450, nodulata p. 464 fig., ostiolata p. 468 fig., Galloway.—P. p. 632, ostiolata p. 632 fig., pellucida p. 633 fig., Galloway (1).—P. p. 57, winchelli sp. n. p. 57 fig. M. Devonian Michigan, Galloway & Ehlers.—P. ostiolata p. 247 fig., pulchra p. 247 fig., Sr. Jean.

†Paramphipora pp. 418, 441, mirabilis p. 470 fig., GALLOWAY.

†Parastromalopora p. 235, libani p. 235 fig., Hudson.— P. jurensis sp. n. p. 731 fig. U. Jurassic S.E. France, Schnorf (2).—P. see Stromatopora.

†Parastromatoporidae p. 187, Hudson (2).

Pennariidae, key to genera p. 222, [Naumov].

Pentatheca p. 476, angulifera p. 477 fig., [NAUMOV].

Perigonimus, key to spp. p. 183, yoldia-arcticae p. 184 fig., vesicarius p. 185 fig., abyssi p. 186 fig., multicirratus p. 187 fig., freviconis p. 188 fig., roseus p. 188 fig., [NAUMOV].

Physalia physalis p. 158 fig., Lane (1).—P. physalis p. 369 fig., Mackie (1).—P. physalis p. 303 fig., Totton.

Plotocnide p. 221, borealis p. 221 fig., [NAUMOV].

Plumularia margaretta p. 230, LELOUP.—P. p. 461, key to spp. p. 461, mirotheca sp. n. p. 462 fig. Kurile Islands, etc., magellanica moneroni subsp. n. p. 462 fig. Tartar Strait, fragilis p. 463 fig., linkoi sp. n. p. 465 fig. Black Sea, setacea p. 465 fig., filicaulis p. 466 fig., halecioides p. 467 fig., macgillivrayi the type sp. of Corbulifera p. 490 fig., [NAUMOV].—P. setacea p. 4 fig., YAMADA.

Plumulariidae p. 459, key to genera p. 460, [NAUMOV]. Polynemertesia p. 473, gracillima p. 473 fig., [NAUMOV]. Polyorchis p. 549, karafutoensis p. 549 fig., [NAUMOV].

†Promillepora p. 720, pervinquieri lectotype chosen p. 720 fig., kurnubi sp. n. p. 721 fig. U. Jurassic Israel, douvillei p. 722, HUDSON (1).—P. pervinquieri p. 233 fig., ZUFFARDI-COMERCI.

†Protodipleurosoma wardi p. 380, GLAESSNER.

Protohydra p. 550, leuckarti p. 550 fig., [NAUMOV].

Protohydridae p. 550, [NAUMOV].

†Pseudolabechia pp. 417, 429, granulata p. 466 fig., GALLOWAY.

†Pseudostylodictyon pp. 416, 424, poshanensis p. 425 fig., kayi sp. n. p. 425 fig. Ordovician U.S.A., Galloway & St. Jean in Galloway.

Ptychogastria p. 565, polaris p. 565 fig., [NAUMOV].

Ptychogastriidae p. 565, [Naumov].

Ptychogena p. 297, lactea p. 297 fig., [NAUMOV].

Rathkea, key to spp. p. 194, octopunctata p. 195 fig., jaschnowi p. 196 fig., [NAUMOV].

Rhopalonema velatum p. 6, VANNUCCI.

†Rosenella pp. 416, 424, macrocystis p. 465 fig., GALLOWAY.

†Rosenellina a synonym of Cryptophragmus p. 427, GALLOWAY.

Sarsia a senior synonym of Syncoryne and Stauridiosarsia p. 143, sp. p. 141 fig., tubulosa p. 143, Hirai (1).—S. eximia p. 4 fig., Santos Pintos.

Schizotricha, key to spp. p. 468, variabilis p. 469 fig., divergens sp. n. p. 469 fig. Bering Sea, pacificola sp. n. p. 470 fig. Kurile Islands, gracilis sp. n. p. 471 fig. Ochotsk Sea, etc., polaris sp. n. p. 472 fig. Spitzbergen, [NAUMOV].

Sertularella polyzonias p. 224, tricuspidata p. 224 fig., cylindritheca p. 229, affinis, filiformis p. 232, glacialis, milneana p. 234, robusta p. 234 fig., subdichotoma p. 234 fig., Leloup.—S., key to spp. p. 334, pellucida p. 336 fig., polyzonias p. 337 fig., gigantea p. 338 fig., spinosa p. 339 fig., mustuensis p. 339 fig., rugosa p. 340 fig., tenella p. 341 fig., sinensis p. 342 fig., zenkevitchi sp. n. p. 343 fig. Kurile Islands, brandtii p. 343 fig., complexa p. 344 fig., reticulata sp. n. p. 345 fig. Kurile Islands, flabella p. 345 fig., triculata p. 346 fig., abida p. 347 fig., tricuspidata p. 348 fig., pinnata p. 349 fig., hydrallmaniaeformis p. 350 fig., [NAUMOV].

ng., INAUMOVI.

Sertularia perpusilla p. 173 fig., Kernels.—S. cupressina p. 224, westindica p. 229 footnote, Leloup.—S. p. 350, key to spp. p. 351, nana p. 352 fig., tenera p. 353 fig., schmidti p. 354 fig., brashnikowi p. 355 fig., similis p. 356 fig., albimaris p. 357 fig., tolli p. 358 fig., cupressoides p. 359 fig., camischalica p. 360 fig., cupressina p. 361 fig., suensoni p. 362 fig., plumosa p. 362 fig., robusta p. 364 fig., convertuosa sp. a. p. 365 fig. Bering and Ochotsk Seas, entrabilis p. 365 fig., staurothea sp. a. p. 367 fig. Ochotsk Sea, etc., ochotensis p. 368 fig., linkoi p. 368 fig., tatarica p. 370 fig., bidentala p. 371 fig., verticillata the type sp. of Verticillina p. 269, [Naumov].—S. distans p. 3 fig., Yamada.

Sertulariidae p. 325, key to genera p. 326, [NAUMOV]. †Shuqraia zuffardiae p. 237, cf. arabica p. 238 fig., HUDSON.—S. p. 728, HUDSON (1).

Silicularia bilabiata p. 232, LELOUP.

†Sinodictyon pp. 417, 425, columnare p. 465 fig., GALLOWAY.

Solmundella p. 570, bitentaculata p. 571 fig., [NAUMOV].— S. bitentaculata p. 8, VANNUCCI.

†Sphaeractinia dichotoma p. 310, POLJAK.

†Sphaeractinoidea p. 456, GALLOWAY.

†Spongiomorpha (Heptastylopsis) gibbosa var. titonica var. n. p. 309 fig. U. Jurassic Yugoslavia, Poljak.

†Sporadoporidium discussed, libanoticum p. 729, Hudson (1).

†Stachyodes p. 360, verticillata p. 365 fig., radiata p. 368 fig., caespitosa [as coespitosa [sic]] p. 370 fig., paralleloporoides p. 371 fig., costulata p. 372 fig., stromatoporoides pp. n. pp. 373, 381 fig., lagowiensis sp. n. pp. 375, 382 fig., Devonian Poland, Gogologyk.—S. pp. 418, 444,

crassum, roemeri irregularis p. 444, verticillata p. 467 fig., GALLOWAY.—S. p. 101, paralleloporoides p. 102 fig. GALLOWAY & EHLERS.

Statoplea p. 475, [NAUMOV].

Stauridia p. 222, producta p. 223 fig., [NAUMOV].

Stauridiosarsia a junior synonym of Sarsia p. 143, producta p. 142, sp. 143, Hirai (1).

Staurocoryne a junior synonym of Coryne pp. 142, 143, filiformis p. 141, Hirai (1).

Stegopoma, key to spp. p. 315, fastigiatum p. 315 fig., plicatile p. 316 fig., [NAUMOV].

†Steinerella discussed p. 723 footnote, Hudson (1).—S. p. 729, Schnorf (2).

†Steineria gen. n. (fam. Milleporidiidae) p. 722, type sp. (by original designation) Stromatopora romanica p. 723 fig. U. Jurassic Roumania, somaliensis p. 727 fig., Hudson J. Paleont. 30 3 1956.

†Stictostroma pp. 417, 435, mamilliferum pp. 435, 462, 466 fig., mcgraini p. 435 fig., Galloway.—S. eriensis a sp. of Stromatoporella p. 222, Galloway (1).—S. p. 84, anomalum p. 85 fig. Michigan, anderdonense p. 88 fig. Ontario Canada, spp. n. M. Devonian, Galloway & Ehlers.—S. sp. [= kayi (MS. emendation by author in separate)] p. 245 fig., obliteratum p. 245 fig., St. Jean.

†Stromatocerium pp. 417, 431, rugosum p. 431 fig., amsterdamense sp. n. p. 432 fig. Ordovician U.S.A., Galloway & St. Jean in Galloway.

†Stromatomorpha rhaetica p. 18 fig., FLÜGEL, E.

†Stromatopora undata p. 76 fig., [ERMAKOVA (1)].—
S. pp. 418, 447, concentrica p. 468 fig., hüpschii p. 468 fig., laminosa p. 468 fig., divergens p. 469 fig., GALLOWAY.—
S. Cf. hüpschi p. 627 fig., arcuata sp. n. p. 628 fig. Devonian N.W. Canada, cf. maculata p. 629 fig., planulata ?
[sic] p. 629 fig., conicomamillata a sp. of Taleastroma p. 630, pellucida a sp. of Parallelopora p. 633, GALLOWAY (1).—S. p. 50, monticulifera p. 51 fig., pustulifera p. 54 fig., gallowayi p. 90 fig., nux a sp. of Trupetostroma p. 59, gallowayi p. 90 fig., nux a sp. of Trupetostroma p. 59, S. (Coenostroma) pustulosum Grabau pars = Syringostroma aurora p. 92, GALLOWAY & EHLERS.—'S.' arrabidensis p. 236, aff. arrabidensis p. 237, HUDSON.—S. douvillei a sp. of Promillepora p. 722, romanica the type sp. of Steineria p. 722, HUDSON (1).—S. harrarensis a sp. of Dehornella p. 194, HUDSON (2).—S. sp. p. 152 fig., KOSTIĆ-PODGORSKA.—S. laminosa p. 247 fig., pulchra p. 247 fig., St. Jean.—S. douvillei p. 235 fig., gortanii sp. n. p. 236 fig. Jurassic Abyssinia, chauffati p. 238 fig., Zuffardoloma fig. Jurassic Abyssinia, chauffati p. 238 fig., Zuffardoloma fig., S. (Epistromatopora?) sp. p. 199 fig., S. (Epistromatopora?) sp. p. 199 fig., S.

†Stromatoporella pp. 417, 436, granulata pp. 463, 466 fig., eriensis pp. 463, 467 fig., huronensis p. 469 fig., Galloway.

—S. eriensis p. 222 fig., demoniensis p. 623 fig., Galloway
(1).—S. p. 75, elevata p. 75 fig., mudlakensis Galloway

sp. n. p. 77 fig. M. Devonian Michigan, Galloway &

Ehlers.—S. eifeliensis p. 245 fig., granulata p. 245 fig., basilii p. 246 fig., kirki p. 246 fig., St. Jean.

†Stromatoporidae pp. 418, 445, key to genera p. 445, GALLOWAY.

†Stromatoporina p. 236, Hudson.—S. discussed p. 183, diagnosed p. 184, tornquisti p. 185 fig., Hudson (2).

†Stromatoporinidae p. 184, Hudson (2).

†Stromatoporoidea p. 413, GALLOWAY.

Stylantheca porphyra p. 426 fig., BOSCHMA (2).

3,

3,

pe

2, p. 4.

g.

in

ζ.,

n-

p. Y

5., 9.

S.

9/1

p.

ć-

6

1-S.

Y.

ly

&

Stylaster, key to spp. p. 541, elassotomus p. 542 fig., genunascens alascanus p. 542 fig., eximius p. 544 fig., cancellatus p. 546 fig., [NAUMOV].

Stylasteridae p. 513, key to genera p. 513, [Naumov]. †Stylodictyon p. 449, GALLOWAY.

Sulculeolaria quadridentata or quadrivalvis p. 43 fig.,

Syncoryne a junior synonym of Sarsia pp. 142, 143, nipponica p. 142, Hirai (1).

†Synthetostroma pp. 419, 452, actinostromoides p. 468 fig., GALLOWAY.

†Syringostroma pp. 418, 448, superdensum p. 468 fig., radicosum p. 468 fig., Galloway.—S. p. 631, sanduskyense p. 631 fig., Galloway (1).—S. p. 92, aurora p. 92 fig., aurorella p. 93 fig., sherzeri p. 95 fig., Galloway & Ehlers.—S. sp. pp. 148, 152 fig., Kostić-Podogrska.—S. vesiculosum p. 246 fig., densum p. 246 fig., St. Jean.

† Taleastroma gen. n. (fam. Stromatoporidae) pp. 418, 448, type sp. (by original designation) Stromatopora cumingsi p. 468 fig. M. Devonian U.S.A., pachytextum, cooperi, conicomamillatum, magnimamillatum p. 448, GALLO-way Bull. Amer. Paleont. 37 164 1957.—T. p. 630, lenzi sp. n. p. 630 fig., conicomamillata p. 630 fig., virteum sp. n. p. 631 fig., Devonian N.W. Canada, GALLOWAY (1).—T. cooperi p. 247 fig., cumingsi p. 247 fig., pachytexta p. 247 fig., St. JEAN.

Tamarisca p. 327, tamarisca p. 328 fig., [NAUMOV]. Tetraplatia see Scyphozoa.

Tetrapoma p. 308, quadridentata p. 308 fig., [NAUMOV].

Thamnostoma cidaritis, sp. Browne and russellii are synonyms of Koellikerina fasciculata p. 473, Petersen & Vannucci.

Thuiaria thuja p. 224, fabricii p. 225, Leloup.— T. p. 403, key to spp. p. 403, carica p. 407 fig., articulata p. 408 fig., barentsi **sp. n**. p. 409 fig. Barents Sea, cupress-2. P. Vos, ev Sapp. P. Vos, van a. P. Vos Ing., articalar.

p. 408 fig., barents sp. m. p. 409 fig. Barents Sea, cupressoides p. 410 fig., derbeki p. 411 fig., involuta sp. n. p. 412 fig. Kurile Islands, excepticea p. 413 fig., subthuja p. 414 fig., hippuris p. 416 fig., laxa p. 416 fig., thuja p. 417 fig., nivea p. 419 fig., uschakovi sp. n. p. 420 fig. Kara Sea, etc., sachalini p. 421 fig., alternitheca p. 422 fig., invicea sp. n. p. 423 fig. Ochotsk Sea, triserialis p. 423 fig., cedrina p. 424 fig., pinna sp. n. p. 425 fig. Kurile Islands, hartlaubi p. 426 fig., breitfussi p. 427 fig., obsoleta p. 428 fig., arctica p. 429 fig., zachsi p. 429 fig., tetrastriata sp. n. p. 430 fig. Ochotsk Sea and Sea of Japan, mereschkowskii p. 431 fig., lebeli lebedi sp. n. et subsp. n. p. 432 fig. Kurile Islands, decemserialis p. 433 fig. Chotsk Sea and Sea of Japan, cutiloba p. 434 fig., kudelini sp. n. p. 435 fig. Ochotsk Sea and Sea of Japan, cornigera p. 436 fig., alternans p. 437 fig., coronifera p. 438 fig., cylindrica p. 439 fig., genorhiza p. 441 fig., [Naumov].

Thyroscyphoides p. 326, biformis p. 326 fig., [NAUMOV]. Tiaropsis p. 303, multicirrata p. 303 fig., [NAUMOV].

†Tienodictyon discussed, zonatum probably Mezozoic (not Devonian) p. 456, Galloway.

Tima p. 305, sachalinensis p. 305 fig., [NAUMOV].

† Tosastroma yabei sp. n. p. 200 fig. U. Jurassic Japan, Наsнімото (1).—T. p. 729, Schnorf (2).

Trachylida, key to suborders p. 557, [NAUMOV].

Trachymedusae, key to families p. 557, [Naumov].

Trachynemidae p. 557, key to genera p. 558, [NAUMOV].

†Trupetostroma pp. 418, 439, warreni pp. 464, 467 fig., Galloway.—T. p. 624, warreni p. 625 fig., iowaensis p. 625 fig., porosum p. 626 fig., maillieuxi p. 626 fig., coalescens p. 626 fig., Galloway (1).—T. p. 58, mux p. 59 fig., Galloway & Ehlers.

Tubularia p. 214, key to spp. p. 214, prolifer p. 215 fig., christinae p. 217 fig., simplex p. 218 fig., indivisa p. 219 fig., larynx p. 221 fig., [NAUMOV].

Tubulariidae p. 206, key to genera p. 207, [NAUMOV]. † Tubuloparistes gen. n. (fam. Milleporidiidae) p. 430, type sp. (by original designation) constans p. 432 fig, simplex p. 435 fig., spp. n. U. Cretaceous S. France, Schnorf Eclog. geol. Helvet. 53 1 1960.

†Velumbrella gen. n. (Trachymedusae or near Limnomedusae) pp. 338, 344, 345, type sp. (by original designation p. 337) ezamockii sp. n. pp. 339, 344, 345 fig. L. Cambrian Poland, STASIŃSKA Acta palaeont. polon. 5 3 1960.

Verticillina gen. n. (fam. Campanulariidae) p. 269, type sp. (by original designation) Sertularia verticillata p. 269 fig., chinensis p. 270 fig., [NAUMOV] Opred. Faune S.S.S.R. Izdav. 2001. Inst. Akad. Nauk S.S.R. 70 1960.

Willia stellata p. 5 fig., SANTOS PINTOS.

† Yezoactinia gen. n. p. 25, type sp. (by original designation) shotombetsuensis sp. n. p. 26 fig. ? Jurassic Japan, Наянмото Sci. Rep. Tokyo Kyoiku Daig. 7

†DIPLEUROZOA

Dickinsonia costata p. 379, eyrei p. 380, GLAESSNER. Papilionata eyrei a sp. of Dickinsonia p. 380, GLAESSNER.

SCYPHOZOA

Cyanea capillata p. 89 fig., THIEL.

†Pseudorhizostomites discussed p. 381, a synonym of Pseudorhopilema p. 382, GLAESSNER.

†Pseudorhopilema a synonym of Pseudorhizostomites p. 382, GLAESSNER.

Stephanoscyphus simplex p. 76 fig., HARTMAN.

Stygiomedusa fabulosa p. 303 fig., Russell & Rees.

Tetraplatia volitans p. 264 fig., chuni p. 274 fig., RALPH.

Tetraplatidae fam. n. p. 278, RALPH Proc. roy. Soc. 152B 1960.

ANTHOZOA

ALCYONARIA

Actinoptilon molle p. 366, TIXIER-DURIVAULT (1).

Alcyonium gracillinum p. 5, UTINOMI (1).

Anthelia flava, glauca p. 361, Tixier-Durivault (1).—
A. p. 247, glauca p. 247, Verseveldt.

Anthomastus granulosus p. 6 fig., UTINOMI (1).

Bathyalcyon robustum p. 7 fig., UTINOMI (1).

Bellonella rigida p. 4 fig., dofleini p. 5 fig., macrospina p. 5 fig., Utinomi (1).

Briareum asbestinum p. 3 fig., GUITART MANDAY.

Capnella revised p. 28, capitulifera p. 28 fig., UTINOMI (2).

Cavernularia lütkeni p. 366, Texter-Durivault (1).

X

n

fi

fi

Cespitularia coerulea p. 362, Tixier-Durivault (1).— G. multipinnata p. 248, Verseveldt.

†Charnia sp. p. 397, GLAESSNER.

†Charniodiscus p. 397, GLAESSNER.

Chondronephthya gen. n. (fam. Nephtheidae) p. 35, type sp. (by original designation) Eunephthya fusca p. 35 fig. Port Jackson, Utinomi Publ. Seto mar. biol. Lab. 8 1 1960.

Cladiella p. 359, madagascarensis p. 360, Tixier-Durivault (1).

Clavularia gotoi a sp. of Sarcodictyon p. 3, UTINOMI (1).

Coelogorgia palmosa p. 359, Tixier-Durivault (1).

Daniela koreni p. 17 fig., UTINOMI (1).

Dendronephthya arakanensis, cirsium, cocosiensis, crystallina, decussatospinosa, delicatissima, dichotoma, eburnea, erinacea, filigrana, flammea, foliata, formosa, furcata, ganjamensis, golgotha, gracillima, gravieri, griffini, japonica, macrocaulis, malaya, marenzelleri, mirabilis, orientalis, padavensis, palaoensis, palmata, pentagona, punctata, pitteri, radiata, speciosa, thuja, yamamotoi are spp. of Roxasia, and magnacantha, nigripes and oviformis are Roxasia? (q.v.), TIXIER-DURI-VAULT & PREVORSEK.—D. spinifera p. 22, acaulis p. 22 fig., UTINOMI (1).—D. inhacaensis sp. n. p. 511 fig. East Africa, bonnieri sp. n. p. 514 fig. Red Sea, Versevellut (1).

Distichoptilum verrillii p. 76 fig., HARTMAN.

Ellisella p. 177, limbaughi sp. n. p. 177 fig. California, BAYER & DEICHMANN.

Ellisellidae p. 176, BAYER & DEICHMANN.

Eunephthya spiculosa a sp. of Paraspongodes p. 20, UTINOMI (1).

Eunicea mutica p. 8 fig., crassa p. 9 fig., tourneforti p. 10 fig., mammosa p. 11 fig., multicauda p. 12 fig., GUTTART MANDAY.

Gorgonia flabellum p. 15 fig., GUITART MANDAY.

†Heliopora bellardii p. 358, PAVLOVEC.

Heteroxenia membranacea, rigida, elisabethae p. 361, fuscescens p. 362, TIXIER-DURIVAULT (1).

Isidella elongata p. 66, DIEUZEIDE.

Kophobelemnon biflorum sp. n. p. 329 fig. Kurile-Kamschatka trench and Bering Sea, affine p. 334 fig., PASTERNAK.

Lobophytum crassospiculatum, crebriplicatum p. 360, Tixier-Durivault (1).—L. crassum p. 215, hedleyi, pauciflorum p. 218, Verseveldt.

Minabea ozakii p. 9 fig., UTINOMI (1).

Muricea spicifera p. 13 fig., muricata p. 14 fig., GUITART MANDAY.

Nephtheidae revised p. 27, UTINOMI (2).

Nicella guadalupensis p. 181, BAYER & DEICHMANN.

Pachyclavaria p. 210, violacea p. 211 fig., VERSEVELDT.

Paraspongodes spiculosa p. 20 fig., UTINOMI (1).

Plexaura flexuosa p. 7 fig., GUITART MANDAY.

Plexaurella vermiculata p. 4 fig., GUITART MANDAY.

Plexauropsis flavida p. 5 fig., humilis p. 6 fig., GUITART MANDAY.

†Pragniella a true alcyonarian p. 234, HILL.

†Pteridinium discussed p. 382, GLAESSNER.

Pteroeides esperi p. 178 fig., JONES.

Pterogorgia sparsiramosa p. 18 fig., acerosa p. 19 fig., elastica p. 20 fig., ellisiana p. 21 fig., Guttart Manday.

†Rangea p. 383, arborea sp. n. p. 383 fig. Precambrian South Australia, R.? sp. p. 387 fig. renamed Chamia sp. p. 397, Glaessner.

Raxasia diagnosed p. 6, japonica p. 16 fig., gardineri p. 19 fig., palmata p. 20 fig., cocosiensis p. 25 fig., ehrenbergi p. 29 fig., firerata p. 33 fig., clara sp. n. p. 38 fig. Red Sea, thuja p. 42 fig., suensoni p. 46 fig., armata p. 50 fig., devexa sp. n. p. 54 fig. Red Sea, latipes sp. n. p. 58 fig. Moluccas, magna sp. n. p. 63 fig. Red Sea, candida p. 68 fig., purpurea p. 73 fig., radiata p. 74 fig., hirsuta sp. n. p. 78 fig. Red Sea, golgotha p. 82 fig., uliginosa p. 87, padavensis p. 87 fig., parvula p. 91, zanzibarensis p. 92, caerula p. 92 fig., fischeri sp. n. p. 93 fig. Mozambique, griffini p. 97 fig., masoni p. 101 fig., eburnea p. 103 fig., punctata p. 107 fig., alba p. 110 fig., eburnea p. 103 fig., elegans p. 115 fig., cirsium p. 118 fig., biformata p. 121, andersoni p. 122 fig., arbuscula p. 124 fig., costatorubra p. 125 fig., thomsoni p. 126 fig., thera p. 127 fig., crassa sp. n. p. 131 fig. Red Sea, marenzelleri p. 134 fig., alcocki p. 138, cervicornis p. 139 fig., halterosclera p. 142, involuta p. 143 fig., flammea p. 148 fig., macrocaulis p. 151 fig., crystallina p. 156 fig., divaricata p. 159 fig., natalensis sp. n. p. 164 fig. Natal, jucunda sp. n. p. 168 fig. Japan, tenuis sp. n. p. 172 fig., Japan, mollis p. 175 fig., garjusceri p. 179 fig., gravieri p. 183 fig., laxa p. 186 fig., ramulosa p. 190 fig., fragilis sp. n. p. 191 fig. Moluccas, microspiculata p. 196 fig., garjumensi p. 295 fig., erinacea p. 203 fig., splacansis p. 246 fig., spera sp. n. p. 256 fig., pentagona p. 227 fig., malaya p. 231 fig., dichotoma p. 235 fig., arborea p. 236 fig., speciosa p. 240 fig., merguiensis p. 245 fig., palaensis p. 246 fig., aspera sp. n. p. 250 fig. China Sea, filigrana p. 255 fig., rigida p. 259 fig., gracilima p. 262 fig., orientalis p. 266 fig., decussatospinosa p. 270 fig., persaca p. 277 fig., translucens p. 280, mirabilis p. 281 fig., longispina p. 286 fig., pitteri p. 287 fig., g., elexanderi, crosslandi, fig., persaca p. 274, fig., andernaensis p. 275 fig., arakanensis p. 277 fig., trans

Sarcodictyon p. 2, gotoi p. 3 fig., UTINOMI (1).

Sarcophyton trocheliophorum p. 360, TIXIER-DURIVAULT (1).—S. acutangulum p. 220, crassocaule p. 224, latum p. 225 fig., spongiosum p. 227, tenuispiculatum p. 229 fig., trocheliophorum p. 232, Verseveldt.

Scleronephthya revised p. 31, pustulosa p. 32 fig., UTINOMI (2).

Sinularia polydactyla p. 360, Tixier-Durivault (1).— S. densa p. 233 fig., dura p. 235, variabilis p. 237, flexibilis p. 239, leptoclados, polydactyla p. 240, Versevellt.

Siphonogorgia dipsacea p. 9 fig., dofleini p. 10 fig., cf. pendula p. 12 fig., crassa p. 14 fig., alba **sp. n.** p. 16 fig. Japan, Uтиом (1).

Spongioderma chuni p. 362, Tixier-Durivault (1).

Spongodes arborea, armata, candida, cervicornis, depressa, divaricata, ehrenbergi, elegans, involuta, klunzingeri, laza, microspiculata, moltis, rigida, rosea, suensoni and tenera are spp. of Roxasia, and alexanderi, crosslandi, rubescens and aurantiaca are Roxasia? (q.v.), Tixier-Durivault & Prevorsek.

Telesto arborea p. 359, TIXIER-DURIVAULT (1).

Tubipora musica p. 215, VERSEVELDT.

Veretillum cynomorium p. 362, leloupi sp. n. p. 363 fig. Mozambique, Tixier-Durivault (1).

Virgularia gustaviana p. 366, Texter-Durivault (1).

Xenia dayi sp. n. p. 520 fig. S. Africa, Tixier-Duri-vault.—X. vividis p. 361, Tixier-Durivault (1).—X. p. 241, hicksoni p. 242 fig., membranacea p. 244 fig., viridis p. 246 fig., Verseveldt.

Xiphigorgia citrina p. 16 fig., anceps p. 17 fig., GUTTART MANDAY.

†TABULATA

Acdalopora p. 89, breviana sp. n. pp. 89, 100 fig. U. Ordovician China, Yü.

Agetolites asiaticus nom. nud. p. 27, var. ovalis nom. nud. p. 28, [Kim].

Alveotitella p. 120, karmakensis p. 120 fig., polenovi p. 121 fig., reptata sp. n. p. 122 fig. Devonian Urals, [YANET].

Alveolites sp. p. 24 fig., Kostić-Podgorska.—A. (Caliapora) frechi, carnicus p. 203, Phttl.p.—A. tenuissimus p. 285, straeleni p. 285 fig., Stasińska.—A. p. 116, distinctus p. 116 fig., walicus p. 117 fig., wagranensis p. 118 fig., spp. n., minutus p. 119 fig., cf. mirus sp. n. Dubatolov MS. p. 119 fig., Devonian Urals, [Yanet].—A. a senior synonym of Kitikamia p. 455, Galloway.

Amsassia gen. n. (fam. Cryptolichenariidae) p. 1151 [Engl. trans. p. 1196], type sp. (by original designation) raduguini Mironova p. 1152 fig. [Engl. trans. p. 1197 fig.], princeps Mironova p. 1152 fig. [Engl. trans. p. 1197 fig.], chaetetvides Sokolov p. 1152 fig. [Engl. trans. p. 1198 fig.], spp. n. Ordovician Russia, in Sokolov & Mironova Dokl. Akad. Nauk S.S.S.R. 129 5 1959 [Engl. Trans., Earth Sci. Sect. 129 1-6 1960].

Aulopora sp. p. 287, STASIŃSKA.

Caliapora p. 122, primitiva sp. n. p. 123 fig., elegans p. 123 fig., chaetetoides p. 124 fig., graciosus sp. n. p. 125 fig., uralica p. 126 fig., jejuna p. 127 fig., taltiensis p. 127 fig., idonea p. 128 fig., spp. n. Devonian Urals, [YANET].—C. see Alvolites.

Catenipora pp. 82, 98, C. (C?) subovata pp. 83, 99 fig., C. (C.?) minima pp. 83, 98 fig., spp. n. U. Ordovician China, Yü —See also Holocatenipora.

Chaetetes spp. of the Rhaetic are algae p. 339, FLÜGEL, E. (1).—C. regularis, sp., barrandi p. 284, STASINSKA.

Cladochonus sp. I p. 297 fig., sp. II p. 297 fig., CHLUFÁČ.—C. ramosa sp. n. p. 79 fig. U. Devonian Russia, gracilis p. 80 fig., [Ermakova (1)].—C. gracilis p. 286, Stastiska.—C. p. 134, seriata p. 134 fig., Stumm.—C. p. 111, crassa p. 112 fig., angusta p. 111 fig., ividelensis p. 113 fig., spp. n., vernicularis var. clara var. n. p. 113 fig., C. (?) cruciformis sp. n. p. 114 fig., C. informa sp. n. p. 115 fig., cylindricellularis sp. n. Dubatolov MS. p. 115 fig., Devonian Urals, [Yanet].

Coenites cf. escharoides p. 287, STASIŃSKA.—C. p. 135, juniperinus p. 135 fig., STUMM.—C. p. 129, ex gr. salairicus p. 129 fig., [YANET].

Cryptolichenariidae fam. n. p. 1150 [Engl. trans. p. 1196] Ordovician, Sokolov in Sokolov & Mironova Dokl. Akad. Nauk S.S.R. 129 5 1959 [English Trans., Earth Sci. Sect. 129 1-6 1960].

Desmidopora p. 48, alveolaris p. 54 fig., [Tesakov].

Diapora a combination of a stromatoporoid and Syringopora p. 455, Galloway.

Dictyostroma p. 455, GALLOWAY.

Emmonsia p. 107, taltiensis p. 107 fig., karmakensis Dubatolov MS. p. 108 fig., spp. n. Devonian Urals, [YANET].

Eofletcheria kearsargensis sp. n. p. 870 fig. Ordovician California, Pestana.

Favosites Cf. forbesi p. 142, styriaca p. 158, cf. graffi p. 159 fig., Cavet.—F. ottiliae p. 22 fig., Kostić-Podorska.—F. type 1 p. 15 fig., type 2 p. 15 fig., type 3 p. 15 fig., type 4 p. 16 fig., OLIVER (1).—F. grandiporus p. 196 fig., squamuliferus p. 197, forma bryani (a) p. 197 fig., forma nitidus (β) p. 199 fig., forma stelliformis (γ) p. 199 fig., forma australis (8) p. 200 fig., forma oustiformis (a) p. 200 fig., forma australis (b) p. 200 fig., forma oustiformis (b) p. 200 fig., forma 3 nov. p. 201 fig., forma numev. p. 201 fig., forma numev. p. 201 fig., forma bryanicali, initiatus p. 202, proasteriscus, inosculans, alpina, festicus, endygashensis p. 203, Phillip.—F. goldfussi forma regularis p. 281 fig., forma pyriformis p. 282 fig., STASHSKA.—F. biloculi = epidermata? [sic] var. loculi p. 590 fig., STUMM (2).—F. p. 86, goldfussi p. 86 fig., var. eifelensis p. 87 fig., var. uralensis p. 88 fig., antipertussus p. 89 fig., vagranensis sp. n. p. 89 fig., arschaensis p. 90 fig., tuimasensis p. 91 fig., regularissimus sp. n. p. 91 fig., var. minula var. n. p. 93 fig., regalis p. 94 fig., invisus sp. n. p. 95 fig., fedotori p. 95 fig., totaensis sp. n. p. 96 fig., ovatiporus p. 97 fig., bijaensis p. 97 fig., stellaris p. 98 fig., karpinskyi sp. n. p. 99 fig., tolaensis referred to Pachyfavosites p. 102, Devonian Urals, [Yanet].

Halysites catenularia [sic] p. 30 fig., PERRY.

Heliolites sp. p. 22, Kostić-Podgorska.—H. [as Heloclites [sic] p. 132] sinkiangensis sp. n. pp. 85, 132 fig. U. Ordovician China, Yü.

Holocatenipora subgen. n. (of Catenipora) pp. 84, type sp. (by original designation) orientela pp. 84, 99 fig., daliangensis pp. 84, 99 fig., uniforma pp. 84, 99 fig., spp. n. U. Ordovician China, Yü Acta palaeont. Sinica 8 2 1960.

Kentlandia a junior synonym of Paleoalveolites [sic] p. 455, GALLOWAY.

Kitikamia a junior synonym of Alveolites p. 455, GALLOWAY.

Lichenaria? cf. heroensis p. 869 fig., L. sisyphi sp. n. p. 869 fig. Ordovician California, Pestana.

Pachyfavosites p. 102, alpenensis p. 102 fig., vijaicus sp. n. p. 103 fig., markovskyi p. 104 fig., exilis p. 105 fig., bystrowi sp. n. p. 106 fig., Devonian Urals, [YANET].

Palaeoalveolites a senior synonym of Kentlandia p. 455, GALLOWAY.

Palaeofavosites [as Paleofavosites [sic]] grandis **sp. n.** pp. 81, 97 fig. U. Ordovician China, Yü.—P. zeravschanicus nom. nud. p. 27, [Km].

Plagiopora cf. denticulata p. 283, STASIŃSKA.

Plasmoporella arcatabulata p. 86 fig., chinghueiensis sp. n. pp. 87, 101 fig., cylindrica sp. n. pp. 87, 101 fig., subtilis sp. n. pp. 87, 132 fig., convexotabulata var. maxima var. n. pp. 88, 132 fig., intermedia sp. n. pp. 88, 102 fig., U. Ordovician China, Yü.

Pleurodictyum p. 19, cf. P. problematicum p. 20 fig., OLIVER (1).—P. problematicum p. 1 fig., americanum p. 7 fig., SCHINDEWOLF.

Proheliolites p. 90, orientalis pp. 90, 100 fig., squmeosus [sic] pp. 90, 101 fig., convexus pp. 91, 101 fig., spp. n. U. Ordovician, China, Yü.

Pseudoroemeria gen. n. (fam. Syringolitidae) p. 43, type sp. (by original designation) atbashiensis p. 45 fig., shiriktensis p. 46 fig., spp. n. L. Devonian Central Asia, [Синкночиси] Paleont. Zhurn. 1960 4 1960.

Rauschia error for Reuschia, q.v.

Rausia error for Reuschia, q.v.

Reuschia [as Rauschia [sic] p. 81 and Rausia [sic] pp. 81, 97 and pls.] aperta pp. 81, 97 fig., Yü.

Roemeripora wimani p. 48 fig., HARKER.

Sapporipora see Favosites.

Scoliopora denticulata p. 80 fig., conferta sp. n. p. 81 fig. M. Devonian Russia, [Ermakova (1)].

Sinopora dendroidea p. 325 fig., Konishi.

Syringopora issaensis p. 82 fig., asperi p. 83 fig., spp. n. U. Devonian Russia, [Ermakova (1)].—S. erispa p. 287, Stasniska.—S. p. 130, eifeliensis p. 130 fig., var. vulgaris var. n. p. 131 fig. Devonian Urals, aff. dubia p. 132 fig., yavorskyi var. delicata p. 132 fig., [Yanet].

Thamnopora bilamellosa sp. n. p. 77 fig. M. Devonian Russia, tumefacta p. 78 fig., aff. cervicornis p. 78, [Erma-Kova (1)].—T. boloniensis p. 23 fig., reticulata p. 23 fig., vermicularis p. 24 fig., Kostić-Podogrska.—T. reticulata p. 283, Stasińska.—T. p. 109, reticulata p. 109 fig., reticulata type B p. 110 fig., irregularis p. 111 fig., [Yanet].

Thaumatolites plasmoporellis nom. nud. p. 28, [KIM].

Theostegites multitabulus sp. n. p. 84 fig. U. Devonian Russia, [Ermakova (1)].

Trachypsammia dendroides p. 61 fig., Kostić-Podgorska. Wormsipora sinkiangensis sp. n. pp. 86, 100 fig. U.

ZOANTHARIA

†Acanthogyra columnaris p. 65 fig., FRAJOVÁ.

†Acanthophyllum gerolsteinense p. 20 fig., sp. p. 21, Kostić-Podgorska.—A. p. 42, heterophyllum p. 43 fig., [Spasskii].

†Acrophyllum p. 288, [Soshkina].

Ordovician China, Yü.

Acropora formosa p. 38 fig., abrotanoides p. 39, pectinata p. 39 fig., cf. hebes p. 80 fig., gemmifera p. 40 fig., UTINOMI.

† ? Actinacis sp. p. 373, PAVLOVEC.

†Actinastraea p. 134, colliculosa p. 134 fig., [Kuz'mi-CHEVA].—A. [as Actinastrea [sic]] pentagonalis p. 62 fig., matheyi p. 62 fig., Frajová.

†Adamanophyllidae fam. n. p. 85, VASILYUK Paleont, Zhurn, 1959 4 1960.

†Adamanophyllum gen. n. (fam. Adamanophyllidae) p. 85, type sp. (by original designation) incertus sp. n. p. 86 fig. L. Carboniferous Donetz Basin, Vasilyuk Paleont. Zhurn. 1959 4 1960.

† Agathiphyllia p. 420, rochettina p. 420 fig., Sestini.

†Aknisophyllum gen. n. p. 97, type sp. (by original designation) consultum sp. n. p. 98 fig. L. Devonian New York State, OLIVER J. Paleont. 34 1 1960.

†Alveopora rudis p. 421 fig., SESTINI.

† Amphiastraea cf. gracilis p. 8 fig., [BENDUKIDZE].

†Amphihelia profundata p. 373 nom. nud., CHEVALIER.

†Amplexiphyllum p. 5, nanum sp. n. p. 5 fig. L. Devonian Maine U.S.A., OLIVER (1).

†Amplexocarinia a senior synonym of Depasophyllum Grabau non Yü p. 181, Smith & Thomas in Thomas, H. D.

†Amplexus coralloides p. 281, [Soshkina].

†Amygdalophyllum etheridgei p. 51 fig., Kostić-Pod-Gorska. †Antiguastraea alveolaris p. 413, SESTINI.

†Aphyllum p. 29, cf. sociale p. 29 fig., [SPASSKII].

† Aplosmilia cf. semisulcata p. 8, [BENDUKIDZE].

†Archaeozaphrentis gen. n. (fam. Protozaphrentidae) p. 897, type sp. (by original designation) primigenius sp. n. p. 897 fig. L. Silurian Russia, [IVANOVSKII] Dokl. Akad. Nauk S.S.S.R. 125 4 1959.—A. primigenius p. 36 fig., [IVANOVSKII] (2)].

†Archohelia sp. p. 78, HERTLEIN & GRANT.

†Argutastrea gen. n. (fam. Phillipsastraeidae) p. 10, type sp. (by original designation) arguta sp. n. p. 11 fig. Devonian N.W. Canada, CRICKMAY The older Dev. faunas N.W. Terr. 1960.

†Astraeopora mostarensis p. 359, decaphylla p. 360, minima p. 360 fig., compressa pp. 361, 407, cf. annulata p. 361, PAVLOVEC.

†Astrangia p. 79, cf. insignifica p. 79 fig., HERTLEIN & GRANT.

†Astrocoenia dachiardii [sic], paroistellata p. 368, PAV-LOVEC.—A. bernensis p. 224 fig., martis p. 225 fig., ZUFFARDI-COMERCI.

†Aulacophyllum p. 311, [SOSHKINA].

†Auloclisia cf. concentricum p. 42 fig., Kostić-Podgorska.

†Aulophyllum fungites p. 54 fig., Unbalaner-Kiragli.

Balanophyllia fistula p. 43, UTINOMI.

†Balanophyllia italica p. 691 fig., Chevalier (1).— B. elegans p. 84 fig., Hertlein & Grant.—B. conciuna p. 207, Kochansky.—B. spp. ind. p. 421, Sestini.

†Barrandeophyllum perplexum p. 276 fig., [Soshkina],—B. p. 20, perplexum p. 20 fig., [Spasskii].

†Bighornia orvikui sp. n. p. 251 fig. U. Ordovician Estonia, KALJO.

†Billingsastraea trichomisca sp. n. p. 6 fig., verrilli p. 6 fig., stirps sp. n. p. 7 fig., lapetiformis sp. n. p. 8 fig., Devonian N.W. Canada, CRICKMAY.

†Bothrophyllum sp. p. 55 fig., Kostić-Podgorska.

†Brachyelasma bassleri sp. n. p. 868 fig. Ordovician California, Pestana.

†Breviseptophyllum gen. n. (fam. Columnariidae) p. 85, type sp. (by original designation) kochanensis sp. n. 9. 86 fig. M. Devonian Russia, [Ermakova] Trud. Vses. Nauch.-Issl. Gheol.-raz. Inst. (VNIGNI) 16 1960.

†Briantelasma gen. n. p. 89, type sp. (by original designation) americanum p. 89 fig., knoxboroense p. 91 fig., spp. n. L. Devonian New York State, OLIVER J. Paleont. 34 1 1960.—B. p. 6, mainense sp. n. p. 7 fig. L. Devonian Maine U.S.A. OLIVER (1).

Bunodactis stelloides p. 431 fig., LEWIS.

Bunodosoma kukenthali p. 430 fig., cavernata p. 430 fig., Lewis.

†Calamophyllia flabellum p. 29, étaloni p. 30, C. (?) tubiporaeformis p. 30 fig., [Bendukidze].—C. flabellum var. compacta p. 212, ducreti p. 213, Zuffardi-Comerci.—C. sec Sylosmilia and Thecosmilia.

†Calamoseris flabellum p. 67, FRAJOVÁ.

†Calceola sandalina p. 30 fig., [Spassku].—C. sandalina sandalina p. 123 fig., Strrad.—C. sandalina subsp. inflata subsp. n. p. 247 fig., subsp. sandalina p. 247 fig., subsp. intermediata

subsp. n. pp. 247, 248 fig., subsp. naningensis subsp. n. p. 247 fig., subsp. rectangulata subsp. n. p. 247 fig., subsp. subsp. subsp. subsp. n. p. 247 fig., subsp. acuminata p. 247, subsp. acuminata p. 247, subsp. acuata subsp. n. p. 248 fig., Devonian China, Yon & Yu.

†Calmiussiphyllum gen. n. (fam. Caniniidae) p. 86, type sp. (by original designation) calmiussi sp. n. p. 87 fig. L. Carboniferous Donetz Basin, VASILYUK Paleont. Zhurn. 1959 4 1960.

†Cambrophyllum problematicum p. 672 fig. [Engl. trans. p. 1190 fig.], [VOLOGDIN].

†Campophyllum p. 50, soetenicum p. 50 fig., [SPASSKII].

†Caninia okensis pp. 343–347 fig., **sp. n.** 1 [sic] p. 348 fig., **sp. n.** 2 [sic] p. 350 fig., [Dobrolyubova].—C. p. 573, trojana **sp. n.** p. 574 fig. Permian Nevada and Utah, EASTON.—C. ovibos p. 41 fig., belcheri **sp. n.** p. 43 fig. Permian Canada, Harker.—C. sp. pl. 1, Hernández-Sampelayo.—C.? sp. p. 54 fig., Kostić-Podoorska.—C. p. 292, cornucopiae p. 292 fig., patula var. tomiensis p. 296 fig., sp. ex gr. cylindrica p. 298 fig., [Soshkina].—C. cylindrica p. 55 fig., Unsalaner-Kiragli.

Carcinactis gen. n. (fam. Sagartiidae) p. 595, type sp. (by original designation) ichikawai sp. n. p. 596 fig. Japan, Uchida Jap. J. Zool. 12 4 1960.

†Carcinophyllum patellum p. 56 fig., cf. pantopodum p. 56 fig., C. ? sp. ind. p. 57 fig., Kostić-Podgorska.—C. vaughani p. 55 fig., Ünsalaner-Kiragli.

†Carruthersella garwoodi p. 50 fig., Kostić-Podgorska.

Caryophyllia profunda p. 198 fig., Squires (2).— C. cf. scobinosa p. 42, Utinomi.

†Caulastraea [as Caulastrea [sic]] aff. leptoclada p. 9, Wells.—C. matheroni nom. nud. p. 369, Chevalier.

WELLS.—G. matheroni nom. nud. p. 369, CHEVALIER.
† ? Ceratosmilia torallolensis sp. n. p. 86 fig. U. Cretaceous Spain, Alloiteau.

†Ceratotrochus multiserialis, sp. p. 207, KOCHANSKY.

†Charactophyllum p. 52, antiquum p. 52 fig., [Spasskii].

† ? Circiphyllia annulata p. 366, PAVLOVEC.

†Cladangia cocchi pp. 365, 408, PAVLOVEC.

†Cladocora caespitosa [as coespitosa [sic]] pl. 1, Comaschii Caria.

†Cladophyllia aff. chofatti p. 23 fig., ramea p. 23 fig., [Bendukidze].

†Clausastraea discussed p. 3, type sp. tessellata pp. 4, 8 fig., costata p. 10, lichotoma p. 11, dubia p. 11 fig., edwardsi p. 13 fig., limitata p. 15, parva p. 16 fig., var. parvula var. n. p. 18 fig. U. Jurassic France, radisensis sp. n. p. 20 fig. U. Jurassic Spain, superficialis sp. n. p. 21 fig. U. Jurassic Spain, superficialis sp. n. p. 21 fig. U. Jurassic Spain, bolzei sp. n. p. 23 fig. L. Cretaceous Trance, alnisensis sp. n. p. 27 fig. U. Cretaceous France, clamellostriata p. 29 fig., plana p. 32 fig., arnaudi sp. n. p. 34 fig. U. Cretaceous France, newviensis sp. n. p. 36 fig. U. Cretaceous France, bellomontensis sp. n. p. 38 fig. U. Cretaceous France, bellomontensis sp. n. p. 38 fig. U. Cretaceous France, Allotteau (2).

†Clisiophyllum keyserlingi p. 40 fig., sp. p. 41 fig., Kostić-Podoorska.—C. ? tumulus p. 44 fig., Harker.— C. omaliusi a sp. of Cyathoclisia p. 287, [Soshkina].— C. keyserlingi p. 56 fig., Unsalaner-Kiragli.

†Columnaria vulgaris p. 87, [Ermakova (1)].—C. sp. n. A [sic] p. 25 fig. M. Devonian Austria, Flügel, H. & Schimunek.—C. alveolata p. 30 fig., Perry.

†Comoseris cf. brevivallis p. 34, [Bendukidze].

†Complexastraea pp. 456, 467, hemisphaerica p. 459 fig., theomini p. 460 fig., burgundiae p. 461 fig., sobkoviensis sp. n. pp. 462, 468 fig., carinata sp. n. pp. 463, 468 fig., U. Jurassic Poland, Roniewicz.

Condylactus passiflora p. 11 fig., STRAUGHAN.

†Crataniophyllum nom. a. for Barbouria Lang, Smith & Thomas not Rathbun p. 341, type sp. (by original designation) Craterophyllum verticillatum p. 341 U. Carboniferous Nebraska U.S.A., LANG & THOMAS.

†Craterophyllum verticillatum the type sp. "of Crateniophyllum p. 341, LANG & THOMAS.

† ? Cricocyathus tarraconensis sp. n. p. 104 fig. U. Cretaceous Spain, Allotteau.

†Cryptangia parasitica p. 328 fig., Buge.

†Cryptocoenia octosepta, C. [as Cryntocoenia [sic]] octonaria p. 17, tabulata p. 18, castellum p. 18 fig., C. [as Cryptoconis [sic]] delemontana p. 19, limbata p. 20 fig., [BENDUKEDZE]. —C. brevis p. 221 fig., limbata p. 222, C. [as Criptocoenia [sic]] thiessingi p. 223, Zuffardi-Comerci.

Culicia australiensis p. 200 fig., SQUIRES (2).

†Culicia rubeola p. 6 fig., SQUIRES.

†Cyathaxonia comu subsp. syringaxa subsp. n. p. 96 fig. L. Carboniferous Kazakhstan, Keller.—C. cf. comu p. 38 fig., Kostić-Podgorska.

†Cyathocarinia rushiana p. 38 fig., Kostić-Podgorska.

†Cyathoclisia p. 282, modavensis p. 282 fig., omaliusi p. 287, [Soshkina].

†Cyathophora bourgueti p. 21 fig., claudiensis p. 22, [BENDUKIDZE].—G. p. 133, antiqua p. 134 fig., [Kuz'mecheva].

† ? Cyathophyllum cf. ungeri p. 20 fig., Kostić-Pod-Gorska.

†Cyathoseris p. 418, apennina p. 418 fig., hypocrateriformis p. 419 fig., Sestini.

†Cyclolites p. 138, intumescens p. 138 fig., neocomiensis p. 138 fig., [Kuz'micheva].—C. intumescens p. 55 fig., neocomiensis p. 55 fig., [Kuz'micheva (1)].

Cylindrophyllia see Kionotrochus.

†Cystophrentis p. 42, walica sp. n. p. 42 fig. L. Carboniferous northern Urals, [ROGHOZOV].

† Dendracis gervillii p. 359, PAVLOVEC.

†Dendrophyllia guidottii p. 611 fig., Dieni & Omenetto. —D. cf. oldroydi p. 82 fig., Hertlein & Grant.

†Depasophyllum Yü type sp. chosen Diphyphyllum (Depasophyllum) hochangpingense p. 181, conoexum p. 181, Depasophyllum Yü a diphymorph of and junior synonym of Lithostrotion p. 181, but Depasophyllum Grabau (non Yü) a junior synonym of Amplexocarinia p. 181, Smith & Thomas in Thomas, H. D.—D. tabulatum sp. n. p. 162 fig. Devonian New York State, Stumm (1).

† Dermoseris chardti p. 32 fig., [BENDUKIDZE].

†Dermosmilia laxata p. 66 fig., Frajová.

Desmophyllum incertum p. 87 fig., rusei p. 88, Rossi.

†Dibimophyllum urunsaica sp. n. p. 93 fig. L. Carboniferous Kazakhstan, Keller.—D. bipartitum bipartitum p. 42 fig., paughani bosniaca subsp. n. p. 44 fig. Carboniferous Yugoslavia, sp. ind. A p. 45 fig., sp. ind. B p. 46 fig., sp. C p. 47 fig., Kostić-Podoorska.

†Digonophyllum p. 38, schulzi p. 38 fig., [SPASSKII].

†Dimorpharaea cf. koechlini p. 35 fig., [BENDUKIDZE].

fig P.

p.

m pi

1

fi P

†Dimorphastraea cf. lamellosa p. 31 fig., [BENDUKIDZE].— D. p. 138, fungiomorpha sp. n. p. 138 fig. Lower Cretaceous Crimea, [Kuz'micheva].—D. conica p. 306, POLIAK.

†Dimorphocaenia p. 135, crassisepta p. 135 fig. alpina p. 135 fig., [Kuz'MICHEVA].

†Diphyphyllum (Depasophyllum) hochangpingense the type sp. of Depasophyllum p. 181, convexum p. 181, Smith & Thomas in Thomas, H. D.—D. see Lithostrotion.

†Diplaraea subcrassa p. 307, simplex p. 307 fig., aff. nobilis, alpina p. 308, POLJAK.

†Diplocoenia caespitosa [as coespitosa [sic]] p. 14, [BENDUKIDZE].—D. jasenica sp. n. p. 64 fig. U. Jurassic Czechoslovakia, Frajová.—D. [as Diplocaenia [sic]] p. 136, mirabilis p. 136 fig., turbinata p. 137 fig., hemispherica p. 137 fig., [Kuz'micheva].

†Discocyathus p. 136, radians var. laticonica p. 137 fig., [KUZ'MICHEVA].

† Disphyllum geinitzi pp. 7, 52, 57, 63 fig., Rózkowska.

†Dohmophyllum sp. p. 21 fig., Kostić-Podgorska.

† Elysastraea discussed p. 5, ALLOITEAU (2).

†Enallohelia malladai p. 94 fig., BATALLER.—E. elegans var. franconica p. 300, POLJAK.

†Endophyllum barbatum sp. n. p. 12 fig. Devonian N.W. Canada, CRICKMAY.

†Entelophyllum p. 137, heteroseptatum sp. n. p. 137 fig. Wenlockian Siberia, [IVANOVSKY (1)].

†Epismilia malladai p. 95 fig., BATALLER.—E. delemontana p. 210 fig., sp. ind. p. 210, ZUFFARDI-COMERCI.

†Epistreptophyllum conicum p. 306, POLJAK.

Epizoanthus p. 93, leptoderma p. 93 fig., induratum p. 95 fig., spp. n. California, gabrieli p. 98 fig., Cutress & Pequegnat.

†Eugyra p. 133, cotteaui p. 133 fig., pontica p. 133 fig., interrupta p. 133 fig., [Kuz'Micheva].

†Eurekaphyllum p. 310, [Soshkina].

†Fasciphyllum p. 61, orientale p. 62 fig., schlüteri p. 62 fig., [SpasskII].—F. p. 84, F. (?) insuetum sp. n. p. 84 fig. Devonian Urals, [Vaganova].

†Favistella p. 76, alveolata p. 77 fig., var. maxima var. n. pp. 78, 95 fig., nanshanense sp. n. pp. 77, 95 fig., obliquiseptata sp. n. pp. 78, 95 fig., intermediata sp. n. pp. 79, 95 fig., irregularis sp. n. pp. 79, 96 fig., F. (Palaeophyllum—as Paleophyllum [sic]) p. 79, F. (P.) minimum sp. n. pp. 80, 96 fig., U. Ordovician, Yü.

Favites aspera p. 42 fig., UTINOMI.

†Flabellum sp. div. p. 209, Kochansky.

†Fletcherina p. 95, incognita sp. n. p. 95 fig. L. Devonian New York State, OLIVER.

Fungia sp. cf. concinna p. 41, UTINOMI.

†Gangamophyllum boreale p. 58 fig., Kostić-Podgorska. Gephyra dohrni p. 67, Dieuzeide.

†Gerthia p. 61, sibirica p. 63 fig., crassa p. 65 fig., spp. n. Permian U.S.S.R., G. (? Maichelasma) sp. p. 66 fig., [Sokolov].

†Glyphastraea laxelamellata p. 416 fig., Sestini.

†Goniastraea aloysii-sabaudiae p. 214 fig., favulus p. 215 fig., delemontana p. 216 fig., crassisepta p. 217, ZUFFARDI-COMERCI.

Goniocorella dumosa p. 197 fig., SQUIRES (2).

†Goniopora octopartita p. 373, PAVLOVEC.

† Grewingkia whitei sp. n. p. 868 fig. Ordovician California, Pestana.

†Grypophyllum p. 60, striatum p. 61 fig., [Spasskii]. Heliactis bellis p. 9, Berner.

Heliastraea [as Heliastrea [sic]] abdita p. 84, Rossi.

†Heliastraea irradians, ?H. sp. p. 365, PAVLOVEC.— H. alpina p. 413 fig., Sestini.

†Heliocoenia [as Heliocaenia [sic]] variabilis p. 14 fig., costulata p. 15, humberti p. 16, [BENDUKIDZE].—H. costulata p. 217, étalloni p. 218 fig., corallina p. 219, humberti p. 219 fig., catenula sp. n. p. 220 fig. Jurassic Abyssinia, Zuffardi-Comerci.

†Heliophyllum multiplex a sp. of Uralinia p. 301, [Sosh-KINA].—H. p. 53, halli p. 54 fig., cf. aiense p. 54 fig., [Spassku].

Heterocyathus aequicostatus pp. 2, 4 fig., roussaeanus pp. 2, 4 fig., SCHINDEWOLF.

†Heterophrentis terebrata p. 36 fig., prolifica p. 36 fig., [Ivanovskii (2)].—H. prolifica p. 30 fig., Perry.

Heteropsammia cochlea pp. 2, 4 fig., Schindewolf.

†Hexagonaria gemmifera p. 8 fig., impedita p. 9 fig., atypica p. 9 fig., furtiva p. 10 fig., spp. n. Devonian N.W. Canada, Crickmay.—H. p. 3, hexagona p. 4 fig., quadrigemina quadrigemina p. 7 fig., peneckei p. 11 fig., darwini p. 15 fig., cf. sanctacrucensis p. 22, Flügel, H. & Schmunre.—H. laxa pp. 14, 52, 58, 63 fig., subsp. jurkowicensis subsp. n. pp. 23, 52, 58, 64 fig. M. Devonian Poland, Rózkowska.

†Hexalasma p. 55, protoseptatum sp. n. p. 57 fig. Permian U.S.S.R., [SOKOLOV].

†Hexaphyllia sp. pp. 351, 357 fig., PAREYN.

†Huangia misakensis sp. n. p. 243 fig. Permian Japan, sp. A p. 244 fig., sp. B p. 244 fig., Yokoyama.

†Hydnophyllia scalaria p. 414 fig., michelottii p. 415 fig., isseli p. 415 fig., Sestini.

†Insoliphyllum gen. n. (incert. fam.) p. 170, type sp. (by original designation) soshkinae sp. n. p. 170 fig. U. Devonian Russia, [Ermakova] Trud. Vses. Nauch.-Issl. Gheol.-raz. Neft. Inst. (VNIGNI) 8 1957.

†Ipciphyllum tschernyschewi sp. n. p. 28 fig. Permian Ellesmereland, Minato.

†Isastraea minima p. 227 fig., explanata p. 228 fig., bernensis p. 229, ZUFFARDI-COMERCI.

†Kakwiphyllum p. 181, dux p. 182 fig., Stensaas & Langenheim.

†Kassinella gen. n. (fam. Amplexidae) p. 90, type sp. (by original designation) longiseptata sp. n. p. 91 fig. L. Carboniferous Kazakhstan, Keller Paleont. Zhurn. 1959 4 1960.

†Keriophylloides p. 80, simplex p. 80 fig., caespitosum p. 81 fig., massirum p. 82 fig., spp. n. Devonian Urals, [VAGANOVA].

†Ketophyllum p. 135, aseptatum sp. n. p. 136 fig. Wenlockian Siberia, [IVANOVSKY (1)].

†Keyserlingophyllum p. 303, obliquum p. 303 fig., [Soshkina].

Kionotrochus (Kionotrochus) suteri p. 284 fig., K. (Cylindro-phyllia) minima p. 287, SQUIRES (1).

†Kionotrochus (Cylindrophyllia) minima p. 287 fig., Squires (1).

†Koninckophyllum sp. ind. cf. magnificum p. 47 fig., carnicum p. 48 fig., K. ? sp. p. 49 fig., K. ? sp. ind. p. 49 fig., Kostić-Podgorska.—K. arizelum a sp. of Lithostrotion p. 124, NELSON.

†Kulindrichnus ichnogen. n. (? burrow of a cerianthid) p. 64, type sp. (by original designation) langi p. 64 fig. Liassic Great Britain, Hallam Palaeontology 3 1 1960.

†Laccophyllum p. 275, [SOSHKINA].

†Lambeophyllum cf. profundum p. 865 fig., PESTANA.

†Latimaeandra curtata p. 230 fig., mayeri p. 231, sp. ind. p. 232, ZUFFARDI-COMERCI.—L.? plana a sp. of Clausastraea p. 32, ALLOITEAU (2).

†Latiphyllia suevica p. 28 fig., [BENDUKIDZE].

†Leolasma abnorma sp. n. pp. 75, 94 fig. U. Ordovician China, Yü.

†Lithostrotion grandis p. 45 fig., kunthi p. 46 fig., cf. portlocki p. 46 fig., L.? sp. p. 47 fig., HARKER.—L. [Thysanophyllum] princeps p. 576 fig., L. [Lithostrotionella] mokomoensis p. 578 fig., dilatata p. 578 fig., L. [Diphyphyllum] connorsensis p. 579 fig., spp. n. Permian Nevada, Easton.—L. pennsylvanicum a sp. of Lithostrotionella p. 117, mutabile p. 120 fig., sinuosum p. 121 fig., warreni sp. n. [= L. (Diphyphyllum) sp. A. Sutherland] p. 121 fig., L. Carboniferous Alberta Canada, genevievensis p. 122 fig., L. (?) macoumi p. 122 fig., whitneyi p. 123 fig., arizelum p. 124 fig., Nelson.—L. a senior synonym of Depasophyllum Yü non Grabau, Smith & Thomas in Thomas, H. D.—L. junceum p. 56 fig., Unsalaner-Kiraagli.

†Lithostrotionella jasperensis p. 112 fig., micra p. 113 fig., bailliei sp. n. p. 114 fig. L. Carboniferous Alberta Canada, shimeri p. 114 fig., L. (Thysanophyllum) astraeiformis p. 115 fig., L. pennsylvanicum p. 117 fig., americana p. 118 fig., banffense p. 119 fig., stelcki sp. n. p. 119 fig. L. Carboniferous Alberta Canada, Nelson.—L. castelnaui p. 30 fig., Perry.—L. p. 184, jasperensis p. 184 fig., Stensaas & Langenheim.—L. see Lithostrotion.

†Lithostrotionidae p. 576, EASTON.

†Litvophyllum karakingirika sp. n. p. 97 fig. L. Carboniferous Kazakhstan, Keller.

†Lonsdaleia p. 579, illipahensis p. 580 fig, Nevada, cordillerensis p. 580 fig. Nevada and California, spp. n. Permian, EASTON.—L. shimeri a sp. of Lithostrotionella p. 114, NELSON.

Lophelia prolifera p. 125 fig., Moore & Bullis.

†Lophophyllidium sp. p. 246 fig., YOKOYAMA.

†Lophophyllum profundum p. 912 fig., WILLIAMS, E. G.

 $\dagger Lyrielasma$ p. 8, annulatum sp. n. p. 10 fig. L. Devonian Maine U.S.A., OLIVER (1).

†Macgeea p. 44, solitaria p. 44 fig., multizonata p. 45 fig., pulchra sp. n. p. 46 fig. Devonian U.S.S.R. [Spasskii].—M. ponderosa sp. n. p. 161 fig. Devonian New York State, Stumm (1).

†Madrepora (Amphihelia) reflexa p. 612 fig., DIENI & OMENETTO.

†Maeandraraea [as Meandraaea [sic]] p. 139, neocomiensis p. 139 fig., [Kuz'MICHEVA].

†Maichelasma see Gerthia.

†Megaphyllum p. 64, arcticum p. 64 fig., ex gr. longiseptatum p. 65 fig., [SPASSKII].

†Meniscophyllum aff. kansuense p. 36 fig., Kostić-Podgorsska.

†Microphyllia bachmayeri p. 67 fig., FRAJOVÁ.

† Microsolena fromenteli p. 34, [BENDUKIDZE].

†Mictophyllum orientalis sp. n. p. 162 fig. Devonian New York State, Stumm (1).

†Monticulastraea provincialis nom. nud. p. 369, CHEVALIER.

†Montlivaltia truncata p. 24, [BENDUKIDZE].—M. p. 134, calyciformis p. 135 fig., pumila p. 135 fig., [KUZ'MICHEVA].—M. [as Montlivaultia [sic]] obconica p. 301, compressoides, caryophyllata p. 302, media p. 303, POLJAK.—M. ? bormidensis p. 412 fig., Sestini.—M. [as Montlivaultia [sic]] compressoides p. 211 fig., dilatata p. 211, Zuffardi-Comerci.

†Mussismilia provincialis nom. nud. p. 369, CHEVALIER.

†Mycetoseris [as Micetoseris [sic]] cremai pl. 1, Comaschi Carla.

†Nardophyllum p. 32, primitivum p. 33 fig., marginatum p. 33 fig., [Spasskii].—N. p. 79, magnum **sp. n.** p. 79 fig. Devonian Urals, [Vaganova].

†Neocolumnaria p. 85, simplex sp. n. p. 85 fig. Devonian Urals, [Vaganova].

†Neomicroplasma gen. n. p. 48, type sp. (by original designation) dobrolyubovae p. 49 fig., septata p. 50 fig., sp. n. L. Carboniferous northern Russia, [Roghozov] Paleont. Zhurn. 1960 3 1960.

†Neostringophyllum p. 51, modicum p. 51 fig., [SPASSKII].

†Nervophyllum gen. n. (fam. Clisiophyllidae) p. 88, type sp. (by original designation) beschuwensis sp. n. p. 88 fig. L. Carboniferous Donetz Basin, VASILYUK Paleont. Zhurn. 1959 4 1960.

†Nicholsoniella p. 305, baschkirica p. 306 fig., famenica sp. n. p. 308 fig., carinatina sp. n. p. 309 fig., U. Devonian northern European Russia, [Soshkina].—N. p. 24, baschkirica p. 24 fig., [SPASSKII].

†Odontophyllum p. 311, [SOSHKINA].

†Oligophyllum p. 21, quinqueseptatum p. 21 fig., [Spasskii].

†Orbicella reussiana p. 206, Kochansky.

†Orthopaterophyllum p. 23, tschernyschewi **sp. n.** p. 23 fig. Devonian U.S.S.R., [SPASSKII].

†Oulangia radames sp. n. p. 5 fig. Pliocene New Zealand, Squires.

†Pachycyathus gen. n. (fam. Thecocyathiidae) p. 96, type sp. (by original designation) cylindratus sp. n. p. 97 fig. U. Cretaceous Spain, Allotteau Anal. Escul. Técn. Perit. Agric. Espec. Agropec. Serv. Técn. Agric. Barcelona 14 1960.

†Palaeophyllum [as Paleophyllum [sic]] mazourkensis sp. n. p. 867 fig. Ordovician California, rugosum p. 868 fig., PESTANA.—P. see Favistella.

†Palaeoplesiastraea columnaris nom. nud. p 370, Chevaller.

†Palaeosmilia murchisoni stutchburyi p. 53 fig., Kostić-Podoorska.—P. murchisoni p. 57 fig., Unbalaner-Kiragli.

Palythoa variabilis p. 432, LEWIS.

†Papiliophyllum p. 310, [Soshkina].

†Paracyathus stearnsii p. 80 fig., HERTLEIN & GRANT.

†Parasmilia sp. p. 369, PAVLOVEC.

Parazoanthus p. 90, lucificum sp. n. p. 90 fig. California, Cutress & Pequeonat.

†Pattalophyllia cyclolitoides pp. 370, 408 fig., costata p. 370, 408, subinflata pp. 371, 408, dalmatina p. 371, sinuosa pp. 372, 408, ? P. gnatae, ? P. sp. p. 372, PAVLOVEC.

Pectinia disticha p. 85, Rossi.

†Peneckiella aff. minima p. 160 fig., [ERMAKOVA].—P. minor kunthi pp. 29, 58, 64 fig., Rózkowska.

†Petalaxis grandis p. 45 and kunthi p. 46 are spp. of Lithostrotion, HARKER.

†Phillipsastraea kotelnitchi sp. n. p. 162 fig. U. Devonian Russia, [ERMAKOVA].—P. limitata p. 89 fig., [ERMAKOVA (1)].—P. p. 65, filata p. 66 fig., thomasi p. 66 fig., [SPASSKI].

Phymanthus crucifer p. 431 fig., Lewis.

†Placosmilia polygonata p. 364, PAVLOVEC.

†Planetophyllum gen. n. (fam. Columnariidae) p. 4, type sp. (by original designation) planetum sp. n. p. 4 fig. Devonian Alberta Canada, CRICKMAY The older Dev. faunas N.W. Terr. 1960.

†Platycyathus batalleri p. 106 fig., depressus p. 107 fig., spp. n. Cenomanian Spain, ALLOTTEAU.

†Plerophyllum p. 58, P. (?) fragile sp. n. p. 60 fig. Permian U.S.S.R. [SOKOLOV].

†Plesiocaryophyllia gen. n. (fam. Caryophylliidae) p. 99, type sp. (by original designation) batalleri sp. n. p. 100 fig. U. Cretaceous Spain, Allotteau Anal. Escul. Técn. Perit. Agric. Espec. Agropec. Serv. Técn. Agric. Barcelona 14 1960.

†Plesiodiploria gen. n. (fam. Dendrogyriidae) p. 93, type sp. (by original designation) scutifera sp. n. p. 94 fig. U. Cretaceous Spain, ALLOTEAU Anal. Escul. Técn. Perit. Espec. Agropec. Serv. Técn. Agric. Barcelona 14 1960.

†Pleurosmilia cf. maxima p. 24, [BENDUKIDZE].

†Polyphylloseris aff. convexa p. 33, [Bendukidze].—P. p. 139, convexa p. 139 fig., [Kuz'micheva].

Porites superficialis, asteroides p. 83, Rossi.—P. lutea p. 41, UTINOMI.

†Porites calabricae p. 370, lobatosepta p. 371, nomm. nud., Chevalier.

†Prionastraea [as Prionastrea [sic]] diversiformis pl. 1, Comaschi Caria.—P. neugeboreni p. 206, Kochansky.

Protanthea simplex p. 69 fig., NYHOLM.

†Protozaphrentidae fam. n. Ordovician-Silurian p. 895, [Ivanovskii] Dokl. Akad. Nauk S.S.S.R. 125 4 1959.

†Protozaphrentis minor p. 36 fig., [IVANOVSKII (2)]. Psammocora contigua p. 41, UTINOMI.

†Pseudoblothrophyllum gen. n. p. 91, type sp. (by original designation) helderbergium p. 92 fig., munusvillium p. 93 fig., arrectum p. 94 fig., spp. n. L. Devonian New York State, OLIVER J. Paleont. 34 1 1960.

†Pseudodigonophyllum gen. n. (fam. Cystiphyllidae) p. 39, type sp. (by original designation) macroseptatum p. 40 fig., bizonatum p. 40 fig., spp. n. [Devonian U.S.S.R., [SPASSKI] Paleont. obos. strat. Paleoz. Rudnogo Altaya 3 1960.

†Pseudopetraia devonica p. 278 fig., [Soshkina].—P. p. 22, devonica p. 22 fig., [Spasskii].

†Pseudouralinia p. 40, gorskyi sp. n. p. 41 fig. L. Carboniferous northern Urals, [Rochozov].

†Pseudozaphrentoides sp. p. 81 fig., SUTHERLAND & COCKE.

†Pseudozonophyllum p. 35, versiforme p. 35 fig., latum p. 36 fig., zmeinogorskiensis sp. n. p. 37 fig. Devonian U.S.S.R. [Spasski].

†Ptenophyllum p. 41, bulvankas sp. n. p. 41 fig. Devonian U.S.S.R., [Spasskii].

†Rhabdophyllia tenuis pp. 361, 408, intercostata pp. 361, 408, PAVLOVEG.—R. ? tenuis p. 419 fig., Sestini.

† Rhipidogyra cf. elegans p. 9, [BENDUKIDZE].

†Ridderia gen. n. (fam. Lindstromiidae) p. 24, type sp. (by original designation) dubatolovi sp. n. p. 25 fig. Devonian U.S.S.R., [Spasskii] Paleont. obos. strat. Paleoz. Rudnogo Altaya 3 1960.

†Rylstonia cystea sp. n. p. 94 fig. L. Carboniferous Kazakhstan, Keller.

†Scenophyllum p. 288, [SOSHKINA].

†Schizosmilia koniakensis p. 63 fig., Frajová.

†Schlüteria lyskovensis sp. n. p. 163 fig. U. Devonian Russia, [Ermakova].

†Sinkiangolasma gen. n. (fam. Tryplasmidae) pp. 75, 96, type sp. (by original designation) simples pp. 76, 97 fig., primitica pp. 76, 97 fig., spp. n. U. Ordovician China, Yü Acta palaeont. Sinica 8 2 1960.

†Siphonophrentis gigantea p. 36 fig., [IVANOVSKII (2)].— S. p. 87, variabilis sp. z. p. 87 fig. L. Devonian New York State, OLIVER.

†Smilotrochus tarraconensis sp. n. p. 84 fig. U. Cretaceous Spain, ALLOITEAU.

†Sochkineophyllum p. 67, tsaregradskyi p. 69 fig., zavodovskyi p. 71 fig., spp. n. Permian U.S.S.R., [Sokolov].

Solenastraea [as Solenastrea [sic]] micans, bournoni p. 84, Rossi.

†Spongophyllum p. 55, halysitoides p. 55 fig., kurjaensis sp. n. p. 56 fig. Devonian U.S.S.R., [Spasskii].

†Stenophyllum uralicum p. 87 fig., [Ermakova (1)].— S. p. 57, uralicum p. 57 fig., gorskii p. 58 fig., deconicum p. 58 fig. altum p. 59 fig., giganteum sp. n. p. 60 fig. Devonian U.S.S.R., [Spasskii].

†Stephanocoenia furcata p. 225 fig., ramulifera p. 226 fig., ZUFFARDI-COMERCI.

†Stephanophyllia agaricoides p. 207, KOCHANSKY.

†Stereolasma p. 276, [SOSHKINA].

†Streptelasma sp. pl. 1, HERNÁNDEZ-SAMPELAYO.— S. rusticum p. 30 fig., PERRY.—S. sp. 1, sp. 2 p. 865, sp. 3 p. 866, cf. distinctum p. 866 fig., cf. prolongatum p. 866 fig., tempsoni sp. n. p. 867 fig. Ordovician California, PESTANA. —S. chekiangensis sp. n. pp. 74, 94 fig. U. Ordovician China, sp. p. 74 fig., Yü.

†Stylacropora hercegowinensis pp. 358, 407, eoceaenica pp. 359, 407, PAVLOVEC.

†Stylastraea cf. toulai p. 47 fig., HARKER.

†Stylidophyllum eguchii sp. n. p. 245 fig., yokoyamai subsp. tertioseptatum subsp. n. p. 245 fig., Permian Japan, Yokoyama.

†Stylina tuberosa p. 11 fig., aff. valfinensis p. 12, parvipora p. 13 fig., minima p. 13, [BENDUKUDE].—S. tubulifera p. 63 fig., FRAJOVA.—S. p. 131, turbinata p. 132 fig., sparsa p. 132 fig., sablensis p. 132 fig., pachystylina p. 132 fig., elegans p. 132 fig., [Kuz'Micheva].—S. anthemoides p. 301 fig., POLJAK.—S. distans p. 411 fig., annulata p. 411 fig., SESTIM.

†Stylocoenia taurinensis p. 366, reussi, ? S. sp. p. 367, PAVLOVEC.—S. [as Stylocaenia [sic]] taurinensis p. 415 fig., Sestini.

†Stylophora distans pp. 362, 408 fig., cf. conferta p. 363, PAVLOVEC.

†Stylosmilia michelini p. 10 fig., [Bendukidze].— S. (Calamophyllia) radiata p. 299, POLJAK.

†Sudetia gen. n. pp. 35, 59, 64, type sp. (by original designation p. 3) lateseptata sp. n. pp. 35, 59, 64 fig. U. Devonian Poland, S. ?javlanensis, S. ? rassiensis p. 41, Rózkowska Acta palaeont. polon. 5 1 1960.

†Synastraea cf. concinna p. 608, STAESCHE.

†Tabellaephyllum unicum sp. n. p. 167 fig. Devonian Russia, [Ermakova].

†Tabulophyllum pseudodelicatum sp. n. p. 165 fig. Devonian Russia, [Ermakova].—T. p. 289, normale p. 290 fig., [Soshkina].—T. p. 25, rotundum sp. n. p. 26 fig., major Bulvanker in Spasskii sp. n. p. 27 fig., altaicum sp. n. p. 28 fig., Devonian U.S.S.R., ex gr. gorskii p. 28 fig., [Spassku].—T. p. 77, uralicum sp. n. p. 77 fig. Devonian Urals, [Vaganova].

†Taimyrophyllum p. 63, carinatum Bulvanker in Spasskii sp. n. p. 63 fig. Devonian U.S.S.R., [Spasskii].

† Tarbellastraea siciliae nom. nud. p. 370, Chevalier.— T. ellisiana p. 414 fig., Sestini.

†Tarraconogyra gen. n. (fam. Dendrogyriidae) p. 88, type sp. (by original designation) batalleri p. 89 fig., comophyllioides p. 91 fig., spp. n. U. Cretaceous Spain, Alloiteau Anal. Escul. Técn. Perit. Agric. Espec. Agropec. Serv. Técn. Agric. Barcelona 14 1960.

†Thamnasteria sp. p. 18 fig., Flügel, E.—T. lobata p. 66 fig., Frajová.—T. [as Tamnasteria [sic]] p. 137, punctata p. 137 fig., digitata p. 137 fig., [Kuz'micheva].—T. p. 416, T.? volvox p. 417 fig., adscita p. 417 fig., Sestini.—T. [as Thamnastraea [sic]] lomontiana p. 232, Zuffardi-Comerci.

† Thamnastraea see Thamnasteria.

†Thamnophyllum voronensis sp. n. p. 168 fig. Devonian Russia, [Ermakova].—T. diversum sp. n. p. 88 fig. U. Devonian Russia, [Ermakova (1)].—T. kunthi a var. of Peneckiella minor pp. 29, 58, 64, trigeminum, mut. skalense, mut. trigeminum, mut. pajchelae, mut. kozlowskii, mut. superius p. 53, Rózkowska.—T. p. 47, trigemine p. 47 fig., stramineum p. 48 fig., virgatum p. 49 fig., [Spassku].

†Thamnoseris cf. amedei p. 31, cf. strambergensis p. 32, [BENDUKIDZE].

†Thecosmilia langi p. 687 fig., Beauvais (1).—T. maxima p. 25, longimana var. magna p. 26, irregularis p. 26, cf. moraviensis, cf. kiliani p. 27, [Bendukidze].—T. 5p. p. 5, Frajová.—T. [as Thecosmislia [sic] p. 303] (Calamophyllia) flabellum p. 303, var. compacta, granulosa p. 304, clathrata p. 305, tenuis p. 305 fig., Poljak.—T. badiotica p. 52 fig., Flügel, E. (5).—T. tricholoma p. 454 fig., Romewicz.

† Thysanophyllum see Lithostrotion and Lithostrotionella.

†Tortophyllum p. 83, eifelensis sp. n. p. 83 fig. Devonian Urals, [Vaganova].

†Trochocyathus affinis p. 208, cf. pyramidatus var. subperarmata p. 208 fig., sp. p. 209, Kochansky.

†Trochoseris semiplana p. 369, PAVLOVEC.—? T. incerta sp. n. p. 102 fig. U. Cretaceous Spain, Alloiteau.

†Trochosmilia malladai p. 95 fig., BATALLER.—T. cocchii p. 363, alpina p. 363 fig., PAVLOVEC.

†Tryplasma fascicularium sp. n. p. 96 fig. L. Devonian New York State, Oliver.—T. p. 12, rhopalium sp. n. p. 13 fig. L. Devonian Maine U.S.A., Oliver (1).

Tubastraea [as Tubastrea [sic]] aurea p. 200 fig., SQUIRES (2).

†Tungussophyllum gen. n. (fam. Protozaphrentidae) p. 897, type sp. (by original designation) Zaphrentis comulus p. 897 fig. Silurian Gotland, [Ivanovskii] Dokl. Akad. Nauk S.S.S.R. 125 4 1959.—T. conulus p. 36 fig., [Ivanovskii (2)].

†Turbinolia rosetta sp. n. p. 1020 fig. Paleocene Alabama, Howe.

†Uralinia p. 301, multiplex p. 301 fig., [SOSHKINA].

†Utaratuia gen. n. (fam. Spongophyllidae) p. 5, type sp. (by original designation) lawigata p. 5 fig., acubicta p. 5 fig., spp. n. Devonian N.W. Canada, CRICKMAY The older Dev. faunas N.W. Terr. 1966.

†Waagenophyllum longiseptatum sp. n. p. 241 fig. Permian Japan, cf. akasakensis p. 242 fig., sp. p. 243 fig., W.? sp. ind. p. 243, YOKOYAMA.

†Wellsotrochus nom. n. (for Wellsia Squires not Imlay—fam. Caryophylliidae) p. 1053, type sp. (by original designation) Wellsia cyathiformis p. 1053 U. Cretaceous New Zealand, Squires J. Paleont. 34 5 1960.

†Xystriphyllum hyperbolicum sp. n. p. 11 fig. N.W. Canada, Crickmay.

†Zaphrentis ovibos a sp. of Caninia p. 41, HARKER.—Z. aff. postuma pl. 1, cornicula pl. 1, HERNÁNDEZ-SAMPELAYO.—Z. conulus the type sp. of Tungussophyllum pp. 897 fig., [IVANOVSKII].—Z. phrygia p. 36 fig., conulus a sp. of Tungussophyllum pp. 36, 38, [IVANOVSKII (2]].—Z. p. 17, cf. phrygia p. 18 fig., Z. ? spp. p. 19, OLIVER (1).—Z. konincki p. 278 fig., calcariformis p. 279 fig., adyrensis sp. n. p. 279 fig. Devonian northern European Russia, [SOSHKINA].

†Zaphrentoides ? sp. p. 39 fig., Kostić-Podgorska. †Zelophyllia p. 78, uralica sp. n. p. 78 fig. Devonian Urals, [Vaganova].

†Zmeinogorskia gen. n. (fam. Kodonophyllidae) p. 31, type sp. (by original designation) bublichenkoi sp. n. p. 32 fig. Devonian U.S.S.R., [Spasskii] Paleont. obos. strat. Paleoz. Rudnogo Altaya 3 1960.

†Zonophyllum p. 34, parvum p. 34 fig., [SPASSKII].

Zooanthus pulchellus p. 432, LEWIS.

CTENOPHORA

Coeloplana gonoctena var. natalensis var. n. p. 39 fig. Natal, POPLE.

INCERTAE SEDIS

†Coelenteratella gen. n. p. 627, type sp. (by original designation) antiqua sp. n. p. 627 fig. M. Cambrian Siberia, [Korde] Dokl. Akad. Nauk S.S.S.R. 125 3

†Cyclomedusa possibly an Archaeocyathine p. 378, davidi p. 378, radiata pp. 378, 381, Glaessner.

† Ediacara flindersi pp. 378, 379, GLAESSNER.

†Lenaella gen. n. p. 626, type sp. (by original designation) reticulata p. 626 fig., longa p. 626 fig., spp. n. L. Cambrian Siberia, [KORDE] Dokl. Akad. Nauk S.S.S.R. 125 3 1959. †Protolyella asteroides probably = mauesoni, filamentus p. 381, Glaessner.

†Protoniobia wadea partim is Cyclomedusa radiata p. 381, GLAESENER.

†Spriggia p. 388, GLAESENER.

† Tateana a synonym of Cyclomedusa, inflata may be radiata p. 388, GLAESSNER.

†Tribrachidium gen. n. p. 389, type sp. (by original designation) heraldicum sp. n. p. 389 fig. Precambrian South Australia, GLAESSNER Rec. S. Aust. Mus. 13 3 1959.

